## California Environmental Protection Agency AIR RESOURCES BOARD

## EXECUTIVE ORDER A-030-0147-1 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515-39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

YEA	MODEL YEAR TEST GROUP 2003 3ADXV01.8346				VEHICLE TYPE PC=passenger car; LDT=light-duty truck MDV=medium-duty vehicle; LVW=loaded vehicle weight; ALVW=adjusted LVW) PC	CATEGOR	EMISSION STANDA Y (LEV=low emiss TLEV= transitional LEV; LEV; SULEV=super ULI LEV	Ion EVAPORATIVE USEFUL LIFE V) (UL) (miles)	FUEL TYPE (CNG/LNG=compressed/ liquefied natural gas; LPG=liquefied petroleum gas)					
	-	POR/			SPECIAL FEATURES	5 0	100K/100K	Gasoline (Indolene)						
No.	FAN	AILY (E	VAF)	No	EMISSION CONTROL SYST	EMS (ECS)	* = not applicable	OC/TWC=oxidizing/3-way	cat. ADSTWC=adsorbing TWC					
1	3AD	ADXR0110234			TWC, HO2S(2), SFI,	AIR, TC, CAC,	AFS/HAFS=air-fuel ratio s	102S=oxygen sensor/heated 02S sensor/heated AFS EGR=exhaust						
2	3AD	3ADXR0130242				*	das recirculation AIR/PAIR=secondary air injection/pulsed AIR MFVSFI= multiport fuel injection/sequential MFI							
3		* 27				*	BISI# throttle body injection	on TG/SC=furbo /super charger						
4		*				*	CAC=charge air cooler OBD (F) / (P)=fuil /partial on-board diagnostic prefix 2=paraliel (2) suffix=series							
EVA No.						EHICLES SUBJ	ABBREVIATIONS: *							
NO.		No. SIZE (L)		2	MALEO & MODELEO STANDARDO ARE ONDERLINED									
1	1 1.8			Volkswagen: GTI, Jetta Sedan, Jetta Wagon, New Beetle										
2		1 1.8			Audi: TT Coupe, TT Coupe Quattro, TT Roadster, TT Roadster Quattro									
*.		* *												
*		* *			•									

The exhaust and evaporative emission standards (STD) and certification emission levels (CERT) for the listed vehicles are as follows (compliance with the 50 °F testing requirement (for TLEV, LEV, ULEV, SULEV) may have been met based on the manufacturer's submitted compliance plan in lieu of testing). Any debit in the manufacturer's "NMOG Fleet Average" (PC and LDT) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required. (For bi-, dual- or flexible-fueled vehicles, the STD and CERT in parentheses are those applicable to testing on gasoline test fuel.)

NMOG FLEET AVERAGE [g/mi]			NMOG @ RAF= 1.00 CH4 RAF = *		NMOG or	Introgen	<b>NUNTOR</b>	maidenvde	I PM≊Dai	rticulate m	atter i	RAFereacth	/itv artiuetm	arbon mono ent factor	2/2 D [alloo	ang/2 days	
CER	Г	STD			NMHC STD	ing=millig	<b>X-S</b> OAK KL	_ [g/mi]=rui mile  K=1	nning loss	ORVR [	g/gallon	dispensed] hrenheit	=on-board r	efueling vap plemental fe	or recovery	o≖orami	
0.056	3 0	0.062	CERT [g/ml]		[g/mi]		[g/mi]		)x [g/ml]	H	ICHO [	mg/mi]	PM [		Hwy NO		
and the second	y :=		[Avuu]			CERT	STD	CERI	ST ST	D CI	ERT	STD	CERT	<b>STD</b>	CERT	STD	
		@ 50K	0.051	+	0.075	0.8	3.4	0.01	0.2	2 (	0.3	15	*	*	0.00	0.3	
		@ UL	0.060	•	0.090	0.9	4.2	0.01	0.:	3 (	0.3	18	*	*	0.00	0.4	
	@ 50°	F & 4K	0.082		0.150	1.2	3.4	0.02	0.2	2 (	0.4	30	+	*	*	*	
@ 20	@ 20°F &		= @ 4K (SUL EV) or 50K (Ti	er 1, TLEV)	NMHC+NOx [g/mi] (composite)		CO [ (comp	g/mi] oosite)		C+NOx [US06]		C [g/mi] [US06]		HC+NOx hi] [SC03]		[g/mi] Č03]	
50			SFTP 2 = @ UL (Tier 1, TLEV)		CERT	STD	CERT	STD	CÉRT	STD	CEI	RT STI	CER	r std	CERT	STD	
CERT	1.8			SFTP 1	•	•	*	+	0.04	0.14	2.	5 8.0	0.01	0.20	0.2	2.7	
STD	10.0	: ::::::::::::::::::::::::::::::::::::		SFTP 2	*	<b>_</b>	*	*	*	*	*	*	*	*	*	•	
@ UL	EVAPORATIVE FAMILY 1				EVAPORATIVE FAMILY 2				EVAPORATIVE FAMILY 3				E	EVAPORATIVE FAMILY 4			
	3-D	2-0		ORVR	3-D	2-D	RL	ORVR	3-D	2-D	RL	ORV	R 3-D	2-D	RL	ORVR	
CERT	1.0	0,8	0.02	0.05	0.8	1.4	0.001	0.03	*	*	*	*	*	*	*	*	
STD	2,0	2.5	0.05	0.20	2.0	2.5	0.05	0.20	*	*	*	*	*	*	*	•	

**BE IT FURTHER RESOLVED:** That for the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.1 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations. The Bureau of Automotive Repair will be notified by copy of this Executive Order. This Executive Order hereby supersedes Executive Order A-030-0147 dated May 13, 2002.

Executed at El Monte, California on this 262

day of August 2002.

has he had

Allen Lyons, Chief Mobile Source Operations Division

AUDI AG