DAIMLERCHRYSLER CORPORATION

EXECUTIVE ORDER A-009-0617 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515-39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

	MODEL YEAR TEST GROUP				VEHICLE TYPE (PC=passenger car; LDT=light-duty truck; MDV=medlum-duty vehicle; LVW=loaded vehicle weight; ALVW=adjusted LVW)			CATEGOR` vehicle; T ULEV=ultra	LEV= transitional LE LEV; SULEV=super U	ssion V:	EXHAUST / EVAPORATIVE USEFUL LIFE (UL) (miles)	FUEL TYPE (CNG/LNG=compressed/ liquefied natural gas; LPG=liquefied petroleum gas)			
200			T04.02N	0	LDT: 3,751-5,750 pounds LVW				in 9 as ARB LEV I ULE	V	100K / 100K	Gasoline (Tier 2 Unleaded)			
No.	EVAP(FAMIL	Y (E	VAF)	No	E	SPECIAL FEAT MISSION CONTROL	& VIS (ECS)	* = not applicable	0 0 0	C/TWC=oxidizing/3-way	cat. ADSTWC=adsorbing TWC iO2S=oxygen sensor/heated O2S				
1	4CRXR	XR0155GCS				2WUOC, TW	/C, SFI,	2H02S(2), OE	BA.	FS/HAFS=air-fuel ratio s	ensor/heated AFS EGR=exhaust				
2		*	i i	2					S A	as recirculation AJR/PAI IR MFI/SFI≃ multipor	R≖secondary air injection/pulsed true injection/sequential MFI				
3		*		3			*		T	Bi= throt tle bo dy injectio	on TC/SC=turbo /super charger				
4		. •				GAC=charge air cooler OBD (F) / (P)=full /partia diagnostic prefix 2=parallel (2) suffix=series									
EVAI No.	F EC		ENGINI SIZE (L		MAH	VEHICLE (ES & MODEL'S	VEI	HICLES SUBJ NDARDS AR	ECT TO SETP EUNDERLINED	ABB	REVIATIONS:				
1	1	1 4.0			Jeep Grand Cherokee 2WD/4WD										
*	*		*		*										
*	*	* *													
*	*		*												

The exhaust and evaporative emission standards (STD) and certification emission levels (CERT) for the listed vehicles are as follows (compliance with the 50 °F testing requirement (for TLEV, LEV, ULEV, SULEV) may have been met based on the manufacturer's submitted compliance plan in lieu of testing). Any debit in the manufacturer's "NMOG Fleet Average" (PC and LDT) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required. (For bi-, dual- or flexible-fueled vehicles, the STD and CERT in parentheses are those applicable to testing on gasoline test fuel.)

NMOG FLEET NMOG @ RAF=* AVERAGE [g/mi] CH4 RAF = *				RAF=*	NMOG o	nitrogen	HUHUSTO	rmaidenvd	e Pivi≅no:	irticulate	matter	RAFEreacti	vitv adinetm	arbon mond	2/3 D [n/toot	1=9/3 day	
CER			MOG	NMHC	NMHC STD	mg=milli	POT-BOSK K	L [g/mi]≕rι ∘mile K≃	inning io s	S ORVR	[g/gallo	n dispensed Fahrenheit]≖on-board i	refueling var piemental fe	or recovery	g=gram	
0.05	0.085		ERT /	CERT [g/mi]	[g/mi]		[g/ mi]		Ox [g/mi		НСНО	[mg/mi]		g/mi]	Hwy NO		
\$ W. V. P. L. W. Y. P.	100000000000000000000000000000000000000		3/1111		10 1	CERT	STD	CER	T S	TD (CERT	STD	CERT	STD	CERT	STD	
	@ 50K		.077	* 1	0.100	1.7	3.4	0.1	0	2	*	15	*	. *	0.004	0.27	
	@ L	L O	.077	•	0.130	1.7	4.2	0.1	0	.3		18	*	*	0.004	0.40	
	@ 50°F & 4	K	*			•	-	•	,	•	*	*	*	*	*		
CO [@ 20	°F&	LEV) o	4K (SULE or 50K (Tie	r 1, TLEV)	NMHC+N (comp	osite)	(com	g/mi] posite)		C+NOx] [US06]		CO [g/mi] [US06]		HC+NOx ni] [SC03]		[g/mi] 203]	
50	K	2 = @	UL (Tier 1	, TLEV)	CERT	STD	CERT	STD	CERT	STD	CE	RT ST	D CER	T STD	CERT	STD	
CERT	5.5		SF	TP @ 4K	•	•	*	*	0.07	0.25	3	.3 10.	.5 0.14	0.27	0.1	3.5	
STD	12.5	A	SF	TP @ UL	0.14	1.04	14	*	*	*	1	.8 14.	.6 *	*	1.0	4.9	
@ UL			E FAMI							EVAPORATIVE FAMILY 3				EVAPORATIVE FAMILY 4			
		2-D	RL	ORVR	3-D	2-D	RL	ORVR	3-D	2-D	RI	ORV	R 3-D	2-D	RL.	ORVR	
CERT	1.1	0.7	0.001	0.03	-	*	*	*	*	. *	*	*		*		•	
STD	2.0	2.5	0.05	0.20	*	*	*	*	*	*	*	*	*	*	*	•	

BE IT FURTHER RESOLVED: That for the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.1 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model PC, LDT and MDV).

BE IT FURTHER RESOLVED: That the listed vehicle models are federally certified, and are certified under the provisions of 13 CCR Section 1961(a)(14) and the incorporated test procedures.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations. The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this _____24⁷⁸ day of December 2002.

Raphael Susposition (MA)

Mobile Source Operations Division