HYUNDAI MOTOR COMPANY

EXECUTIVE ORDER A-254-0102 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515-39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

MOD YEA	R	TEST GROUP 4HYXT02.4SU9				VEHICLE TYPE (PC=passenger car; LDT=light-duty truck; MDV=medium-duty vehicle; LVW=loaded vehicle weight; ALVW=adjusted LVW) LDT: 3,751-5,750 Pounds LVW SEHAUST EMISS STANDARD CATEG (LEV=low emission vehicle transitional LEV; ULEV=u SULEV=super ULE 1) USEPA Bin 9 2) Counted as ARB LEV					EXHAUST / EVAPORATIVE USEFUL LIFE (UL) (miles)	FUEL TYPE (CNG/LNG=compressed/ liquefled natural gas; LPG=liquefled petroleum gas) Gasoline (Indolene)	
No.	EVAPORATIVE FAMILY (EVAF) 4HYXR0175PES				No. 1	SPECIAL FEATURE SPECIAL FEATURE SPECIAL SPECIA	YST	& EMS (ECS)	* = not applicable	WU= warm-up cat. O2S/H AFS/HAFS=air-fuel ratio s	cat. ADSTWC=adsorbing TWC IO2S=oxygen sensor/heated O2S ensor/heated AFS EGR=exhaust		
3	*				2 3		*		gas recirculation AIR/PAIR=secondary air injection/pulsed AIR MFI/SFI= multiport fuel injection/sequential MFI TBI= throttle body injection TC/SC=turbo /super charger CAC=charge air cooler OBD (F) / (P)=full /partial on-board				
4		*			4			•		diagnostic prefix 2=paral	llei (2) suffix=series		
EVAF No.		ECS ENGIN No. SIZE (L				VEHICLE MAKES & MODELS		HICLES SUBJ ANDARDS AR	AE	ABBREVIATIONS:			
1		1 2.4			+	Hyundai Santa Fe 2WD							
								· · · · · · · · · · · · · · · · · · ·					
				_									

The exhaust and evaporative emission standards (STD) and certification emission levels (CERT) for the listed vehicles are as follows (compliance with the 50 °F testing requirement (for TLEV, LEV, ULEV, SULEV) may have been met based on the manufacturer's submitted compliance plan in lieu of testing). Any debit in the manufacturer's "NMOG Fleet Average" (PC and LDT) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required. (For bi-, dual- or flexible-fueled vehicles, the STD and CERT in parentheses are those applicable to testing on gasoline test fuel.)

AVE	OG FL RAGE[EET g/mi]		@ RAF= * RAF = *	NMOG or	CH4=methane NMOG=non-CH4 organic gas NMHC=non-CH4 hydrocarbon CO=carbon monoxide NOx=oxides of nitrogen HCHO=formaldehyde PM=particulate matter RAF=reactivity adjustment factor 2/3 D [g/test]=2/3 day distributes oak RL [g/mi]=running loss ORVR [g/gallon dispensed]=on-board refuelling vapor recovery g=gram											
CER	CERT STD		NMOG		NMHC	mg=millig	X-SOAK KL	_ լց/mıj≖run	ıning loss 000 miles	S ORV	/R [g/gallo:	n dispensed] ahrenheit	=on-board	refueling vap	or recovery	g=gram	
0.050	0.085		CERT [g/mi]	CERT [g/mi]	[g/mi]		CO [g/mi]		NOx [g/mi]			[mg/mi]		plemental federal test procedur g/mi] Hwy NOx [g/m			
AND DESCRIPTION OF THE PERSON	SIMILAR AND		[g/iii]	[giiii]	ļ. <u> :</u>	CERT	STD	CERT	ST	D	CERT	STD	CERT	STD	CERT	STD	
	@ 50		0.027	*	0.075	0.4	3.4	0.1	0.	0.2 0.5		15	*	*	0.01	0.27	
	@ UL		0.030	*	0.090	0.5	4.2	0.1	0.	3	0.6	18	*	*	0.01	0.40	
200	@ 50°	F & 4K	*	*	*	* * * * *		*	*	*		*	*				
CO [F&	LE	= @ 4K (SULEV, ULEV, EV) or 50K (Tier 1, TLEV)		NMHC+NOx [g/mi] (composite)		CO [g/mi] (composite)		NMHC+NO [g/mi] [US0			CO [g/mi] [U\$06]		NMHC+NOx [g/mi] [SC03]		CO [g/mi] [SC03]	
50	K	SFTP 2	= @ UL (T	ier 1, TLEV)	CERT	STD	CERT	STD	CERT	ST	TD CE	RT ST	D CER	T STD	CERT	STD	
CERT	5.2	1.04%		SFTP 1	*	*	* .	*	0.01	0.2	25 7	.0 10.	5 0.09	0.27	0.1	3.5	
STD	12.5	7.3		SFTP 2	0.09	1.03	2.77	5.04	•	*	•	* *	*	•	-*	*	
@ UL		VAPOR	ATIVE F	AMILY 1	EVAPORATIVE FAMILY 2				EVA	POR	ATIVE FA	AMILY 3	E	EVAPORATIVE FAMILY 4			
	3-D	2-0	R	_ ORVR	3-D	2-D	RL	ORVR	3-D	2-D	RI	ORV		2-D	RL	ORVR	
CERT	0.7	2.1	0.0	0.04	*	*	*	*	*	*	*	*	*	*	•	*	
STD	2.0	2.5	0.0	5 0.20	*	*	*	*	*	*	*	*	*	+	*	*	

BE IT FURTHER RESOLVED: That for the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.1 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model PC, LDT and MDV).

BE IT FURTHER RESOLVED: That the listed vehicle models are federally certified, and are certified under the provisions of 13 CCR Section 1961(a)(14) and the incorporated test procedures.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations. The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this _________ day of August 2003.

Rephard Surrounts

Mobile Source Operations Division