AIR RESOURCES BOARD

KIA MOTORS CORPORATION

EXECUTIVE ORDER A-315-0039 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515-39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

			TEST GROUP 4KMXT03.5F03		VEHICLE TYPE (PC=passenger car; LDT=light-du MDV=medium-duty vehicle; LVM vehicle weight; ALVW=adjuste LDT: 3,751-5,750 pounds	CATEGOR vehicle; 1 ULEV=ultra 1) USEPA B	LEV= transitional LEV; LEV; SULEV=super UL	EVAPORATIVE USEFUL LIFE EV) (UL) (miles)	FUEL TYPE (CNG/LNG=compressed/ liquefied natural gas; LPG=liquefied petroleum gas) Gasoline (Tier2 Unleaded)					
No.		AMILY (EVAF)			o. SPECIAL FEA	ATURES SYSTE	8	* = not applicable	OC/TWC=oxidizing/3-wa	y cat. ADSTWC=adsorbing TWC				
1	4KM	4KMXR0160F03			2WU-TWC,	TWC, 2H	02S(2), SFI, O	AFS/HAFS=air-fuel ratio	HO2S=oxygen sensor/heated O2S sensor/heated AFS EGR=exhaust					
2		*			2	1	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	gas recirculation AIR/PAIR=secondary air injection/puised AIR MFI/SFI= multiport fuel injection/sequential MFI TBI= throttle body injection TC/SC=turbo /super charger CAC=charge air cooler OBD (F) / (P)=full /partial on-board diagnostic prefix 2=parallel (2) suffix=series						
3		*				*	1							
4		*				*	······································							
EVAF No.		ECS ENGINE VEHICLE No. SIZE (L) MAKES & MODELS		VEI STA	HICLES SUBJ	ECT TO SFTP	ABBREVIATIONS: /B/ = Buick /C/ = Chevrolet /CD/ = Cadillac /G/ = GMC /O/ = Oldsmobile /P/ = Pontiac							
1		1 3.5			Kia Sedona									
*		<u> </u>	*		•									
*		* *			•									
•	*		L_ *					*						

The exhaust and evaporative emission standards (STD) and certification emission levels (CERT) for the listed vehicles are as follows (compliance with the 50 °F testing requirement (for TLEV, LEV, ULEV, SULEV) may have been met based on the manufacturer's submitted compliance plan in lieu of testing). Any debit in the manufacturer's "NMOG Fleet Average" (PC and LDT) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required. (For bi-, dual- or flexible-fueled vehicles, the STD and CERT in parentheses are those applicable to testing on gasoline test fuel.)

				NMOG @ RAF=* CH4 RAF = *										ent factor		
CERT STD		NMOG	NMHC		diurnai+ho mg=milligr		- [&mi]-iu	nning loss 1000 miles	5 URV	rk [g/galloi	ahrenheit	=on-board i	ent factor efueling vap plemental fe	OF recovery	g=gram	
0.05	0 1	0.085 [g/mi] [g/mi]			CO [g/mi]			Dx [g/mi]		HCHO [mg/mi]			g/mi]	Hwy NO		
					+	CERT	STD	CER	<u>r st</u>	D	CERT	STD	CERT	STD	CERT	STD
		@ 50K	0.041	*	0.075	0.4	3.4	0.01	0.	2	1	15	*	*	0.02	0.3
Sec. Simon (@ UL	0.045	*	0.090	0.5	4.2	0.01	0.	3	1	18	*	*	0.02	0.4
	@ 50'	°F & 4K	4K • •		*	*	*	*	•		*	*	*	+	•	*
@ 20°F & 📓 LE			= @ 4K (SUL V) or 50K (Ti	er 1. TLEV)	NMHC+NOx [g/mi] (composite)		CO [g/mi] (composite)		NMHC+NO				NMHC+NOx [g/mi] [SC03]			[g/mi] C03]
50K		SFTP 2 = @ UL (Tier 1, TLEV)		CERT	STD	CERT	STD	CERT	ST		RT STI			CERT	STD	
CERT	4.3			SFTP @4K	*	*	*	*	0.06			.6 10.			0.5	3.5
STD	12.5		SFTP @100K		0.07	1.03	3.06	5.05	*		•	• •	•	•	· •	•
@ UL		VAPORA	TIVE FAM	ILY 1	EVAPORATIVE FAMILY 2				EVAPORATIVE FAMILY 3				F	VAPORAT		V 4
	3-D	2-D	RL	ORVR	3-D	2-D	RL	ORVR	3-D	2-0				2-D		
CERT	1.4	1.9	0.03	0.12	*	*	*	*	*	*	*		<u> </u>		RL	
STD	2.0	2.5	0.05	0.20	*	•		*	*	*			_	<u> </u>	<u> </u>	

BE IT FURTHER RESOLVED: That for the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model PC, LDT and MDV).

BE IT FURTHER RESOLVED: That the listed vehicle models are federally certified, and are certified under the provisions of 13 CCR Section 1961(a)(14) and the incorporated test procedures.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations. The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this $\underline{26^{24}}$ day of August 2003.

Allen Lyons, Chief 1

Mobile Source Operations Division