## California Environmental Protection Agency TELEFLEXGFI CONTROL SYSTEMS, INC. EXECUTIVE ORDER A-325-0049 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515-39516 and Executive Order G-02-003;

**IT IS ORDERED AND RESOLVED:** That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

MODI YEA 2004	R	TEST GROUP 4G9XT05.46CP			VEHICLE TYPE PC=passenger car; LDT=light-duty trn MDV=medium-duty vehicle; LVW=loar vehicle weight; ALVW=adjusted LVV MDV: 5,751-8,500 pounds ALVI	uck; CATEGOR ded vehicle; W) ULEV=uitra	EMISSION STANDA Y (LEV=tow emiss TLEV= transitional LEV; LEV; SULEV=super ULE 3in 10a (OPT) as ARB LEV I ULEV	ion EVAPORATIVE USEFUL LIFE	FUEL TYPE (CNG/LNG=compressed/ liquefied natural gas; LPG=liquefied petroleum gas) Dual Fuel: LPG / Gasoline (Indolene)				
No.		EVAPORATIVE FAMILY (EVAF)		No	SPECIAL FEATUR		* = not applicable	WU= warm-up cat. O2S/HO2S=oxygen sensor/heated O2S					
1	4G9)	4G9XE0155BAG			2TWC(2), TWC, 21	102S(2), EGR, SFI	AFS/HAFS=air-fuel ratio sensor/heated AFS EGR=exhaust gas recirculation AIR/PAIR=secondary air injection/puised AIR MFI/SFI= multiport fuel injection/sequential MFI TBI= throttle body injection TC/SC=turbo /super charger CAC=charge air cooler OBD (F) / (P)=full /partial on-board						
2		+				*							
3		+				*							
4		*		4		*	diagnostic prefix 2=parallel (2) suffix=series						
EVAI No.		ECS No.	ENGIN SIZE (L		VEHICLE MAKES & MODELS	VEHICLES SUB. STANDARDS AR		ABBREVIATIONS:					
1		1	5.4	2	Ford F-150 Pickup 2WD/4WD								
*	* *			*									
*		* *			•								
*		* *			•								

The exhaust and evaporative emission standards (STD) and certification emission levels (CERT) for the listed vehicles are as follows (compliance with the 50 °F testing requirement (for TLEV, LEV, ULEV, SULEV) may have been met based on the manufacturer's submitted compliance plan in lieu of testing). Any debit in the manufacturer's "NMOG Fleet Average" (PC and LDT) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required. (For bi-, dual- or flexible-fueled vehicles, the STD and CERT in parentheses are those applicable to testing on gasoline test fuel.)

	NMOG FLEET NMOG @ RAF= * AVERAGE [g/mi] CH4 RAF = *		) RAF= * AF = *	NMOG or	nitrogen	HCHO=for	maldehyde	PM=parti	iculate	e matter	RAF=reactiv	rbon CO=ca vity adjustme	nt factor 2	2/3 D [g/test	]=2/3 day		
CER	T S	rD	NMOG NMHC CERT CERT [g/mi] [g/mi]		NMHC STD	mg=milligr	am mi=i	mile K=1	unning loss ORVR [g/gallon disp =1000 miles		ahrenheit	SFTP=supp	plemental federal test proc		ocedure		
*		•			[g/mi]	CERT	g/mi] STD	CERT			CERT	STD	PM [g CERT	STD	CERT	STD	
		9 50K	0.082 (0.147)	*	0.195 (0.195)	1.6 (1.3)	4.4 (4.4)	0.2 (0.1)	0.4		0.1 (0.3)	18 (18)	*	*	0.17 (0.02)	0.53 (0.53)	
		@ UL	0.090 (0.180)	*	0.280	1.8 (1.8)	6.4 (6.4)	0.2 (0.1)	0.6		0.1 (1)	27 (27)	*	*	0.20 (0.04)	0.80 (0.80)	
- 35 G - 5	@ 50°F & 4K * *				*	*	*		*		*	*	•	*	*	*	
				= @ 4K (SULEV, ULEV, NN V) or 50K (Tier 1, TLEV)				CO [g/mi] (composite)		NMHC+NOx [g/mi] [US06]		CO [g/mi] [US06]		HC+NOx i] [SC03]	CO [g/mi] [SC03]		
50			= @ UL (Tier		CERT	STD	CERT	STD	CERT	ST	D CE	RT ST	D CERT	STD	CERT	STD	
CERT	1.6 (4.3)		6.75	SFTP 1	*	*	*	*	*	*		• •	*	*	*	*	
STD	12.5 (12.5)			SFTP 2	*	*	*	*	*	*		• •	*	*	*	*	
@ UL	EVAPORATIVE FAMILY 1				EVAPORATIVE FAMILY 2			2	EVAPORATIVE FAMILY 3				E	EVAPORATIVE FAMILY 4			
	3-D	2-D	RL	ORVR	3-D	2-D	RL	ORVR	3-D	2-D	RL	. ORV	R 3-D	2-D	RL	ORVR	
CERT	1.3 (1.4)	1.4		*	*	*	*	*	*	*	*	*	*	•	*	*	
STD	2.5 (2.5)	3.0 (3.0)	0.05 ) (0.05)	*	*	*	*	*	•	*	*	*	*	+	*	*	

**BE IT FURTHER RESOLVED**: That for the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.1 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model PC, LDT and MDV).

**BE IT FURTHER RESOLVED:** That the listed vehicle models are federally certified, and are certified under the provisions of 13 CCR Section 1961(a)(14) and the incorporated test procedures.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations. The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this //3774 day of August 2003.

Allen Yons, Chief Mobile Source Operations Division