KIA MOTORS CORPORATION

EXECUTIVE ORDER A-315-0040 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515-39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

MOD YEA		TEST GROUP			ME	VEHICLE TYPE =passenger car; LDT=light-duty IV=medlum-duty vehicle; LVW=lc ehicle weight; ALVW=adjusted L'	CATEGORY vehicle: T	EMISSION STANDA ((LEV=low emiss LEV= transitional LEV; LEV; SULEV=super ULE	ion	EXHAUST / EVAPORATIVE USEFUL LIFE (UL) (miles)	FUEL TYPE (CNG/LNG=compressed/ liquefled natural gas; LPG=liquefled petroleum gas)				
200	4	4KMXV01.6C02			PC				LEV		100K / 100K				
No.		EVAPORATIVE FAMILY (EVAF)			о.	SPECIAL FEATU EMISSION CONTROL S			* = not applicable	OC/	OC/TWC=oxidizing/3-way cat. ADSTWC=adsorbing TWC WU= warm-up cat. O2S/HO2S=oxygen sensor/heated O2S				
1	4KMXR0100C02				1	TWC, H	O2S(2),	SFI, OBD (F)	MAFS	/HAFS=air-fuel ratio s	sensor/heated AFS EGR=exhaust				
2	*				2		*		gas recirculation AIR/PAIR=secondary air injection/pulsed AIR MFI/SFI= multiport fuel injection/sequential MFI TBI= throttle body injection TC/SC=turbo /super charger CAC=charge air cooler OBD (F) / (P)=full /partial on-board						
3	*				3		•								
4		•			4	*					≔cnarge air cooler (nostic prefix 2≕para	OBD (F) / (P)=full /partial on-board illel (2) suffix=series			
EVAI No.		CS No.	ENGINE SIZE (L)			VEHICLE MAKES & MODELS				ABBREVIATIONS: /B/ = Buick /C/ = Chevrolet /CD/ = Cadillac /G/ = GMC /O/ = Oldsmobile /P/ = Pontiac					
1		1	1.6		Kia Rio										
*	* *				•										
*		* *			•										
*		*	•			21	<u> </u>		*		7.786				

The exhaust and evaporative emission standards (STD) and certification emission levels (CERT) for the listed vehicles are as follows (compliance with the 50 °F testing requirement (for TLEV, LEV, ULEV, SULEV) may have been met based on the manufacturer's submitted compliance plan in lieu of testing). Any debit in the manufacturer's "NMOG Fleet Average" (PC and LDT) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required. (For bi-, dual- or flexible-fueled vehicles, the STD and CERT in parentheses are those applicable to testing on gasoline test fuel.)

	OG FL RAGE		NMOG @ CH4 R	3 RAF=* AF = *		nitrogen	HCHO=form	naldehvde	- PM=par	ticulate	matter	RAF=reactive	itv adjustm	carbon mono	2/3 D In/test	122/3 day	
CER			NMOG	NMHC	NMHC	mg=milligr	t-soak KL am mi=r	ig/mıj≕run nile K=1	ning loss 000 miles	ORVE	t [g/gallor degrees F	i dispensed] ahrenheit	=on-board SFTP=sun	refueling vap	or recovery	g=gram	
0.05	7 (0.053	CERT	CERT	[g/mi]		g/mi]	NO	x [g/mi]		НСНО			g/mi]	Hwy NO		
West-Teaching with a g			[g/mi]	[g/mi]	131	CERT	STD	CERT	STI)	CERT	STD	CERT	STD	CERT	STD	
		@ 50K	0.031	*	0.075	0.4	3.4	0.03	0.2		0.8	15	*		0.01	0.3	
inex (in the late)	Salasal sa	@ UL	0.034	*	0.090	0.5	4.2	0.03	0.3		0.9	18	*	*	0.01	0.4	
	@ 50°F		0.065	*	0.150	0.6	3.4	0.01	0.2	:	1.0	30	*	*	+		
@ 20		LE LE		er 1, TLEV)	NMHC+NC (compo		CO [g/mi] (composite)		NMHC+NO				NMHC+NOx [g/mi] [SC03]		CO [g/mi] [SC03]		
50K		SFTP 2 = @ UL (Tier 1, TLEV)		CERT	STD	CERT	STD	CERT	STI	CE	RT ST	D CER	T STD	CERT	STD		
CERT	2.6		Ell Color.	SFTP 1	*	*	*	*	0.05	0.1	4 0.	9 8.0	0.05	5 0.20	0.9	2.7	
STD	10.0			SFTP 2	*	*	•	•	*	*	<u> </u>	•	*	*	. *	*	
@ UL	E	VAPORA	TIVE FAN	ILY 1	EVAPORATIVE FAMILY 2				EVAPORATIVE FAMILY 3				E	EVAPORATIVE FAMILY 4			
	3-D	2-D	RL	ORVR	3-D	2-D	RL (ORVR	3-D	2-D	RL	. ORV	R 3-D	2-D	RL	ORVR	
CERT	1.7	1.4	0.03	0.03	*	*	•	•	*	*	*	•	*	•		•	
STD	2.0	2.5	0.05	0.20	*	*	*	•	*	*	*	•	•	•		•	

BE IT FURTHER RESOLVED: That for the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations. The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this ______ day of August 2003.

Allen Lyons, Chief

Mobile Source Operations Division