Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515-39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

PC 1) USEPA Bin 8 2) Counted as ARB LEV I ULEV (EVAP 1, EVAP 3), 100K / 150K (EVAP 1, EVAP 3), 100K / 150K (EVAP 2) No. EVAPORATIVE FAMILY (EVAF) No. EMISSION CONTROL SYSTEMS (ECS) *= not applicable* 1 5ADXR0140232 1 TWC, HO2S(2), AIR, SFI, TC, CAC, OBD (F) 2 5ADXR0140272 2 ** 3 5ADXR0140233 3 ** 5ADXR0140233 3 ** EVAF RCS ECS ENGINE No. EVAPORATIVE EVAP 2) 1 1 1 1.8 VEHICLE SUBJECT TO SFTP MAKES & MODELS STANDARDS ARE UNDERLINED ABBREVIATIONS: 1 1 1 1.8 Volkswagen: Passat 4Motion, Passat Wagon 2 1 1 1.8 Audi: A4, A4 Ayant, A4 Cabrlolet, A4 Quattro, A4 Ayant Quattro	MOD YEA		TEST GROUP			VEHICLE TYPE (PC=passenger car; LDT=light-duty truck; MDV=medium-duty vehicle; LVW=loaded vehicle weight; ALVW=adjusted LVW)	STAND/ (LEV=low er transitional	UST EMISSION ARD CATEGORY niesion vehicle; TLEV= LEV; ULEV=utra LEV; EV=super ULEV)	EXH, ORVR / EVAPORATIVE USEFUL LIFE (UL) (miles)	FUEL TYPE (CNG/LNG=compressed/ liquefled natural gas; LPG=liquefled petroleum gas)						
No. FAMILY (EVAF) No. EMISSION CONTROL SYSTEMS (ECS) ** not applicable Column	200		5ADXV01.8342				2) Counted a	(EVAP 1, EVAP 3), 100K / 150K	Gasoline (Indolene)							
The standard of the standard o	No.				No			* = not applicable	OC/TWC=oxidizing/3-way cat. ADSTWC=adsorbing TWC							
3 5ADXR0140233 3	1	5AD	NDXR0140232			TWC, HO2S(2), A	IR, SFI, TC, CAC,	MAFS/HAFS=air-fuel ratio sensor/heated AFS EGR=exhaust								
3 5ADXR0140233 3 "TBi= throttle body injection TC/SC=turbo /super charger CAC-charge air cooler OBD (F) / (P)=full /partial on-board diagnostic prefix 2=parallel (2) suffix=series EVAF No. No. SIZE (L) MAKES & MODELS VEHICLES SUBJECT TO SFTP No. SIZE (L) MAKES & MODELS STANDARDS ARE UNDERLINED ABBREVIATIONS: 1 1 1.8 Volkswagen: Passat Wagon 3 1 1.8 Volkswagen: Passat 4Motion, Passat Wagon 4Motion	2	5AD	DXR0140272				*	Mgas recirculation AiR/PAIR=secondary air injection/pulsed MAIR MFI/SFI= multiport fuel injection/sequential MFI								
EVAF No. No. SIZE (L) WAKES & MODELS VEHICLES SUBJECT TO SFTP STANDARDS ARE UNDERLINED ABBREVIATIONS: 1 1 1.8 Yolkswagen: Passat Wagon 3 1 1.8 Yolkswagen: Passat 4Motion, Passat Wagon 4Motion	3	5AD	DXR0140233		3		*	製TBI= throttle body injection TC/SC=turbo /super charger								
No. No. SIZE (L) MAKES & MODELS STANDARDS ARE UNDERLINED 1 1 1.8 Volkswagen: Passat, Passat Wagon 3 1 1.8 Volkswagen: Passat 4Motion, Passat Wagon 4Motion	4		•		4		* gdac=charge air cooler OBD (F) (P)=ruii /partis * gdiagnostic prefix 2=parallel (2) suffix=series									
3 1 1.8 <u>Volkswagen; Passat 4Motion, Passat Wagon 4Motion</u>									ABBREVIATIONS:							
TOWN THE PROPERTY COOK, THE COOK, TH	1		1	1.8			<u>Volkswagen: Passat Wagon</u>									
	3		1	1.8			Volkswagen: Pa	assat 4Motion, Pass	at Wagon 4Motion	· · · · · · · · · · · · · · · · · · ·						
	2		1	1.8		Au										

The exhaust and evaporative emission standards (STD) and certification emission levels (CERT) for the listed vehicles are as follows (compliance with the 50 °F testing requirement (for TLEV, LEV, ULEV, SULEV) may have been met based on the manufacturer's submitted compliance plan in lieu of testing). Any debit in the manufacturer's "NMOG Fleet Average" (PC and LDT) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required. (For bi-, dual- or flexible-fueled vehicles, the STD and CERT in parentheses are those applicable to testing on gasoline test fuel.)

NM AVE	NMOG FLEET NMOG @ RAF= * AVERAGE [g/mi] CH4 RAF = *			NMOG or	CH4=methane NMOG=non-CH4 organic gas NMHC=non-CH4 hydrocarbon CO=carbon monoxide NOx=oxides of nitrogen HCHO=formaldehyde PM=particulate matter RAF=reactivity adjustment factor 2/3 D [g/test]=2/3 day diurnal+hot-soak RL [g/mi]=running loss ORVR [g/gallon dispensed]=on-board refueling vapor recovery g=gram												
CER	CERT STD		NMOG	NMHC	NMHC STD [g/mi]	mg=millig	ot-soak K ram mi=	∟ įg/mij≖rur •mile K≈1	nning loss 000 miles	F=de	g/gallon grees F	dispensed) shrenheit	on-board r SFTP=sup	efueling vap piemental fe	or recovery derail test p	g≖gram ocedure	
0.04	3 0.049		CERT	CERT [g/mi]		CO [g/mi]			NOx [g/mi]		ІСНО [mg/mi]	PM [Hwy NOx [g/mi]		
V.V-10		0.040	[g/mi]			CERT	STD	CERT	STI	D C	ERT	STD	CERT	STD	CERT	STD	
		@ 50K	0.024	*	0.100	1.0	3.4	0.04	0.1	4 (0.2	15	*	*	0.01	0.19	
		@ UL	0.029	*	0.125	1.1	4.2	0.04	0.2	0 (0.3	18	*	*	0.01	0.27	
	@ 50	°F & 4K	*	*	*	*	*	*	•		٠	*	*	*	*	*	
CO [@ 20	g/mi] °F &	SFTP 1	= @ 4K (SUL EV) or 50K (T	.EV, ULEV, ier 1, TLEV)	NMHC+NOx [g/mi] CO [g/mi] (composite) (composite			NMHC+NOx [g/mi] [US06]					HC+NOx	CO	[g/mi] 2031		
50		SFTP 2	≖@UL `		CERT	STD	CERT	STD	CERT	STD	CE	RT ST			CERT	STD	
CERT	1.2			SFTP @ 4K	*	*	*	*	0.10	0.14	6.	5 8.0	0.12	0.20	1.3	2.7	
STD	10.0			SFTP @UL	0.11	0.71	*	*	•	•	6.	8 11.	1 •	*	1.6	3.7	
@ UL	EVAPORATIVE FAMILY 1				EVAPORATIVE FAMILY 2				EVAPORATIVE FAMILY 3				E	EVAPORATIVE FAMILY 4			
	3-D	2-[RL	ORVR	3-D	2-D	RL	ORVR	3-D	2-D	RL	ORV	R 3-D	2-D	RL	ORVR	
CERT	1.5	1.6	0.003	0.01	0.33	0.53	0.003	0.001	1.2	1.3	0.00	0 0.03	*		*	*	
STD	2.0	2.5	0.05	0.20	0.50	0.65	0.05	0.20	2.0	2.5	0.0	5 0.20	*	•	*	•	

BE IT FURTHER RESOLVED: That for the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model PC, LDT and MDV).

BE IT FURTHER RESOLVED: That the listed vehicle models are federally certified, and are certified under the provisions of 13 CCR Section 1961(a)(14) and the incorporated test procedures.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations. The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this 26th day of April 2004.

Allen Lyons, Chief

Mobile Source Operations Division