Californ	ia Environmental Protection	Agency
AIR	ia Environmental Protection / RESOURCES	BOARD

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 & 39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED:

That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	TEST GROUP	VEHICLE TYPE	EXHAUST EMISSION STANDARD CATEGORY	USEFU (mil		IN- COMP (*=N/A or A/E=ex	IEDIATE USE LIANCE full in-use; h. / evap. iate in-use)	FUEL TYPE
		1	"LEV II" Low Emission	EXH / EVAP		EXH	EVAP	Gasoline (Tier 2
2007	7GMXT03.6151	LDT: 6001-8500# GVW, 3751- 5750# ALVW	Vehicle (LEV II LEV)	120K	150K	* *		Unleaded)
No.	ECS &	SPECIAL FEATURES	EVAPORATIVE			EMENT (L)		
		2HO2S(2), SFI, OBD(F)	7GMXI	R0203959				
*		*	7GMX	20203962		:	3.6	
*		*		*				
├ <u>-</u>		*	4	*				·····

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

That the exhaust and the evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50^o Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's "NMOG Fleet Average" (PC or LDT) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

BE IT FURTHER RESOLVED:

That for the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this 22 day of August 2006.

Annette Hebert, Chief Mobile Source Operations Division



ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

nd CERT in parentheses are those applicable to testing on gasoline test fuel.)

NMOG FLEET NMOG @ AVERAGE [g/mi] CH4 RA CERT STD NMOG		AF = * NMHC	NMOG or NMHC	HCHO=forr	ane; NMOG= maldehyde; I RL [g/mi]=run =1000 miles	M=particula		Ion dispens	sed]=on-bo pplementa	ard refue i federal	ling vapor test proced	recovery lure	r; g=gra	Dx=oxides of iurnal+ m; mg=millig Hwy NO	ram		
CERT		CERT	CERT	STD [g/mi]	CO	[g/mi]	NO	NOx [g/mi]		HO [mg/		CERT				STD	
0.054	0.055	[g/mi]	[g/mi]	[grm]	CERT	STD	CERT	STD			TD	LERI			0.01	0.07	
the second second	@ 50K	0.061	*	0.075	1.1	3.4	0.03	0.05		10.		*			0.01	0.09	
	@ UL	0.061	*	0.090	1.1	4.2	0.03	0.07				*			*	*	
	50°F & 4K	*	*	•	*	*	*	*	*		*						
@ 50 F & 4K				NMHC+N	Ox [g/mi]				+NOx [US06]		[g/mi] S06]			HC+NOx i] [SC03]		CO [g/mi] [SC03]	
CO [@ 20°F	g/mi] & 50K	10-10-10-10-10-10-10-10-10-10-10-10-10-1		(comp CERT	STD	CERT	STD	CERT	STD	CERT	STE	CEF	et S	STD	CERT	STD	
						*	*	0.10	0.40	1.6	10.5	5 0.2	2 0).31	2.8	3.5	
ERT	3.1	SFTP @ 4	000 miles @* miles			+	+	*	*	•	*	•		*	*	*	
STD 12.5 SFTP @ * miles Evaporative Family (grams/test)			iurnal + Ho ns/test) @							Running Loss (grams/mile) @ UL			On-Board Refu Recovery (grams				
Eva	aporative ra	nny	CERT			CERT		STD	CER	RT STD			CERT			STD	
				STD		0.50		1.15	.15 0.00		0.05		0.08		0.20		
7GMXR0203959		0.34	0.90		0.00	1.15		0.00		0.05		0.14		0.20			
7GMXR0203962		0.58	0.90		*		*	+	*		*		*		*		
*									*		*			*			
	*		*									070-	Ctondos		T= Certifica	tion [.]	
LVW=loa	plicable; UL= ded vehicle w =adsorbing T culation; AIR= urbo/super ch		mun cataly	t OC=oxid	izing catalys	t; O2S=oxy	gen sensor	; HO2S=he	eated O2S	; AFS/HA	FS=air-1	uel ration: I	Cl=dire	eateu	line fuel ini	ection;	

2007 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	EVAPORATIVE FAMILY	ECS NO.	ENGINE SIZE (L)	A/E=exh	JSE	PHASE-IN STD.	OBD II
					EXH	EVAP		
GMC	ACADIA FWD	7GMXR0203959	1	3.6	*	*	SFTP	Full
	ACADIA AWD	7GMXR0203959	1	3.6	*	*	SFTP	Full
GMC		7GMXR0203959	1	3.6	*	*	SFTP	Full
SATURN		7GMXR0203959	1	3.6	*	*	SFTP	Full
SATURN			1	3.6	*	*	SFTP	Full
GMC	ACADIA FWD	7GMXR0203962	<u> </u>		*	+	SFTP	Full
GMC	ACADIA AWD	7GMXR0203962	1	3.6	<u> </u>	<u> </u>	SFTP	Full
SATURN	OUTLOOK FWD	7GMXR0203962	1	3.6	*			
SATURN	OUTLOOK AWD	7GMXR0203962	1	3.6	*	*	SFTP	Fuli