

GENERAL MOTORS CORPORATION

EXECUTIVE ORDER A-006-1381-1

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 & 39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED:

That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

MODEL YEAR			EXHAUST EMISSION STANDARD CATEGORY	(mi	L LIFE les)	CON (*=N/A A/E=	RMEDIATE N-USE IPLIANCE or full in-use; exh. / evap. ediate in-use)	FUEL TYPE	
2007	7GMXT03.7187	LDT: <6000# GVW, 3751-5750# LVW	"LEV II" Low Emission Vehicle (LEV II LEV)	EXH / ORVR	EVAP	EXH	EVAP	Gasoline (Tier 2	
NO DE PARA	STATE OF THE STATE			120K	120K 150K		E	Unleaded)	
No.	ECS &	SPECIAL FEATURES	EVAPORATIVE	FAMILY (EV)	AEN			Vitalia de la composition della composition dell	
_1	WU-TWC,TWC	C, HO2S(2), SFI, AIR, OBD(F)	7GMXR0			DISPLAC	EMENT (L)		
•		•	- TOWARD	170937					
*		*				3	.7		
•		*							

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

BE IT FURTHER RESOLVED:

That the exhaust and the evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's "NMOG Fleet Average" (PC or LDT) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

BE IT FURTHER RESOLVED:

That for the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

This Executive Order hereby supersedes Executive Order A-006-1381 dated April 4, 2006.

Executed at El Monte, California on this _____ day of September 2006.

Annette Hebert, Chief

Mobile Source Operations Division

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

(For bi-, dual- or flexible-fueled vehicles, the STD and CERT in parentheses are those applicable to testing on gasoline test fuel.) NMOG FLEET NMOG @ RAF=*

AVERAG CERT	STD	CH4 RAF = * NMOG NMHC CERT CERT [g/mi] [g/mi]		NMOG or NMHC	hot-soak: F	RL (a/mi)=nur	ning loss: O	PVP Intention	n diamana	- d'i	unein lacit):, 2/3 U [g/i	restj=2/3 day	NOx=oxides of diurnal+ ram; mg=milli	f nitroge
0.054	0.055			STD [g/mi]	CO [g/mi]		NOx [g/mi]		HCHO [mg/mi]			l test procedure PM [g/mi]		Hwy NOx [g/m	
1 - M- #2	@ 50K	0.055	•	0.075		STD	CERT	STD	CER		TD	CERT	STD	CERT	STI
	@ UL	0.055		0.075	0.9	3.4	0.03	0.05	*		15.	*	*	0.01	0.0
Ta	50°F & 4K	*		0.090	0.9	4.2	0.03	0.07	*		18.	*	*	0.01	0.0
	1880					*	*	*	*		•	•	*	*	*
	/mil		**	NMHC+NC		CO [g		NMHC+N		CO	[g/mi]	NMH	C+NOx	00.1	g/mi]
CO [g @ 20°F &	& 50K			(compo		(compo	osite)	[g/mi] [U	506]		306]] [SC03]		
@ 20°F (& 50K			CERT	STD	CERT					S06] STD			[sc	03]
CO [g @ 20°F (& 50K	SFTP @ 44	000 miles					CERT		[US	T-*	[g/mi] [SC03]		

Evaporative Family	3-Days Diurnal + Hot Soak (grams/test) @ UL		2-Days Diurnal + Hot Soak (grams/test) @ UL			ng Loss nile) @ UL	On-Board Refueling Vapor Recovery (grams/gallon) @ UL		
	CERT	STD	CERT	STD	CERT	STD	CERT		
7GMXR0170957	0.49	0.65	0.79	0.85	0.00	0.05		STD	
*	•	*	*		*	*	0.02	0.20	
*	*	*	*		*			*	
*	*	*	*				*	*	
not applicable; UL=useful life; I	C=passenger car: I	DT-light duty to	ele MONA II			*	*	*	

* = not applicable; UL=useful life; PC=passenger car; LDT=light-duty truck; MDV=medium-duty vehicle; ECS= Emission Control System; STD= Standard; CERT= Certification; LVW=loaded vehicle weight; ALVW=adjusted LVW; LEV=low emission vehicle; TLEV=transitional LEV; ULEV=ultra LEV; SULEV=super ULEV; TWC=3-way catalyst; ADSTWC=adsorbing TWC; WU=warm-up catalyst; OC=oxidizing catalyst; O2S=oxygen sensor; HO2S=heated O2S; AFS/HAFS=air- fuel ratio sensor / heated AFS; EGR=exhaust CAC=charge air cooler; OBD (F)/(P)=full/partial on-board diagnostic; DOR=direct ozone reducing; prefix 2=parallel; (2) suffix=series; CNG/LNG= compressed/liquefied natural gas; LPG=liquefied petroleum gas; E85="85%" Ethanol Fuel

2007 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	EVAPORATIVE FAMILY	ECS NO.	ENGINE SIZE (L)	INTERMEDIATE IN-USE COMPLIANCE (*=N/A or full in-use; A/E=exh. / evap. Intermediate in-use)		PHASE-IN STD.	OBD II
					EXH	EVAP		
	COLORADO 2WD	7GMXR0170957	1	3.7	*	E	SFTP	Full
CHEVROLET	COLORADO 4WD	7GMXR0170957	1	3.7	•	E	SFTP	Full
CHEVROLET	COLORADO CREW CAB 2WD	7GMXR0170957	1	3.7	*	E	SFTP	
CHEVROLET	COLORADO CREW CAB 4WD	7GMXR0170957	1	3.7	*	E	-	Full
CHEVROLET	COLORADO CAB CHASSIS INCOMPLETE 4WD	7GMXR0170957	1	3.7	*	E	SFTP	Full
CHEVROLET	COLORADO CAB CHASSIS INCOMPLETE 2WD	7GMXR0170957	1	3.7	*		SFTP	Full
GMC	CANYON 4WD	7GMXR0170957	1		•	E	SFTP	Full
GMC	CANYON CAB CHASSIS	7GMXR0170957		3.7		E	SFTP	Full
GMC	INCOMPLETE 4WD		1	3.7	*	E	SFTP	Full
	CANYON CREW CAB 4WD	7GMXR0170957	1	3.7	*	E	SFTP	Full
GMC	CANYON CAB CHASSIS INCOMPLETE 2WD	7GMXR0170957	1	3.7		E	SFTP	Full
GMC	CANYON 2WD	7GMXR0170957	1	3.7	*	E	SFTP	Full
GMC	CANYON CREW CAB 2WD	7GMXR0170957	1	3.7	*	E	SFTP	
HUMMER	H3 4WD	7GMXR0170957	1	3.7	*			Full
ISUZU	I-370 4WD CREW CAB	7GMXR0170957	1			E	SFTP	Full
ISUZU	I-370 2WD CREW CAB			3.7		E	SFTP	Fuli
ISUZU		7GMXR0170957	1	3.7	*	E	SFTP	Fuil
13020	I-370 2WD EXT CAB	7GMXR0170957	1	3.7	*	E	SFTP	Full