EXECUTIVE ORDER A-009-0772
New Passenger Cars, Light-Duty Trucks
and Medium-Duty Vehicles

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515-39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

MOD YEA		TEST GROUP			,	VEHICLE TYPE (PC=passenger car; LDT=light-d MDV=medium-duty vahicle; LVV vehicle weight; ALVW=adjuste	STAND; (LEV≖io: UL	UST EMISSION ARD CATEGORY w emission vehicle; EV=ultra LEV; EV=super ULEV)	EXHAUST & ORVR/ EVAPORATIVE USEFUL LIFE (UL) (miles)	FUEL TYPE (CNG/LNG≖compressed/ liquefied natural gas; LPG=liquefied petroleum gas)				
200	7	7CRXB0241M80				PC; LDT 3751-5750 pound and < 6000 pounds GV	L	EV II ULEV	120K / 150K	Gasoline				
No.		APORA MILY (E		1	No	SPECIAL FEA EMISSION CONTROL				OC/TWC=oxidizing/3-way	cat. ADSTWC=adsorbing TWC D2S=oxygen sensor/heated 02S			
1	1 7CRXR0130GHA				1			R, SFI, OBC	∦AFS/HAFS≃air-fuel ratio se	enson/heated AFS EGR≖exhaust				
2	7CRXR0177GHA				2					gas recirculation AIR/PAIR=secondary air injection/pulsed AIR MFI/SFI= multiport fuel injection/sequential MFI				
3		•			3		-		TITBIE throttle body injection TC/SC=turbo /suner charge					
4					4		•			CAC=charge air cooler OBD (F) / (P)=full /partial on-boan diagnostic prefix 2=parallel (2) suffix=series				
EVA No		EC S No.	ENGINE SIZE (L)			VEHICLE MAKES & MODELS					ABBREVIATIONS:			
1		1	1 3.5			CHRYSLER: (PC) SEBRING								
2		1 4.0					CHRYSLER: (LDT) PACIFICA 2WD, PACIFICA AWD							
•		•		•	T	· · · · · · · · · · · · · · · · · · ·			*					

The exhaust and evaporative emission standards (STD) and certification emission levels (CERT) for the listed vehicles are as follows (compliance with the 50 °F testing requirement (for TLEV, LEV, ULEV, SULEV) may have been met based on the manufacturer's submitted compliance plan in lieu of testing). Any debit in the manufacturer's "NMOG Fleet Average" (PC and LDT) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required. (For bi-, dual- or flexible-fueled vehicles, the STD and CERT in parentheses are those applicable to testing on gasoline test fuel.)

NMOG FLEET AVERAGE STD [g/ml]			NMOG @ RAF = * CH4 RAF = *			NMOG or	or nitrode	en HUHU≕	romnaldehv	de PM≥o:	articulate i	matter	RAFereaci	fulfu adiluete	O≖carbon m nent factor refueling yap	2/1 D. (41=3/2 da
PC/LD	T1 L	0.055		OG	NMHC CERT	STD [g/mi]	mg=millig	alu merg	mile K≖1	000 miles	F=de	grees F	ahrenheit	SFTP=sup	plemental fe	deral test pi	rocedure
0.043	3 0			RT			CO [g/mi]		NOx [g/mi]		H	CHO [mg/mi]	PM [g/mi]	Hwy NOx [g/mi]	
OCCUPATION AND ADDRESS.	STATE OF THE STATE		[g/mi]		[g/mi]	<u> </u>	CERT	STD	CERT	STD	D CI	ERT	STD	CERT	STD	CERT	STD
1		@ 50K	0.0	22	*	0.040	0.7	1.7	0.05	0.0	5	•	8	•	*	0.02	0.07
		@ UL	0.0	22	•	0.055	0.7	2.1	0.05	0.0	7	•	11	*	•	0.02	0.09
	@ 50°F & 4K			73	•	0.080	1.3	1.7	0.02	0.05	5	•	16	*	•	•	•
CO [(g/mi] °F&	# LI	EV) OF:	DUK (TH	EV, ULEV, er 1, TLEV)	NMHC+NC (compo			g/mi] posite)		C+NOx [US06]	T	CO [g/mi] [US061		HC+NOx ni] [SC03]		[g/mi] C031
50	K	SFTP 2	= @ U	L (Tier	1, TLEV)	CERT	STD	CERT	STD	CERT	STD	CE	RT ST			CERT	STD
CERT	2.3				SFTP 1	•	+	*	•	0.03	0.14	1.	D 8.0	0.01	0.20	1.0	2.7
STD	10.0			STATE OF THE PARTY.	SFTP 2	•	*	*	•	*	*			•	*	•	+ •
@ UL	EVAPORATIVE FAMILY 1					EVAPORATIVE FAMILY 2				EVAPORATIVE FAMILY 3			<u> </u>	EVAPORATIVE FAMILY 4			
	3-D	2-1	2	RL	ORVR	3-D	2-D	RL	ORVR	3-D	2-D	RL	ORV		2-D	RL	ORVR
CERT	0.28	0.4	9	0.000	0.06	0.51	0.44	0.000	0.14	*		-	•	*	+	+	1
STD	0,50	0.6	5	0.05	0.20	0.65	0.85	0.05	0.20	•	•	4	-	•	+	+	-

BE IT FURTHER RESOLVED: That for the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this 30 day of October 2006.

Annette Hebert, Chief

Mobile Source Operations Division