Californ	ia Environ	imenial Prot	ection A <sub>l</sub>	tency	
AIR	RES	OURC	ES I	BOARD	

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515-39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

MODI YEA		TEST GROUP			VEHICLE TYPE (PC=passenger car; LDT=light-du MDV=medium-duty vehicle; LVW vehicle weight; GVW=gross	STAND (LEV≖iow e transitiona	AUST EMISSION ARD CATEGORY mission vehicle; TLEV; I LEV; ULEV=ultra LEV; EV=super ULEV)	EXHAUST & ORVR / EVAPORATIVE USEFUL LIFE (UL) (milies)	FUEL TYPE (CNG/LNG=compressed/ liquefied natural gas; LPG=liquefied petroleum gas)		
2012			XT03.6VF	21	LDT: <u>≤</u> 6000# GVW, 3751-5750 and LDT: 6001-8500# GV 3751-5750# ALVW	0# LVW ′W,		ISEPA Bin 4 as ARB LEV2 ULEV	150K / 150K	Gasoline (Tier 2 Unleaded)	
No.			ATIVE EVAF)	No	EMISSION CONTROL	URES & SYSTEMS	S (ECS)	* = not applicable	OC/TWC=oxidizing/3-way ca	t. ADSTWC=adsorbing TWC	
1	CCRX	(R01	50RM0	1			SFI, OBD(P	BAFS/HAFS=atr-fuel ratio sen	2S=oxygen sensor/heated O2S sor/heated AFS EGR=exhaust		
2	CCRX	(R01	53PM0	2	2TWC, 2	2HO2S(2),	SFI, OBD(F		MAIR MFI/SFI= multiport fu	secondary air injection/pulsed	
3	CCR)	KR01	50PM0	3		*			TBI= throttle body injection CAC=charge air cooler OBI	TC/SC=turbo /super charger D (F) / (P)=full /partial on-board	
4		(R017	70PM0	4		*			diagnostic prefix 2=parallel	(2) suffix=series	
EVAF No.		CS lo.	ENGIN SIZE (L		VEHICLE MAKES & MODELS			UNDERLINED	BBREVIATIONS:		
1		1	3.6		Chrysler Town & Country FWD; Dodge Grand Caravan FWD (> 6000# GVW)						
2	1	1	3.6		Dodge Journey AWD (< 6000# GVW)						
3	1	2	3.6		Jeep Wrangler 4WD SWB (< 6000# GVW)						
4		2	3.6		Jeep Wrangler 4WD LWB (< 6000# GVW)						

The exhaust and evaporative emission standards (STD), as requested by the manufacturer, and certification emission levels (CERT) for the listed vehicles are as follows (compliance with the 50 °F testing requirement (for TLEV, LEV, ULEV, SULEV) may have been met based on the manufacturer's submitted compliance plan in lieu of testing). Any debit in the manufacturer's "NMOG Fleet Average" (PC and LDT) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required. (For bi-, dual- or flexible-fueled vehicles, the STD and CERT in parentheses are those applicable to testing on gasoline test fuel.)

	MOG F ERAGE	LEET [g/mi]		@ RAF= * RAF = *	NMOG QI	' i nitrogen	HCHOSTO	maidehvde	PM=pa	rticulate	matter	RAF=reactiv	vity adjustm	arbon mono ent factor	2/3 D Iakoné	1-2/2 days
CEF	रा	STD	NMOG	NMHC		mg=millig	ram mi≃	∟[g/ <del>mij</del> ≠rur mile K≖1	ning loss 000 miles	s ORVR F=d	[g/gallon legrees F	i dispensed] ahrenheit	sFTP≔sup	efueling vap plemental fe	or recovery	g=gram
0.03	35	0.043	CERT [g/mi]	CERT [g/mi]	[g/mi]		[g/ <b>mi]</b>		x [g/mi]		HCHO [		PM [	g/mi]	Hwy NO	
			fauni	[â,uu]		CERT	STD	CERT	ST ST	D 0	CERT	STD	CERT	STD	CERT	STD
\$		@ 50K	*	*		*	× .	*	*		*	*	*	*	*	•
÷.		@ UL	0.040	•	0.070	1.2	2.1	0.03	0.0	)4	*	11	*	0.01	0.01	0.05
S.	@	50°F & 4K	×	*			*	*	*		*	*	*	*	*	*
CO [ @ 20			or 50K (Tie	r 1, TLEV)	NMHC+N (comp			g/mi] bosite)		C+NOx [US06]		CO [g/mi] [US06]		HC+NOx ni] [SC03]		[g/mi] 2031
50	ĸ	SFTP 2 = @	0 UL (Tier 1	I, TLEV)	CERT	STD	CERT	STD	CERT	STD	CE	RT ST	D CER	T STD	CERT	STD
CERT	1.5		SF	TP @ 4K	*	*	*	*	0.13	0.25	; 1.	5 10.	5 0.05	0.27	0.5	3.5
STD	12.5		SF	TP @ UL	0.14	0.93	*	*	*	*	1.	5 14.	6 *	*	1.7	4.9
@ UL EVAPORATIVE FAMILY 1			EVAPORATIVE FAMILY 2			2	EVAPORATIVE FAMILY 3			E	EVAPORATI		IVE FAMILY 4			
	3-D		RL	ORVR	3-D	2-D	RL	ORVR	3-D	2-D	RL	ORV	R 3-D	2-D	RL	ORVR
CERT	0.29	0.31	0.00	0.10	0.39	0.43	0.00	0.06	0.29	0.30	0.0	0.15	0.42	0.59	0.00	0.03
STD	0.90	1.15	0.05	0.20	0.65	0.85	0.05	0.20	0.65	0.85	0.0	5 0.20	0.65	0.85	0.05	0.20

**BE IT FURTHER RESOLVED:** That for the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model PC, LDT and MDV).

California Environmental Protection	Agency
AIR RESOURCES	

**BE IT FURTHER RESOLVED**: The test group listed in this Executive Order is certified conditionally on the manufacturer providing data to demonstrate compliance with California's greenhouse gas fleet average emission standard (CA GHG Standard) specified in Title 13, California Code of Regulations, (13 CCR) Section 1961.1 and the incorporated California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles, amended March 29, 2010 (CA Test Procedures). The manufacturer has elected, under 13 CCR Section 1961.1(a)(1)(A)(ii) and under Section E.2.5.1(ii) of the CA Test Procedures, to demonstrate compliance with the CA GHG Standard by demonstrating compliance with the National greenhouse gas program (National GHG Program). Therefore, the test group listed in this Executive Order is certified conditionally further on the manufacturer complying with the requirements specified in said provisions in 13 CCR, and Sections E.2.5.1(ii) and H.4.5(b) and H.4.5(c) of the CA Test Procedures (among other things, concerning data and information submission, timing, and format as specified by the Executive Officer). Failure to comply with the certification requirements to demonstrate compliance with the National GHG Program under said provisions in 13 CCR and CA Test Procedures may be cause for the Executive Officer to revoke the Executive Order. Vehicles in the revoked Executive Order shall be deemed uncertified and subject to penalties authorized under California law. Notwithstanding the requirement herein, a manufacturer that becomes, after MY2009, a large-volume manufacturer, as defined in 13 CCR Section 1900, is not required to comply with CA GHG Standard until the beginning of the fourth model-year from becoming a large-volume manufacturer, or intermediate volume-manufacturer, as defined in 13 CCR Section 1900, is not required to comply with CA GHG Standard until group of the fourth model-year from the complian to with CA GHG Standard until the b

**BE IT FURTHER RESOLVED:** That the listed vehicle models are federally certified, and are certified under the provisions of 13 CCR Section 1961(a)(14) and the incorporated test procedures.

Additional NMOG fleet average or vehicle equivalent credits are granted to the listed vehicle models pursuant to 13 CCR Section 1961(a)(8) [optional 150K certification].

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

day of June 2011.

Annette Hebert, Chief Mobile Source Operations Division