## FORD MOTOR COMPANY

EXECUTIVE ORDER A-010-1651
New Passenger Cars, Light-Duty Trucks
and Medium-Duty Vehicles
Page 1 of 2

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515-39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

MODEL YEAR		TEST GROUP			VEHICLE TYPE (PC=passenger car; LDT=light-duty MDV=medium-duty vehicle; LVW= vehicle weight; GVW=gross V	loaded	STAN (LEV=low transition	AUST EMISSION DARD CATEGORY emission vehicle; TLEV al LEV; ULEV=ultra LEV LEV=super ULEV)	EXHAUST & ORVR / EVAPORATIVE USEFUL LIFE (UL) (miles)  FUEL TYPE (CNG/LNG=compro liquefied natural LPG=liquefied petr gas)					
201		CFMXT06.27HL			MDV: 8501-10000# GVW 10001-14000# GVW		USEPA Bin 8 I as ARB LEV2 ULE\	, 120K / 150K	Flexible Fuel: Ethanol (E85)/Gasoline (Tier 2 Unleaded)					
No.		EVAPORATIVE FAMILY (EVAF)		No	SPECIAL FEATUREMISSION CONTROL S			* = not applicable	OC/TWC=oxidizing/3-way ca	t. ADSTWC=adsorbing TWC				
1	CFN	IXR02	50NBS	1	2TWC, 2HO2	S, 2HA	FS, SFI, O	WU= warm-up cat. O2S/HO2S=oxygen sensor/heated O2S AFS/HAFS=air-fuel ratio sensor/heated AFS EGR=exhaus						
2	CFMXF0250NBS			2		*		gas recirculation AIR/PAIR=secondary air injection/pulsed AIR MFI/SFI= multiport fuel injection/sequential MFI						
3	CFN	FMXF0265GAS			A CONTRACTOR OF A STATE OF	*		10/12/15/21/15/21	TBI= throttle body injection TC/SC=turbo /super charger CAC=charge air cooler OBD (F) / (P)=full /partial on-board					
4		*		4	o is a little is sent to co	*	1	as a security of the	diagnostic prefix 2=parallel (2) suffix=series					
EVA No.		ECS No.	ENGINE SIZE (L		VEHICLE MAKES & MODELS	VEHIC								
1	1 1 6.2 FORD: (8501-10000# GVW) F250 Pickup; F								art .					
2		1	6.2	F	FORD: (8501-10000# GVW) F350 Bed Delete; F250 Bed Delete									
2	1 6.2 FORD: (10001-14000# GVW) F350 Pickup; F350 Bed Delete; F350 Pick							kup DRW; F350 Bed Dele	te DRW					
3		1	6.2		FORD: (8501-10000# GVW) F350 Incomplete Chassis Cab									
3		1	6.2	FORD: (10001-14000# GVW) F350 Incomplete Chassis Cab										

The exhaust and evaporative emission standards (STD), as requested by the manufacturer, and certification emission levels (CERT) for the listed vehicles are as follows (compliance with the 50 °F testing requirement (for TLEV, LEV, ULEV, SULEV) may have been met based on the manufacturer's submitted compliance plan in lieu of testing). Any debit in the manufacturer's "NMOG Fleet Average" (PC and LDT) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required. (For bi-, dual- or flexible-fueled vehicles, the STD and CERT in parentheses are those applicable to testing on gasoline test fuel.)

NMOG FLEET AVERAGE [g/mi]			NMOG ( CH4 F	@ RAF= * RAF = *	NMOG or	muoden	HCHO-10	rmaidenvd	e PM=bar	TICIII:	ate matter	-CH4 hydro	tivity ac	linctma	nt faatar	1/2 D F-14	47-0/0 -1-
CERT		STD	NMOG	NMHC	NMHC	mg=millig	JI-SUAK R	L [g/mi]=ru	nning loss 1000 miles	OR	VK [g/gallo	on dispense Fahrenheit	d]=on-b	oard re	fueling vap	or recover	/ g=gram
*		*	CERT	CERT [g/mi]	[g/mi]		[g/mi]					[mg/mi]		SFTP=supplemental for PM [g/mi]			ocedure 0x [g/mi]
			[g/mi]			CERT	STD	CERT	STD		CERT	STD	CE		STD	CERT	STD
		@ 50K	0.053 (0.062)	*	(0.100)	1.4 (2.3)	3.4 (3.4)	0.08		100	1 (*)	15 (15)	,		*	*	*
		@ UL	0.076	*	0.125 (0.125)	1.8 (3.2)	4.2 (4.2)	0.08	0.20	0	2 (*)	18 (18)	١,		0.02 (0.02)	*	*
	@ 5	0°F & 4K	*							.0)	*	*	+	*			
	[g/mi] F & 50K	LEV) o	1 = @ 4K (SULEV, ULEV, /) or 50K (Tier 1, TLEV) 2 = @ UL (Tier 1, TLEV)		NMHC+NOx [g/mi] CO [g/mi (composite) (composit			NMHC+NOx [g/mi] [US06]		CO [g/m [US06]			IC+NOx 1 [SC03]		[g/mi] C03]		
@ 20 I	0. 30 K	SFTP 2			CERT	STD	CERT	STD	CERT	S	TD C	ERT S	TD	CERT	STD	CERT	STD
CERT	(6.8)		s	FTP @ 4K	*	*	*	*	*		*	*	*	*	*	*	*
STD	* (12.5)		s	FTP @ UL	*	*	*	*	*		*	*	*	*	*	*	*
@ UL	E/	/APORATI	VE FAMI	LY 1	EVA	EVAPORATIVE FAMILY 2				EVAPORATIVE FAMILY 3				EVAPORATIVE FAMILY 4			
	3-D	2-D	RL	ORVR	3-D	2-D	RL	ORVR	3-D	2-	D R	L OR	VR	3-D	2-D	RL	ORVR
CERT	0.53	*	0.001	*	0.53	*	0.001	*	0.45	*	0.0	001 *		*	*	*	*
STD	1.00	1.25	0.05	*	1.00	1.25	0.05	*	1.00	1.2	25 0.0	05 *	×	*	*	*	*

BE IT FURTHER RESOLVED: That for the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model PC, LDT and MDV).

## FORD MOTOR COMPANY

EXECUTIVE ORDER A-010-1651 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 2 of 2

BE IT FURTHER RESOLVED: The test group listed in this Executive Order is certified conditionally on the manufacturer providing data to demonstrate compliance with California's greenhouse gas fleet average emission standard (CA GHG Standard) specified in Title 13, California Code of Regulations, (13 CCR) Section 1961.1 and the incorporated California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles, amended March 29, 2010 (CA Test Procedures). The manufacturer has elected, under 13 CCR Section 1961.1(a)(1)(A)(ii) and under Section E.2.5.1(ii) of the CA Test Procedures, to demonstrate compliance with the CA GHG Standard by demonstrating compliance with the National greenhouse gas program (National GHG Program). Therefore, the test group listed in this Executive Order is certified conditionally further on the manufacturer complying with the requirements specified in said provisions in 13 CCR, and Sections E.2.5.1(ii) and H.4.5(b) and H.4.5(c) of the CA Test Procedures (among other things, concerning data and information submission, timing, and format as specified by the Executive Officer). Failure to comply with the certification requirements to demonstrate compliance with CA GHG Standard by demonstrating compliance with the National GHG Program under said provisions in 13 CCR and CA Test Procedures may be cause for the Executive Officer to revoke the Executive Order. Vehicles in the revoked Executive Order shall be deemed uncertified and subject to penalties authorized under California law. Notwithstanding the requirement herein, a manufacturer that becomes, after MY2009, a large-volume manufacturer, as defined in 13 CCR Section 1900, is not required to comply with the CA GHG Standard until the beginning of the fourth model-year from becoming a large-volume manufacturer. Additionally, notwithstanding the requirement herein, a small-volume manufacturer, independent low-volume manufacturer, or intermediate volume-manufacturer, a

BE IT FURTHER RESOLVED: That the listed vehicle models are federally certified, and are certified under the provisions of 13 CCR Section 1961(a)(14) and the incorporated test procedures.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

\_day of July 2011.

Annette Hebert, Chief

Mobile Source Operations Division