## FORD MOTOR COMPANY

EXECUTIVE ORDER A-010-1673 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 1 of 2

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515-39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

	ODEL TEST GROU				VEHICLE TYPE (PC=passenger car; LDT=light-du MDV=medium-duty vehicle; LVW vehicle weight; GVW=gross	/=loaded	STAND (LEV=low e transitions	AUST EMISSION DARD CATEGORY emission vehicle; TLEV= ILEV; ULEV=ultra LEV; LEV=super ULEV)	EXHAUST & ORVR / EVAPORATIVE USEFUL LIFE (UL) (miles)  FUEL TYPE (CNG/LNG=compre liquefied natural g LPG=liquefied petro				
201	2 (	CFMXT05.45BR			MDV: 8501-10000# GV		JSEPA Bin 8 ited as ARB LEV2 ULEV	120K / 150K	Flexible Fuel: Ethanol (E85)/Gasoline (Tier 2 Unleaded)				
No.	EVAPORATIVE FAMILY (EVAF)			No.	SPECIAL FEAT	TURES & * = not applicab			THAT I - WAR OUT OUT OUT OUT	at. ADSTWC=adsorbing TWC 2S=oxygen sensor/heated O2S			
1		CFMXR0265NBC			2TWC, 2HA	AFS, 2HO	2S, SFI, OE	AFS/HAFS=air-fuel ratio ser	sor/heated AFS EGR=exhaust =secondary air injection/pulsed				
2					ALL BUILDING	*		AID MEI/SEL multiport f	uel injection/sequential MFI				
3	*			3	The second second	*			TBI= throttle body injection TC/SC=turbo /super charger CAC=charge air cooler OBD (F) / (P)=full /partial on-boar diagnostic prefix 2=parallel (2) suffix=series				
4				4	THE RESIDENCE		West 1	diagnostic prefix 2-parallel (2) suffix-series					
EVA No.	1111	ECS ENGIN			MAKES & MODELS STAN		DARDS AR	E UNDERLINED					
1	- "	1	5.4	-/		F	ORD: EXPE	ISINE FFV 2WD					
1		1	5.4			LINCOLN: NAVIGATOR EXT LIMOUSINE FFV 2WD							
'		* *		-									

The exhaust and evaporative emission standards (STD), as requested by the manufacturer, and certification emission levels (CERT) for the listed vehicles are as follows (compliance with the 50 °F testing requirement (for TLEV, LEV, ULEV, SULEV) may have been met based on the manufacturer's submitted compliance plan in lieu of testing). Any debit in the manufacturer's "NMOG Fleet Average" (PC and LDT) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required. (For bi-, dual- or flexible-fueled vehicles, the STD and CERT in parentheses are those applicable to testing on gasoline test fuel.)

	OG FL		NMOG @ RAF= * CH4 RAF = *		NMOG or			maldehyde . [g/mi]=run:	PM=partic ning loss C	ulate ma	atter /gallor	dispensed]	=on-board	earbon mono ent factor refueling vap	or recovery	g=gram
CER	T	STD	NMOG	NMHC CERT [g/mi]	NMHC STD [g/mi]	mg=milligr	am mi=	mile K=10	00 miles	F=deg	rees F	ahrenheit mg/mi]	Srir-sup	plemental fe g/mi]	Hwy NC	Occurro
*		*	CERT [g/mi]			CERT	[g/mi] STD	CERT	x [g/mi]	CER		STD	CERT	STD	CERT	STD
		@ 50K	0.024	*	0.100	0.9 (1.3)	3.4 (3.4)	0.02	0.14	V6689		15 (15)	*		*	*
		@ UL	(0.043) 0.024 (0.046)	*	0.125	1.0	4.2 (4.2)	0.02 (0.03)	0.20 (0.20)	1.			2,10	0.02 (0.02)	*	*
	@ 5	0°F & 4K	*	*		*	*	*	*		*	*	*	*	*	*
CO [	g/mi]	SFTP 1 = @ 4K (SULEV, ULEV,			NMHC+NOx [g/mi] (composite)		CO [g/mi] (composite)		NMHC+				NMHC+NOx [g/mi] [SC03]		CO [g/mi] [SC03]	
@ 20	°F&	LEV) or 50K (Tier 1, TLEV) SFTP 2 = @ UL (Tier 1, TLEV)		CERT	STD	CERT	STD	CERT	STD	CE	RT ST	D CER	RT STD	CERT	STD	
CERT	(3.0)		SF	TP @ 4K		*	*	*		*	7	* *		*	*	*
STD	(12.5)		SF	TP @ UL	•	*	*	*	*	*	8	* *		*	*	*
	EVAPORATIVE FAMILY 1				EVA	EVAPORATIVE FAMILY 2			EVAPORATIVE FAMILY 3				EVAPORATIVE FAMILY 4			
@ UL	3-D	2-D	RL	ORVR	1	2-D	RL	ORVR	3-D	2-D	R	L ORV	/R 3-D	2-D	RL	ORVR
CERT	0.37	0.53	0.001		*		*	*	*	*	,	*	*	*	*	*
STD	1.00		0.05	*	*	*	*	*	*	*	,		*	*	*	*

BE IT FURTHER RESOLVED: That for the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model PC, LDT and MDV).



## FORD MOTOR COMPANY

EXECUTIVE ORDER A-010-1673 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 2 of 2

BE IT FURTHER RESOLVED: The test group listed in this Executive Order is certified conditionally on the manufacturer providing data to demonstrate compliance with California's greenhouse gas fleet average emission standard (CA GHG Standard) specified in Title 13, California Code of Regulations, (13 CCR) Section 1961.1 and the incorporated California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles, amended March 29, 2010 (CA Test Procedures). The manufacturer has elected, under 13 CCR Section 1961.1(a)(1)(A)(ii) and under Section E.2.5.1(ii) of the CA Test Procedures, to demonstrate compliance with the CA GHG Standard by demonstrating compliance with the National greenhouse gas program (National GHG Program). Therefore, the test group listed in this Executive Order is certified conditionally further on the manufacturer complying with the requirements specified in said provisions in 13 CCR, and Sections E.2.5.1(iii) and H.4.5(b) and H.4.5(c) of the CA Test Procedures (among other things, concerning data and information submission, timing, and format as specified by the Executive Officer). Failure to comply with the certification requirements to demonstrate compliance with CA GHG Standard by demonstrating compliance with the National GHG Program under said provisions in 13 CCR and CA Test Procedures may be cause for the Executive Officer to revoke the Executive Order. Vehicles in the revoked Executive Order shall be deemed uncertified and subject to penalties authorized under California law. Notwithstanding the requirement herein, a manufacturer that becomes, after MY2009, a large-volume manufacturer, as defined in 13 CCR Section 1900, is not required to comply with the CA GHG Standard until the beginning of the fourth model-year from becoming a large-volume manufacturer. Additionally, notwithstanding the requirement herein, a small-volume manufacturer, independent low-volume manufacturer, or intermediate volume-manufacturer,

BE IT FURTHER RESOLVED: That the listed vehicle models are federally certified, and are certified under the provisions of 13 CCR Section 1961(a)(14) and the incorporated test procedures.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

day of July 2011.

Annette Hebert, Chief

Mobile Source Operations Division