

#### BAYERISCHE MOTOREN WERKE AG

**EXECUTIVE ORDER A-008-0331** 

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 1 of 3

ursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 & 39516 and Executive Order G-02-003;

#### IT IS ORDERED AND RESOLVED:

That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as ribed below. Production vehicles shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	TEST GROUP	VEHICLE TYPE	EXHAUST EMISSION STANDARD CATEGORY		USEFUL LIFE (miles)		INTERMEDIATE IN-USE COMPLIANCE ("=N/A or full in-use; A/E=exh. / evap. Intermediate in-use)		FUEL TYPE
2013	<del> </del>	Passenger Car		EV II" Ultra Low	ORVR EV	EVAP	EXH	EVAP	Gasoline (Tier 2
	DBMXV01.6N18		Emiss	ion Vehicle (LEV II ULEV)	150K 150K		*		Unleaded)
No.	D. ECS & SPECIAL FEATURES			EVAPORATIVE	FAMILY (EV	DISPLACEMENT (L)			
1	WU-TWC,TWC, AFS,HO2S, DFI, TC, CAC, OBD(P)			DBMXRC	130N54				
*	*				·	1.6			
•		*							
•		*			•		<u> </u>		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

That the exhaust, the evaporative emission standards, and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's "NMOG Fleet Average" (PC or LDT) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

#### BE IT FURTHER RESOLVED:

hat for the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model PC, LDT and MDV).

#### BE IT FURTHER RESOLVED:

The test group listed in this Executive Order is certified conditionally on the manufacturer providing data to demonstrate compliance with California's greenhouse gas fleet average emission standard (CA GHG Standard) specified in Title 13, California Code of Regulations, (13 CCR) Section 1961.1 and the incorporated California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles, amended March 29, 2010 (CA Test Procedures). The manufacturer has elected, under 13 CCR Section 1961.1(a)(1)(A)(ii) and under Section E.2.5.1(ii) of the CA Test Procedures, to demonstrate compliance with the CA GHG Standard by demonstrating compliance with the National greenhouse gas program (National GHG Program). Therefore, the test group listed in this Executive Order is certified conditionally further on the manufacturer complying with the requirements specified in said provisions in 13 CCR, and Sections E.2.5.1(ii) and H.4.5(b) and H.4.5(c) of the CA Test Procedures (among other things, concerning data and information submission, timing, and format as specified by the Executive Officer). Failure to comply with the certification requirements to demonstrate compliance with CA GHG Standard by demonstrating compliance with the National GHG Program under said provisions in 13 CCR and CA Test Procedures may be cause for the Executive Officer to revoke the Executive Order. Vehicles in the revoked Executive Order shall be deemed uncertified and subject to penalties authorized under California law. Notwithstanding the requirement herein, a manufacturer that becomes, after MY2009, a large-volume manufacturer, as defined in 13 CCR Section 1900, is not required to comply with the CA GHG Standard until the beginning of the fourth model-year from becoming a large-volume manufacturer. Additionally, notwithstanding the requirement herein, a small-volume manufacturer, independent low-volume manufacturer, or intermediate volume-manufacturer, as defined in 13 CCR Section 1900, is not required to comply with CA GHG Standard during model-years (MY) 2012 through 2015.

#### BE IT FURTHER RESOLVED:

Additional NMOG fleet average or vehicle equivalent credits are granted to the listed vehicle models pursuant to 13 CCR Section 1961(a)(8) [optional 150K certification].

#### **BAYERISCHE MOTOREN WERKE AG**

**EXECUTIVE ORDER A-008-0331** 

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 2 of 3

#### BE IT FURTHER RESOLVED:

That the vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiencies and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II system of the listed vehicle models has been determined to have five deficiencies. The listed vehicle models are approved subject to the manufacturer paying a fine of seventy five dollars (\$75) per vehicle for vehicles in the listed test group that are produced and delivered for sale in California.

On a quarterly basis, the manufacturer shall submit to the Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2013 model-year production period. Failure to pay the quarterly from the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$5000 per vehicle

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations. The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this 23 day of July 2012.

Annette Hebert, Chief

Mobile Source Operations Division



New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 4

## **ATTACHMENT**

# EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

(For bi-, dual- or flexible-fueled vehicles, the STD and CERT in parentheses are those applicable to testing on gasoline test fuel.)

NMOG FLEET NMOG @ AVERAGE [g/mi] CH4 RA		RAF=*		HCHO=form	naidehyde; Pi	M=bauticnis	ale Maller	10-41 -10-00	adless b	nard refue	aling vapor re	monoxide, N est)=2/3 day o covery; g=gra re	am; <b>mg</b> =miliq	gram	
CERT	STD	NMOG	NMHC	STD	mi=mile; K	i=mile; K=1000 miles; F=		NOx [g/mi]		TP=supplemental federa HCHO [mg/mi]		PM [g/mi]		Hwy NOx [g/mi]	
CER		CERT	CERT	[g/mi]		[g/mi]	CERT	STD			STD	CERT	STD	CERT	STD
0.030	0.035	[g/mi]	[g/mi]		CERT	STD			<del></del>		8.	*	*	0.002	0.07
	@ 50K	0.014	*	0.040	0.3	1.7	0.01	0.05			11.	*	0.01	0.002	0.09
4		0.018	*	0.055	0.4	2.1	0.01	0.07			16.		*		*
	@ UL		<del>                                     </del>	0.080	0.6	1.7	0.02	0.05	5*	· ·					
<b>6</b>	@ 50°F & 4K 0.044		NMHC+N	iOx [g/mi] CO [g/mi] posite) (composite)			NMHC+N( [g/mi] [US					MHC+NOx mi] [SC03]		CO [g/mi] [SC03]	
CO [ @ 20°F	g/mi] 8 & 50K	1.20		(comp	STD	CERT	STD	CERT	STD	CERT	STE	CERT		CERT	STD
0	17	大學	1			+		0.01	0.14	0.6	8.0	0.08	0.20	0.2	2.7
ERT	1.2	SFTP@4	000 miles	*		<del></del>			*	*		*	+	<b>*</b> '	. *
STD	10.0	SETP	@ * miles	*	*	*									
	<u> </u>		3-Davs D	ilurnal + Ho ns/test) @		2-Days Dit (grams	ırnal + Ho s/test) @	ot Soak UL	(gr	Running ams/mile	Loss e) @ UL	F	Recovery (g	Refueling rams/gallo	нп) @ UL
Evaporative Family					CERT	CERT		CEF	ERT ST		_	CERT		STD	
		CERT					0.65 0.01		0.05		5	0.005		0.20	
DBMXR0130N54 0.3		0.31		0.50		'	<del></del>	+			•		*		
		•		*									*		
			+	•		*						*			
		-+-	*. *			*		vehicle: ECS= emiss							

<sup>\* =</sup> not applicable; UL=useful life; PC=passenger car; LDT=light-duty truck; MDV=medium-duty vehicle; ECS= emission control system; STD= standard; CERT= certification; LVW=loaded vehicle weight; ALVW=adjusted LVW; LEV=low emission vehicle; ULEV=ultra LEV; SULEV=super ULEV; TWC/OC=3-certification; LVW=loaded vehicle weight; ALVW=adjusted LVW; LEV=low emission vehicle; ULEV=ultra LEV; SULEV=super ULEV; TWC/OC=3-certification; LPMC=CSCR-IVSCR-N= selective catalytic reduction-way/oxidizing catalyst; ADSTWC=adsorbing TWC; WU=warm-up catalyst; NAC=NOx adsorption catalyst; SCR-U/SCR-N= selective catalytic reduction-uraca/periodic trap oxidizer; HO2S/O2S=heated/oxygen sensor; uraca/ammonia; NH3OC=SCR-U/SCR-N ammonia slip catalyst; CTOX/PTOX= continuous/periodic trap oxidizer; HO2S/O2S=heated/oxygen sensor; AFS/HAFS=air- fuel ratio sensor / heated AFS; NOXS= NOX sensor; RDQS=reductant quality sensor; EGR=exhaust gas recirculation; AIR=secondary air AFS/HAFS=air- fuel ratio sensor / heated AFS; NOXS= NOX sensor; RDQS=reductant quality sensor; EGR=exhaust gas recirculation; AIR=secondary air AFS/HAFS=air- fuel ratio sensor / heated AFS; NOXS= NOX sensor; RDQS=reductant quality sensor; EGR=exhaust gas recirculation; AIR=secondary air AFS/HAFS=air- fuel ratio sensor / heated AFS; NOXS= NOX sensor; RDQS=reductant quality sensor; EGR=exhaust gas recirculation; AIR=secondary air AFS/HAFS=air- fuel ratio sensor / heated AFS; NOXS= NOX sensor; RDQS=reductant quality sensor; EGR=exhaust gas recirculation; AIR=secondary air AFS/HAFS=air- fuel ratio sensor / heated AFS; NOXS= NOX sensor; RDQS=reductant quality sensor; EGR=exhaust gas recirculation; AIR=secondary air AFS/HAFS=air- fuel ratio sensor / heated AFS; NOXS= NOX sensor; RDQS=reductant quality sensor; EGR=exhaust gas recirculation; AIR=secondary air AFS/HAFS=air- fuel ratio sensor / heated AFS; NOXS= NOX sensor; RDQS=reductant quality sensor; EGR=exhaust gas recirculation; AIR=secondary gas recirculation; AIR=secondary gas recirculation; AIR=secondary gas recirculation; AIR=

# 2013 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	2013 MODEL YEA	EVAPORATIVE FAMILY	ECS NO.	ENGINE SIZE (L)	INTERMEDIATE IN-USE COMPLIANCE (*=N/A or full in-use; A/E=exh. / evap. intermediate in-use)		PHASE-IN STD.	OBD II
					EXH	EVAP		
	COOPER S COUNTRYMAN COUPE	DBMXR0130N54	1	1.6	•	*	SFTP	Partial
MINI	ALL4  JOHN COOPER WORKS	DBMXR0130N54	_ <del></del>	1.6	*	*	SFTP	Partial
MINI	COUNTRYMAN ALL4				*	*	SFTP	Partial
MINI	COOPER S CLUBMAN / TK	DBMXR0130N54	1	1.6				
MINI	COOPER S CONVERTIBLE / TK	DBMXR0130N54	1	1.6	*	•	SFTP	Partia
MINI		DBMXR0130N54	1	1.6	*	*	SFTP	Partia
MINI	COOPER S COUNTRYMAN		1	1.6	*	*	SFTP	Partia
MINI	JOHN COOPER WORKS	DBMXR0130N54				+	SFTP	Partia
MINI	COOPER S / TK	DBMXR0130N54	1	1.6	<u> </u>	<u> </u>		
	COOPER S CLUBMAN	DBMXR0130N54	1	1.6	*	*	SFTP	Partia
MINI		DBMXR0130N54	<del>                                     </del>	1.6	*	*	SFTP	Partia
MINI	COOPER S CONVERTIBLE	DRIMYKO130IA24	ļ		<del>                                     </del>	*	SETP	Partia
MINI	COOPER S COUPE	DBMXR0130N54	1	1.6	ļ	<del></del>		
	COOPER S COUPE / TK	DBMXR0130N54	1	1.6	*	*	SFTP	Parti
MINI		DBMXR0130N54	1	1.6	*	*	SFTP	Parti
MINI	COOPER S ROADSTER			1.6		*	SFTP	Parti
MINI	COOPER S ROADSTER / TK	DBMXR0130N54	11				SFTP	Parti
MINI	COOPER S	DBMXR0130N54	1	1.6	*		SFTP	Faiti



### BAYERISCHE MOTOREN WERKE AG

**EXECUTIVE ORDER A-008-0331** 

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 4 of 4

MINI	JOHN COOPER WORKS CLUBMAN	DBMXR0130N54	1	1.6	•	•	SFTP	Partial
MINI	JOHN COOPER WORKS CONVERTIBLE	DBMXR0130N54	1	1.6	*	•	SFTP	Partia
MINI	JOHN COOPER WORKS COUPE	DBMXR0130N54	1	1.6	•	•	SFTP	Partia
MINI	JOHN COOPER WORKS ROADSTER	DBMXR0130N54	1	1.6	•	*	SFTP	Partia
MINI	JOHN COOPER WORKS GP-2	DBMXR0130N54	1	1.6	*	•	SFTP	Partis
MINI	COOPER S COUNTRYMAN ALL4	DBMXR0130N54	1	1.6	•	•	SFTP	Partia
MINI	COOPER'S COUNTRYMAN COUPE	DBMXR0130N54	1	1.6			SFTP	Parti