California Environmental Protection Agency		Executive Order: A-003-0521 New Passenger Cars, Light-Duty Trucks and				
OB Air Resources Board	DAIMLER AG	Medium-Duty Vehicles				
All hesources board		Page 1 of 5				

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GR	OUP IN	FOR	MATION					
MOD		TEST G	ROUP VEHICLE CLASS(ES)					FUEL C	ATEGORY	FL	FUEL TYPE		
20:	2015 FMBXT02.1HD2 MDV5						DV5 DEDICATED				DIESEL		
	USEF	UL LIFE	(miles)	VE	HICLE EMIS	SION	ATEG	ORY	INTERIM / IN	RMEDIA	TE IN-USE STD		
EXH/ORVR EVAP FTP					FTP		SF	ГР	FTP		SFTP		
						UC (1	LEV3 ULEV (HOT1435 C(LA92), SC03, TP TEST CYCLE)			NMHC+NOX			
SF	PECIAL	FEATUR		XHAUST EMISSI	ON CONTRO	DL		OBD ST	ATUS	ENGINE	DISPLACEMENT (L)		
DFI, TC, CAC, EGR, EGRC(2), OC, DPF, SCRC, NOXS(2), WR-HO2S								FULL	*				
*	*						P	ARTIAL	* 2.1		2.1		
*	* *							TIAL WITH	ALL MODELS				
				EVAPORATIVE 8	REFUELING	G (EVA	P/OR	VR) FAMILY	INFORMATION				
EV	AP / OF	RVR FAN	MILY	EVAPORATIV	E STD CATE	GORY	,	EVAP EMIS		SPECIA	L FEATURES		
		*			*		*			*			
					EMISSION C	REDIT	T INFO	RMATION					
		ALLOW	ANCE	FOR TEST GROU	JP	- '		CREDIT FC	NMOG CR	EDIT FOR	OPTIONAL EXH		
BA	SELINE	PZEV	1	AT PZEV	TZEV			EVAP			TRUCKS		
* *				*	*		N ·1		N N				
				NMO	G AND FLEE	TAVE	RAGE	INFORMAT	ION				
NMOG RAF CH4 RAF FTP NMOG/N		TP NMOG/NMHC RATIO	HCHO/NMHC RA		RATIO PC+LDT		DX FLEET STD (0-3750 LVW) g/mi)	NMOG+NOX FLEET STD LDT (3751 LVW-8500 GVWR) + MDPV (g/mi)					
	*	*		*	0.	.018			* .		*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

California Environmental Protection Agency		Executive Order: A-003-0521 New Passenger Cars, Light-Duty Trucks and			
OB Air Resources Board	DAIMLER AG	Medium-Duty Vehicles Page 2 of 5			

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The test group listed in this Executive Order is certified conditionally on the manufacturer providing data to demonstrate compliance with California's greenhouse gas fleet average emission standard (CA GHG Standard) specified in Title 13. California Code of Regulations, (13 CCR) Section 1961.1 and the incorporated California 2001 through 2014 Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2009 through 2016 Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles, amended December 6, 2012 (CA Test Procedures). The manufacturer has elected, under 13 CCR Section 1961.1(a)(1)(A)(ii) and under Section E.2.5.1(ii) of the CA Test Procedures, to demonstrate compliance with the CA GHG Standard by demonstrating compliance with the National greenhouse gas program (National GHG Program). Therefore, the test group listed in this Executive Order is certified conditionally further on the manufacturer complying with the requirements specified in said provisions in 13 CCR, and Sections E.2.5.1(ii) and H.4.5(b) and H.4.5(c) of the CA Test Procedures (among other things, concerning data and information submission, timing, and format as specified by the Executive Officer). Failure to comply with the certification requirements to demonstrate compliance with CA GHG Standard by demonstrating compliance with the National GHG Program under said provisions in 13 CCR and CA Test Procedures may be cause for the Executive Officer to revoke the Executive Order, Vehicles in the revoked Executive Order shall be deemed uncertified and subject to penalties authorized under California law. Notwithstanding the requirement herein, a manufacturer that becomes, after MY2009, a large-volume manufacturer, as defined in 13 CCR Section 1900, is not required to comply with the CA GHG Standard until the beginning of the fourth model-year from becoming a large-volume manufacturer. Additionally, notwithstanding the requirement herein, a small-volume manufacturer, independent low-volume manufacturer, or intermediate volumemanufacturer, as defined in 13 CCR Section 1900, is not required to comply with CA GHG Standard during modelyears (MY) 2012 through 2015.

BE IT FURTHER RESOLVED:

The listed vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II (OBD) system of the listed vehicle models has been determined to have five deficiencies. The listed vehicle models are approved subject to the manufacturer paying a fine of \$75 per vehicle for the third through fifth deficiencies in the listed test group that is produced and delivered for sale in California.

On a quarterly basis, the manufacturer shall submit to the Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2015 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$5000 per vehicle pursuant to HSC Section 43154.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

California Environmental Protection Agency

Executive Order: A-003-0521 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 5

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this ____

day of September 2014.

Annette Hebert, Chief Emissions Compliance, Automotive Regulations and Science Division

						on Agend	-		DAIMI	ER A	G	1	E New Pass			ight-D	Duty T	rucks and	
OB Air Resources Board											Medium-Duty Vehicle Page 4 of 5								
								AT	TAC	нм	ENT								
	E	XHAU	ST /	AND	EVAF	ORAT	IVE	EMISS	ION	STAI	NDARD	S ANI	D CERT	IFIC	ATION	LE	/ELS	3	
		E	KHAL	JST E	MISSIC	ON STAN	NDAI	RDS AND	CER	TIFIC	ATION L	EVELS	(FTP, HV	VFET,	50°F, 2	0°F)			
		FUEL TYPE			onoxide djustme RVR [g	3: non-CH es of nitrog HS/3DHS spensed] s Fahrenl	gen; H [g HC : on-be	/test]: oard r	formalde 2/3 days efueling	ehyde; F s diurnal vapor re	M: partic +hot-soal covery; g	ulate r k; RL gram	matter; I g HC/m ; mg: m	RAF: r ii]: run illigrai	eactiv ning lo m; mi:	vity oss;			
	-					C+NOx /mi)	T	C (g/	-			Ox mi)	HCH (mg/		-		Pi (g/r		
					CERT	STD	>	CERT	STI	D	CERT	STD	CER	т	STD	CE	RT	STD	
FTP@5	OK	*			*	*		*	*		*	*	*		*		*	*	
FTP@L		DIESE	L-EP	A	0.102	0.40	0	0.2	7.3	3	*	*	0.1		6	0.	01	0.06	
50°F @	4K	*			*	*	_	*	*		*	*	*		*	-			
						FUEL T	YPE					T	Ox (g/mi)				(g/mi)		
TOLETITE								CE	ERT STD		CERT		RT	T STD					
HWFE	Т@	50K				*				*		*	*						
HWFET @ UL DIESEL-EPA				? A		0.0	0.080		0.400										
20°F	@ 5	OK				*			-			-	A	-	*			*	
				SI	TP EX	HAUST	EMI	SSION S	TAND	ARDS	AND CE	RTIFIC	ATION L	EVEL	S				
1				-			US06				SC03				COMPOSIT NMHC+NOx CO (g/mi) (g/m		SITE		
	FU	EL TYP	TYPE		NMHC+NOx (g/mi) (CO Pl (g/mi) (mg/				IMHC+NOx (g/mi)						PM (mg/m		
AK		*		ERT		*		*		3.3	*		*	1			_	-	
@ 4K	-			STD		*		*	2.		*		*						
				CERT					*	*		*		*	0.208		0.1	0.1	*
@ UL	DIE	ESEL-EPA STI			-	*	-	*	1	*	*		*	-	.550		5.0	*	
			_	BIN						0.000					.550				
			VHO	LEVE	HICLE	EVAPO	_	IVE EMI						ATIO	N LEVE	LS			
EVAP			FU	EL TY		2040		OLE VEH		EVAF					F	RL (g/ı	ni) @	UL	
FA	MIL	Y	- OLL		00110 ()			I/test) @ UL STD FEL		CE	2DHS (g/test ERT STD		FEL		CERT		STD		
*			*			*		* *			*	*	*				1	*	
C	ORV	R / FUE	LON	ILY/	CANIST	ER BLE	ED	EVAPOR	ATIVE	EMI	SSION S	TANDA	RDS ANI	CEF	TIFICA	TION	LEVE	LS	
													P & CAN						
EVAP	ORA		OF	RVR (g/gallo	n) @ UL		FUEL T	YPE		OHS RIG TEST (g/test) @ UL								
			FUE	LTYP	ECE	E CERT STD				CE	ERT STD		CERT	-	STD		RT	STD	
	*			*		*		*			*	*	*		*	*		*	

California Environmental Protection Agency	DAIMLER AG	Executive Order: A-003-0521 New Passenger Cars, Light-Duty Trucks and
OB Air Resources Board	DAIMLER AG	Medium-Duty Vehicles
All hesources board		Page 5 of 5

*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR.3751-5750#LVW: LDT3: LDT 6001-8500#GVWR.3751-5750#ALVW: LDT4: LDT 6001-8500#GVWR.5751-8500#ALVW: MDV: medium-duty vehicle: MDV4: MDV 8501-10000#GVWR: MDV5: MDV 10001-14000#GVWR: MDPV: mediumduty passenger vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR; gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; PZEV: partial ZEV; AT PZEV: advanced technology PZEV; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst: SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for sparkianited engine; HO2S/O2S; heated/oxygen sensor; WR-HO2S or AFS; wide range/linear/heated air-fuel ratio sensor; NOXS; NOX sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission: OT: other transmission

2015 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD	PZEV TYPE
FREIGHTLINER	3500 CARGO VAN	MDV5	2.1	A7	*	1	\$	*
FREIGHTLINER	3500 RV	MDV5	2.1	A7	*	1	\$	*
MERCEDES-BENZ	SPRINTER 3500 CDI CARGO VAN	MDV5	2.1	А7	*	1	Ş	*
MERCEDES-BENZ	SPRINTER 3500 CDI RV	MDV5	2.1	A7	*	1	Ş	*