California Environmental Protection Agency

**OB Air Resources Board** 

FORD MOTOR COMPANY

Executive Order: A-010-1846

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

				TEST GR	OUP INF	ORI	MATION				
MODEL YEAR	TEST G	E CLASS(ES)			FUEL C	ATEGORY	FUEL TYPE				
2015 FFMXT03.54HE			LDT4					SINGLE FUEL	GASOLINE		
US	EFUL LIFE	(miles)	VEH	ICLE EMISS	SION CA	TEC	ORY	INTERIM / IN	TERMEDIA	TE IN-USE STD	
EXH/ORVR EVAP			FTP			SF	ГР	FTP	SFTP		
1500	00	150000	LEV3	ULEV125 LEV 3 COMPOSITE			MPOSITE	*	NMOG+NOX		
SPECIA	AL FEATUR	ES & EXHAUS		N CONTRO	DL		OBD ST	TATUS	ENGINE	DISPLACEMENT (L)	
1 2TWC, 2WR-HO2S, 2HO2S, TC, CAC, DFI							FULL	*	*		
*	* *						ARTIAL	ALL MODELS		3.5	
*	*						PARTIAL WITH *				
		EVAPO	RATIVE &	REFUELING	(EVAP	/OR	VR) FAMILY	INFORMATION			
EVAP /	ORVR FAM	ILY EVA	PORATIVE	STD CATE	GORY	I	EVAP EMIS VEHICLE		SPECIA	L FEATURES	
FFM	FFMXR0265NBC LEV 2					· LDT4			*		
			E	MISSION C	REDIT	NFO	RMATION				
	ALLOW	ANCE FOR TI	EST GROUP				CREDIT FO	NIMOG CD		OPTIONAL EXH. STD FOR WORK	
BASELI	BASELINE PZEV TZEV TZEV					EVAP				TRUCKS	
				*			N	N	1	N	
-			NMOG	AND FLEE	TAVER	AGE	INFORMAT	ION		-	
NMOG RA	NMOG RAF CH4 RAF FTP NMOG/NMHC RATIO			HCHO/NN	HCHO/NMHC RATIO		PC+LDT	OX FLEET STD (0-3750 LVW) g/mi)	LDT (3	G+NOX FLEET STD (3751 LVW-8500 VR) + MDPV (g/mi)	
* * 1.10			.10	*			(	0.100	0.119		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

**OB** Air Resources Board

FORD MOTOR COMPANY

Executive Order: A-010-1846

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 4

### BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's "NMOG or NMOG+NOX, as applicable, Fleet Average" (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

#### BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

#### BE IT FURTHER RESOLVED:

The test group listed in this Executive Order is certified conditionally on the manufacturer providing data to demonstrate compliance with California's greenhouse gas fleet average emission standard (CA GHG Standard) specified in Title 13, California Code of Regulations, (13 CCR) Section 1961.1 and the incorporated California 2001 through 2014 Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2009 through 2016 Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles, amended December 6, 2012 (CA Test Procedures). The manufacturer has elected, under 13 CCR Section 1961.1(a)(1)(A)(ii) and under Section E.2.5.1(ii) of the CA Test Procedures, to demonstrate compliance with the CA GHG Standard by demonstrating compliance with the National greenhouse gas program (National GHG Program). Therefore, the test group listed in this Executive Order is certified conditionally further on the manufacturer complying with the requirements specified in said provisions in 13 CCR, and Sections E.2.5.1(ii) and H.4.5(b) and H.4.5(c) of the CA Test Procedures (among other things, concerning data and information submission, timing, and format as specified by the Executive Officer). Failure to comply with the certification requirements to demonstrate compliance with CA GHG Standard by demonstrating compliance with the National GHG Program under said provisions in 13 CCR and CA Test Procedures may be cause for the Executive Officer to revoke the Executive Order. Vehicles in the revoked Executive Order shall be deemed uncertified and subject to penalties authorized under California law. Notwithstanding the requirement herein, a manufacturer that becomes, after MY2009, a large-volume manufacturer, as defined in 13 CCR Section 1900, is not required to comply with the CA GHG Standard until the beginning of the fourth model-year from becoming a large-volume manufacturer. Additionally, notwithstanding the requirement herein, a small-volume manufacturer, independent low-volume manufacturer, or intermediate volumemanufacturer, as defined in 13 CCR Section 1900, is not required to comply with CA GHG Standard during modelyears (MY) 2012 through 2015,

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

day of July 2014.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this \_\_

nnette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

FORD MOTOR COMPANY

Executive Order: A-010-1846 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles
Page 3 of 4

# **OB** Air Resources Board

## **ATTACHMENT**

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS	
EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)	

	EXHA	LUST	AND E	VAPO	RATIV	E EMIS	SION	STAN	DARE	S AND	CERTIF	ICATIO	N LEVEL	S	
		EXH									FTP, HWF				
	FUEL TYPE		mor adju ORV	noxide; Nostment f VR [g HC	IOx: oxidactor; 2 2/gallon	des of nitr DHS/3DH dispense	rogen; H S [g HC d]: on-bo	CHO: for the character of the character	ormald 2/3 days ueling	ehyde; Pf s diurnal+ vapor rec	vi: particula hot-soak; l	ite matter; RL [g HC/n ram; mg: n	HC; CO: c RAF: react ni]: running nilligram; m ntal FTP	ivity los <b>s</b> ;	
				NMOG+NOx (g/mi)		CO (g/mi)			NO (g/n			CHO g/mi)		PM g/mi)	
1			CI	ERT	STD	CERT	STE	) (	ERT	STD	CERT	STD	CERT	STD	
FTP@5	ок	*		*	*	*	*		*	*	*	*	*	*	
FTP@l	11 1		OLINE- 73 E10 0.082		0.125	0.6	2.1		*	*	*	4	*	0.01	
50°F @	4K	*		*	*	*	* *		*	*	*	*			
		EII	EL TYPE			NMOG+N	NOx (g/n	ni)				CO (g/r	ni)		
1 190	FUEL I		EL ITPE	CERT			S			D			STD		
HWFE'	HWFET @ 50K *		*	*			*						. 11. / -		
HWFE	HWFET@UL GASOLINE- LEV3 E10			0.062				0.125			- j. w				
GASOLINE 20°F @ 50K COLD CO.HI			HIGH						0.72			12.5			
			SFT	P EXHA	USTEN	MISSION :	STANDA	ARDS A	ND C	ERTIFICA	TION LEV	ELS			
8 - 35			1 - 1 -	US06/UC			C (LA92)			SC0	3		COMPOSITE		
	FUEL TYPE			NMOG+NOx (g/mi)		CO (g/mi)							G+NOx /mi)	CO (g/mi)	
0 414			CERT	*		*	*				*	1			
@ 4K	*		STD	*		*				*	*				
		CE		*		*		*		* .	*	.0.	061	0.3	
@ UL	GASOLI LEV3		STD	*		*		*		*	*	0.	140	4.2	
			BIN			- Prince		i i je	+ 40		7		100		
		WH	OLE VEH	ICLE EV							ERTIFICAT	TION LEVE	ELS		
FVAP	ORATIVE	=				HOLE VE		EVAPO					RL (g/mi) @	D UL	
FAMILY FUE		UEL TYP			3DHS (g/test) @ U				(g/test)						
FFMXR0265NB			E10-EPA	CE 0.		STD 0.90	FEL *	0.5			FEL *		001	0.05	
							1						ATION LEV		
	JKVK/F	OEL (	JINEY / CA	MISIE	DLEE	EVAPO	MIIVE				& CANIS			LLS	
EVAPORATIVE FAMILY			ORVR (g/	gallon) (	@ UL	EUE	TVDE	3DF	3DHS RIG T (g/test) @		2DHS RIG TEST (g/test) @ UL		BLEED CANISTEI TEST (g/test) @ 4		
	AITIL I	FI	IFI TYPE	TYPE CERT STE		FUEL TYPE		CEF		STD	CERT	STD	CERT	STD	
FFMX	R0265NB	-	85-EPA				*		_	*	*	*	*	*	
EFFIAI	OZ USIND	_ E	OJ BER	0.000	0.20			*							

FORD MOTOR COMPANY

Executive Order: A-010-1846

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 4 of 4

not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; PZEV: partial ZEV; AT PZEV: advanced technology PZEV; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for sparkignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOX sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85-CARB: 85% ethanol+15% CA Phase2 gasoline; E85-EPA: 85% ethanol+15% Tier2 unleaded gasoline; E10-CARB: 10% ethanol+90% CA Phase2 gasoline; E10-EPA: 10% ethanol+90% Tier2 unleaded gasoline; A: automatic transmission; M: manual transmission; SA: semi-automatic transmission; L: lock-up automatic transmission; CV: continuously variable transmission; AM: automated manual transmission; OT: other transmission

### 2015 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH	OBD	PZEV TYPE	
FORD	EXPEDITION 2WD	LDT4	3.5	A6	FFMXR0265NBC	1	P	*	
FORD	EXPEDITION 4WD	LDT4	3.5	A6	FFMXR0265NBC	1	P	*	
FORD	EXPEDITION EL 2WD	LDT4	3.5	A6	FFMXR0265NBC	1	P	*	
FORD	EXPEDITION EL 4WD	LDT4	3.5	A6	FFMXR0265NBC	1	P	*	
LINCOLN	NAVIGATOR 2WD	LDT4	3.5	A6	FFMXR0265NBC	1	P	*	
LINCOLN	NAVIGATOR 4WD	LDT4	3.5	A6	FFMXR0265NBC	1	P	+	
LINCOLN	NAVIGATOR L 2WD	LDT4	3.5	A6	FFMXR0265NBC	1	P	*	
LINCOLN	NAVIGATOR L 4WD	LDT4	3.5	A6	FFMKR0265NBC	1	P	*	