California Environmental Protection Agency

⊘ Air Resources Board

BAYERISCHE MOTOREN WERKE AG Executive Order: A-008-0383

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

						TEST GRO	UP II	NFOR	MATION					
MOD		TEST G	ROUP	VI	VEHICLE CLASS(ES				FUEL CATEGORY		FUEL TYPE			
201	.5	FBMXV0:	2.0B4X		PC DEDICATED SINGLE FUEL VEHICLE						GASOLINE			
	USEF	UL LIFE	(miles)		VEHIC	CLEEMISS	ION C	ATE	GORY	II.	NTERIM / IN	TERME	DIA.	TE IN-USE STD
E	(H/ORV	R	EVAP		F.	TP		SF	TP		FTP			SFTP
.1	L50000		150000	L	EV3 S	ULEV30	LEV	3 C	OMPOSITE		PM		NMO	G+NOX AND PM
SP	ECIAL	FEATUR		HAUST EM	SSION	CONTRO	-		OBD S	TAT	US	ENC	SINE	DISPLACEMENT (L)
1	WU-T	WC, TW	C, WR-HO	DOR DOR	, DFI	, TC, CA	Ξ,		FULL		*			
*	*								PARTIAL		*		2.0	
*	* *							PAR	RTIAL WITH FINES	AL	ALL MODELS			
	•		E۱	APORATI\	/E & R	EFUELING	(EVA	P/OF	RVR) FAMILY	INF	ORMATION			
EV	AP / OF	RVR FAI	VIILY	EVAPORA	TIVE	STD CATE	SORY	RY EVAP EMISSION STD VEHICLE CLASS			SPECIAL FEATURES			
	FBMXR	.0100F5	х	LEV 3	OPTIO	N2 WITH	FEL		PC			HCT		
					E	MISSION CI	REDI	TINF	ORMATION					
		ALLOV	VANCE FO	R TEST GI	ROUP						OPTIONAL EXH. STD FOR WORK			
BAS	SELINE	PZEV	AT	PZEV		TZEV			EVAP		DC	DR		TRUCKS
A	LL MOD	ELS		*		*			N		3	7		N
				N	MOG A	AND FLEET	AVE	RAG	EINFORMAT	ΓΙΟΝ				
NMO	NMOG RAF CH4 RAF FTP NMOG/NMHC HCHO/NMHC			IHC R	RATIO PC+LDT (0-3750 LVW) (g/mi)		750 LVW)	NMOG+NOX FLEET STD LDT (3751 LVW-8500 GVWR) + MDPV (g/mi)						
	*	*		1.10			* .			0.1	00			0.119

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

California Environmental Protection Agency

⊘ Air Resources Board

BAYERISCHE MOTOREN WERKE AG

Executive Order: A-008-0383

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The test group listed in this Executive Order is certified conditionally on the manufacturer providing data to demonstrate compliance with California's greenhouse gas fleet average emission standard (CA GHG Standard) specified in Title 13, California Code of Regulations, (13 CCR) Section 1961.1 and the incorporated California 2001 through 2014 Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2009 through 2016 Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles, amended December 6, 2012 (CA Test Procedures). The manufacturer has elected, under 13 CCR Section 1961.1(a)(1)(A)(ii) and under Section E.2.5.1(ii) of the CA Test Procedures, to demonstrate compliance with the CA GHG Standard by demonstrating compliance with the National greenhouse gas program (National GHG Program). Therefore, the test group listed in this Executive Order is certified conditionally further on the manufacturer complying with the requirements specified in said provisions in 13 CCR, and Sections E.2.5.1(ii) and H.4.5(b) and H.4.5(c) of the CA Test Procedures (among other things, concerning data and information submission, timing, and format as specified by the Executive Officer). Failure to comply with the certification requirements to demonstrate compliance with CA GHG Standard by demonstrating compliance with the National GHG Program under said provisions in 13 CCR and CA Test Procedures may be cause for the Executive Officer to revoke the Executive Order. Vehicles in the revoked Executive Order shall be deemed uncertified and subject to penalties authorized under California law. Notwithstanding the requirement herein, a manufacturer that becomes, after MY2009, a large-volume manufacturer, as defined in 13 CCR Section 1900, is not required to comply with the CA GHG Standard until the beginning of the fourth model-year from becoming a large-volume manufacturer. Additionally, notwithstanding the requirement herein, a small-volume manufacturer, independent low-volume manufacturer, or intermediate volumemanufacturer, as defined in 13 CCR Section 1900, is not required to comply with CA GHG Standard during modelyears (MY) 2012 through 2015.

BE IT FURTHER RESOLVED:

That the listed vehicle models are granted a 0.005 g/mi NMOG credit for all certification and in-use testing pursuant to 13 CCR Section 1961(a)(12) [direct ozone reduction]. The listed NMOG certification level includes application of the credit from the DOR

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this day of December 2014.

nnette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

Executive Order: A-008-0383

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 3 of 4

@ Air Resources Board

CERT

ATTACHMENT

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS	(FTP	, HWFET, 50°F, 20°F)
-----------------------------------------------------	------	----------------------

 =XIIXOO	I LINISSION STANDAI	CO THE GENTINE		, =1,001,20	. ,
FUEL TYPE	CH4: methane; NMOC monoxide; NOx: oxide adjustment factor; 2DH ORVR [g HC/gallon di 1000 miles; F: degrees	s of nitrogen; HCH0 HS/3DHS [g HC/tes spensed]: on-board	D: formaldehyde; PN t]: 2/3 days diurnal+h refueling vapor reco	l: particulate matter; R not-soak; RL [g HC/mi] overy; g: gram; mg: mil	AF: reactivity : running loss; ' ligram; mi: mile; K:
	NMOG+NOx	CO (a/mi)	NOx (a/mi)	HCHO (mg/mi)	PM (g/mi)

FTP@50K	*	*	*	*	*	*	*	*	*	*	*
FTP@UL	GASOLINE- LEV3 E10	0.014	0.030	0.2	1.0	*	*	*	4	0.001	0.003
50°F @4K	GASOLINE- LEV3 E10	0.021	0.060	0.3	1.0	*	*	*	8		
			FUEL TVD	E		NI	MOG+NO	Ox (g/mi)		CO (g/m	i)
			FUEL TYP	E		CE	RT	STD	CER	T	STD
LIMEET 6	FOK		*			,		*	Arter 1		

STD

CERT

STD

CERT

STD

CERT

STD

CERT

STD

	FUEL TYPE	CERT	STD	CERT	STD
HWFET @ 50K	*	*	*		
HWFET @ UL	GASOLINE-LEV3 E10	0.006	0.030		
20°F @ 50K	GASOLINE-COLD CO LOW OCTANE	100		0.8	10.0

SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

		THE .		US06		SC03	3	COMPOSITE		
	FUEL TYPE		NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	NMOG+NOx (g/mi)	CO (g/mi)	NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)
0.416	*	CERT	*	*		*	*			1/41/5
@ 4K		STD	*	*		*	*			
		CERT	*	*	8	*	*	0.014	0.4	*
@ UL	GASOLINE- LEV3 E10	STD	* .	* .	10	*	*	0.140	4.2	*
	2273 220	BIN						0.050		

WHOLE VEHICLE EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EVA DODA EN/E	APORATIVE FUEL TYPE SPUS (1/4-14) @ UI		RL (g/mi) @ UL						
FAMILY	FUEL TYPE	3DH	S (g/test) (@ UL	2Dł	HS (g/test) (g UL	KL (g/ii	11) @ UL
. , , , , , , , , , , , , , , , , , , ,		CERT	STD	FEL	CERT	STD	FEL	CERT	STD
FBMXR0100F5X	GASOLINE- LEV3 E10	0.249	0.300	0.300	0.182	0.300	0.300	0.04	0.05

ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

				FUEL ONLY EVAP & CANISTER BLEED								
EVAPORATIVE FAMILY	ORVR (g/gallon) @ UL			FUEL TYPE	3DHS R (g/test	IG TEST) @ UL	2DHS RIG TEST (g/test) @ UL		BLEED CANISTER TEST (g/test) @ 4K			
	FUEL TYPE	CERT	STD		CERT	STD	CERT	STD	CERT	STD		
FBMXR0100F5X	GASOLINE- LEV3 E10	0.08	0.20	GASOLINE- LEV3 E10	*	*	*	*	0.008	0.020		

California Environmental Protection Agency

⊘ Air Resources Board

BAYERISCHE MOTOREN WERKE AG

Executive Order: A-008-0383

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 4 of 4

not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: .DT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger yehicle; ECS; emission control system; CERT; certification; STD; standard; FEL; family emission limit; GVWR; gross vehicle weight rating: LVW; loaded vehicle weight; ALVW; adjusted LVW; LEV; low emission vehicle; ULEV; ultra LEV; SULEV; super ULEV; ZEV: zero-emission vehicle; PZEV: partial ZEV; AT PZEV: advanced technology PZEV; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for sparkignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOX sensor; PMS; PM sensor; RDQS; reductant quality sensor; NH3S; ammonia sensor; EGR; exhaust gas recirculation; EGRC; EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission

2015 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD	PZEV TYPE
MINI	MINI COOPER S HARDTOP 3- DOORS	PC	2	M6,SA6	FBMXR0100F5X	1	\$	PZEV
MINI	MINI COOPER S HARDTOP 5- DOORS	PC	2	M6, SA6	FBMXR0100F5X	1	\$	PZEV