California Environmental Protection Agency

OB Air Resources Board

FORD MOTOR COMPANY

Executive Order: A-010-1868

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

							TEST GRO	UP II	NFO	RMATION						
MODE		TEST G	ROUP	VEHICLE CLASS(ES)					FUEL CATEGORY				FUEL TYPE			
2015	5 1	FFMXT02	2.02JT			I	LDT2		DEDICATED SINGLE FUEL VEHICLE				GASOLINE			
	USEF	UL LIFE	(miles)		V	EHIC	LE EMISS	ION (CATI	EGORY	IN	ITERIM / IN	ΤE	RMEDIA	TE IN-USE STD	
EXH	1/ORV	R	EVAP			FT	Р		S	FTP		FTP			SFTP	
15	50000		15000	0	LEV	v3 U	LEV125	LEV	3 (COMPOSITE		*			NMOG+NOX	
SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS						L		OBD S	TATU	JS		ENGINE	DISPLACEMENT (L)			
1	T	WC(2),	WR-HO2	s, Ho	2s, T	C, C	AC, DFI			FULL	AL	L MODELS	11			
*				*						PARTIAL	*		2.0		2.0	
*	* *							РА	ARTIAL WITH * FINES							
	EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION															
EVA	AP / OF	RVR FAI	/IILY	EVAF	PORAT	IVE S	STD CATE	GORY	RY EVAP EMISSION STD VEHICLE CLASS				SPECIA	L FEATURES		
1	FFMXR	0135NBI	3			LEV	7 2		LDT2 *					*		
						ΕN	ISSION CI	REDI	T INF	ORMATION						
		ALLOW	ANCE F	OR TE	ST GR	OUP		ı	NMOG CREDIT FO		NMOG CR		REDIT FOR		OPTIONAL EXH. STD FOR WORK	
BASI	ELINE	PZEV	Α٦	PZEV			TZEV			EVAP		DC	OR		TRUCKS	
	*			*			*			N		1	N N			
					NM	OG A	ND FLEET	AVE	RAC	GE INFORMA	TION					
NMOG	RAF	CH4 RA	AF FT	P NMO RAT		MHC HCHO/NMHC		D/NMHC RATIO		NMOG+NOX FLEET : PC+LDT (0-3750 LV (g/mi)		-3750 LVW) LI		LDT (3	s+NOX FLEET STD (3751 LVW-8500 (R) + MDPV (g/mi)	
*		*		1.:	10		1	k			0.10	00			0.119	

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

⊘ Air Resources Board

FORD MOTOR COMPANY

Executive Order: A-010-1868

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The test group listed in this Executive Order is certified conditionally on the manufacturer providing data to demonstrate compliance with California's greenhouse gas fleet average emission standard (CA GHG Standard) specified in Title 13, California Code of Regulations, (13 CCR) Section 1961.1 and the incorporated California 2001 through 2014 Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2009 through 2016 Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles, amended December 6, 2012 (CA Test Procedures). The manufacturer has elected, under 13 CCR Section 1961.1(a)(1)(A)(ii) and under Section E.2.5.1(ii) of the CA Test Procedures, to demonstrate compliance with the CA GHG Standard by demonstrating compliance with the National greenhouse gas program (National GHG Program). Therefore, the test group listed in this Executive Order is certified conditionally further on the manufacturer complying with the requirements specified in said provisions in 13 CCR, and Sections E.2.5.1(ii) and H.4.5(b) and H.4.5(c) of the CA Test Procedures (among other things, concerning data and information submission, timing, and format as specified by the Executive Officer). Failure to comply with the certification requirements to demonstrate compliance with CA GHG Standard by demonstrating compliance with the National GHG Program under said provisions in 13 CCR and CA Test Procedures may be cause for the Executive Officer to revoke the Executive Order. Vehicles in the revoked Executive Order shall be deemed uncertified and subject to penalties authorized under California law. Notwithstanding the requirement herein, a manufacturer that becomes, after MY2009, a large-volume manufacturer, as defined in 13 CCR Section 1900, is not required to comply with the CA GHG Standard until the beginning of the fourth model-year from becoming a large-volume manufacturer. Additionally, notwithstanding the requirement herein, a small-volume manufacturer, independent low-volume manufacturer, or intermediate volumemanufacturer, as defined in 13 CCR Section 1900, is not required to comply with CA GHG Standard during modelyears (MY) 2012 through 2015.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

day of December 2014.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this ___

nnette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

FORD MOTOR COMPANY

Executive Order: A-010-1868

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 3 of 4

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

FUEL TYPE

Aletter to Feet St													
			s+NOx mi)	CO (g/mi)		NOx (g/mi)		HCHO (mg/mi)		PM (g/mi)			
		CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD		
FTP@50K	*	*	*	*	*	*	*	*	*	*	*		
FTP@UL	GASOLINE- LEV3 E10	0.102	0.125	1.0	2.1	*	*	*	4	*	0.01		
50°F @4K	*.	*	*	*	*	*	*	*	*		9		

	FUEL TVDE	NMOG+N	Ox (g/mi)	CO (g/mi)		
	FUEL TYPE	CERT	STD	CERT	STD	
HWFET @ 50K	*	*	*			
HWFET @ UL	GASOLINE-LEV3 E10	0.074	0.125		daghta airte La	
20°F @ 50K	GASOLINE-COLD CO LOW OCTANE			1.2	12.5	

SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

				US06		SC03	3	COMPOSITE		
	FUEL TYPE		NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	NMOG+NOx (g/mi)	CO (g/mi)	NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)
		CERT	*	*		*	*		1	
@ 4K	*	STD	*	*		*	*			
		CERT	*	*	*	*	*	0.101	1.7	*
@	GASOLINE- LEV3 E10	STD	*	*	*	*	*	0.140	4.2	*
	TEA2 EIO	BIN						0.130		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

WHOLE VEHICLE EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EVADODATIVE			WHOLE	VEHICLE	EVAPORA	TIVE TESTIN	NG	PI /a/n	ni) @ III
EVAPORATIVE FAMILY	FUEL TYPE	3DHS	S (g/test) (@ UL	2DI	HS (g/test) @	RL (g/mi) @ UL		
17111121		CERT	STD	FEL	CERT	STD	FEL	CERT	STD
FFMXR0135NBB	GASOLINE - TIER 2 UNLEADED	0.36	0.65	*	0.34	0.85	*	0.002	0.05

ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

				FUEL ONLY EVAP & CANISTER BLEED									
EVAPORATIVE FAMILY	ORVR (g/gallon) @ UL			FUEL TYPE		IG TEST) @ UL	2DHS R (g/test		BLEED CANISTER TEST (g/test) @ 4K				
	FUEL TYPE	CERT	STD		CERT	STD	CERT	STD	CERT	STD			
FFMXR0135NBB	GASOLINE - TIER 2 UNLEADED	0.005	0.20	*	*	* .	*	*	*	*			

California Environmental Protection Agency

@ Air Resources Board

FORD MOTOR COMPANY

Executive Order: A-010-1868

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 4 of 4

t: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR.5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; PZEV: partial ZEV; AT PZEV: advanced technology PZEV; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst: CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for sparkignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOX sensor; PMS; PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%' ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission

	2015 MODEL YEAR: VEHICLE MODELS INFORMATION													
MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD	PZEV TYPE						
FORD	EDGE AWD	LDT2	2	A6	FFMXR0135NBB	1	F	*						
FORD	EDGE FWD	LDT2	2	A6	FFMXR0135NBB	1	F	*						