FCA US LLC

EXECUTIVE ORDER A-009-1310

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 1 of 4

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 & 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED:

The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

granted.									1000	
				TEST G	ROUP INFORM	ATION				
MODEL YEAR	TEST GRO	UP VEHIC	LE CL	ASS(ES)	FUE	L CATEGORY		FUEL TYPE GASOLINE		
2016	GCRXT05.7	5P1 L	DT3, L[DT4		ED SINGLE FUEL VEHICLE	-			
10 St. 10 . 10 . 10 . 10 . 10 . 10 . 10 . 10	USEFUL LIF	E (miles)		VEHICLE EN	ISSION CATEG	ORY	INTE	RIM / INTERME	DIATE IN-USE STD	
EXH/O	RVR	EVAP		FTP		SFTP	F	TP	SFTP	
1200	150000			USEPA TIER3 ANSITIONAL BIN OUNTED AS LEV ULEV		LEV II SFTP		*	*	
SPECIAL F	EATURES &	EXHAUST EMISSION	CONTR	OL SYSTEMS	Aver Talkers I'm The	OBD STATUS		ENGIN	E DISPLACEMENT (L)	
1	1 2TWC, 2HO2S(2), SFI					FULL ALL MODELS				
* *					PARTIAL PARTIAL WITH	*			5.7	
*	*					*				
		E	VAPOR	ATIVE & REFUELI	NG (EVAP/ORV	R) FAMILY INFORM	MATION			
EVA	AP / ORVR FA	MILY EVA	PORA	TIVE STD CATEGO	RY EVAP E	MISSION STD VEH	HICLE CLASS	S SPE	CIAL FEATURES	
G	CRXR0180F	RK0		LEV2	LDT4			*		
G	CRXR0190F	RK0		LEV2	LDT3			*		
G	CRXR0225F	RK0		LEV2		LDT4			*	
I Marie Marie de Segui est	was a sale was			EMISSION	CREDIT INFOR	RMATION				
		LLOWANCE FOR TEST	GROU			G CREDIT FOR	NMOG CRE	DIT FOR DOR	OPTIONAL EXH. STD FO	
BASELI	NE PZEV	AT PZEV	-	TZEV	NON-P	ZEV ZERO-EVAP		Ň	WORK TRUCKS	
Neth Notice and the	Sec. 18. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.				TET AVEDAGE		- 12-12-1			
		FTP NMOG/NMHC		NMOG AND FLE		OG+NOX FLEET		MOG+NOX FI	EET STD LDT (3751 LVW-	
NMOG RAF	CH4 RAF	RATIO	HCH	O/NMHC RATIO		OT (0-3750 LVW) (g			WR) + MDPV (g/mi)	
*	*	1.04		*		0.093			0.110	

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

BE IT FURTHER RESOLVED:

The exhaust and the evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx and Greenhouse Gas Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The listed vehicle models are federally certified, and are certified under the provisions of 13 CCR Section 1961.2(a)(12) and the incorporated test procedures.

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 2 of 4

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this ______ day of December 2015.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 4

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

(For bi-, dual- or flexible-fueled vehicles, the STD and CERT in parentheses are those applicable to testing on gasoline test fuel.)

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50 °F, 20 °F)

CHA-methons: NMOC-neg CHA ergorie cas: HC-hydrocython: NMHC-neg CHA HC: CO-carbon manayide: NOv-cythos of nitro

	FUEL TYPE	HCHO=formale HC/mi]=runnin Fahrenheit; F1	The Tementanes, NMOG=non-Un4 organic gas, Ho-Trycrocarbon, NMHC=non-Un4 His, Ob-Carbon Infoxice, NOX=oxides of inflogen, HdCHO=formaldehyde; PM=particulate matter; RAF=reactivity adjustment factor; 2DHS/3DHS [g HC/test]=273 days diurnal+hot-soak; RL [g HC/mi]=running loss; ORVR [g HC/gallon dispensed]=on-board refueling vapor recovery; g=gram; mg=milligram; ml=mile; K=1000 miles; F=degrees F=hrenheit; FTP=federal test procedure; SFTP=supplemental FTP NMOG+NOx (g/mi) NOx (g/mi) CO (g/mi) HCHO (mg/mi) PM (g/mi)										
F15, 51/		CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD		
FTP @ UL	GASOLINE-TIER 2 UNLEADED	0.075	0.110	*	*	1.1	2.1	*	4	*	0.010		
20°F @ 50K	GASOLINE-COLD CO- LOW OCTANE	*	*	*	*	1.9	12.5	*	*	*	*		
HWFET @	GASOLINE-TIER 2 UNLEADED	0.019	0.110	*	*	*	*	* '	*	* .	*		

SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

		US06				SC03				COMPOSITE						
	FUEL TYPE	NMHC+NOx (g/mi)		CO (g/mi)		PM (mg/mi)		NMHC+NOx (g/mi) CO		CO (CO (g/mi)		NMOG+NOx (g/mi)		CO (g/mi)	
6		CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD	BIN	CERT	STD
SFTP @ 4K	GASOLINE-TIER 2 UNLEADED	0.135	0.40	6.4	10.5	*	*	0.06	0.31	0.7	3.5	*	*	*	*	*

WHOLE VEHICLE EVAPORATIVE/ORVR EMISSION STANDARDS AND CERTIFICATION LEVELS

EVAPORATIVE FAMILY	FUEL TYPE	WHOLE VEHICLE EVAPORATIVE TESTING 3-DAYS DIURNAL + HOT 2-DAYS DIURNAL + HOT						RUNNIN (g/mi)		ON-BOARD REFUELING VAPOR RECOVERY (g/gallon) @ UL	
		SOAK (g/test) @ UL			SOAK (g/test) @ UL			(9) &			
		CERT	STD	FEL	CERT	STD	FEL	CERT	STD	CERT	STD
GCRXR0180RK0	GASOLINE-TIER2 UNLEADED	0.281	0.90	*	0.549	1.15	*	0.000	0.05	0.135	0.20
GCRXR0190RK0	GASOLINE-TIER2 UNLEADED	0.510	0.90	*	0.677	1.15	*	0.000	0.05	0.046	0.20
GCRXR0225RK0	GASOLINE-TIER2 UNLEADED	0.509	0.90	*	0.502	1.15	*	0.000	0.05	0.052	0.20

FUEL ONLY & CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EVAPORATIVE FAMILY	FUEL TYPE	3-DAYS DIURNA (g/test)		2-DAYS DIURNA (g/test)		CANISTER BLEED (g/test)	
		CERT	STD	CERT	STD	CERT	STD
*	*	*	*	*	*	*	* .

*=not applicable; #=pounds; UL=useful life; PC=passenger car; LDT=light-duty truck; LDT1=LDT≤6000#GVWR,0-3750#LVW; LDT2=LDT≤6000#GVWR,3751-5750#LVW; LDT3=LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4=LDT 6001-8500#GVWR,5751-8500#ALVW; MDV=medium-duty vehicle; MDV4=MDV 8501-10000#GVWR; MDV5=MDV 10001-14000#GVWR; MDPV=medium-duty passenger vehicle; ECS=emission control system; CERT=certification; STD=standard; FEL=family emission limit; GVWR=gross vehicle weight rating; LVW=loaded vehicle weight; ALW=adjusted LVW; LEV=low emission vehicle; ULEV=ultra LEV; SULEV=super ULEV; ZEV=zero-emission vehicle; PZEV=partial ZEV; AT PZEV=advanced technology PZEV; TZEV=transitional ZEV; TWC/OC=3-way/oxidizing catalyst; ADSTWC=adsorbing TWC; HAC=HC adsorbing catalyst; WU=warm-up catalyst; NAC=NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3=selective catalytic reduction-urea/ammonia; NH3OC=ammonia oxidation catalyst; CTOX/PTOX= continuous/periodic trap oxidizer; DPF=dlesel particulate filter (active); GPF=PM filter for spark-ignited engine; HO2S/O2S=heated/oxygen sensor; WR-HO2S or AFS=wide range/linear/heated air-fuel ratio sensor; NOXS=NOx sensor; PMS=PM sensor; RDQS=reductant quality sensor; NH3S=ammonia sensor; EGR=exhaust gas recirculation; EGRC=EGR cooler; AIR/AIRE=secondary air injection (belt driven)/(electric driven); PAIR=pulsed AIR; SFI/MFI=sequential/multiport fuel injection; DFI/IFI=direct/indirect fuel injection; TC/SC= turbo/super charger; CAC=charge air cooler; F/P/\$=full/partial/partial with fines on-board diagnostic; DOR=direct ozone reducing; HCT=hydrocarbon trap; BCAN=bleed carbon canister; prefix 2=parallel; (2) suffix=series; CNG/LNG=compressed/liquefied natural gas; LPG=liquefied petroleum gas; E85="85%" ethanol ("15%"gasoline) fuel; E10="10%" ethanol ("90%"gasoline) fuel; A=automatic transmission; M=manual transmission; OT=other transmission; CV=continuously variable transmission; AM=automated manual

2016 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH	OBD	PZEV TYPE
DODGE	DURANGO AWD	LDT4	5.7	A8	GCRXR0180RK0	1	F	* .
DODGE	DURANGO RWD	LDT4	5.7	A8	GCRXR0180RK0	1	F	*
JEEP	GRAND CHEROKEE 4X4	LDT3	5.7	A8	GCRXR0180RK0	1	F	*
RAM	1500 4X2	LDT3	5.7	A6, A8	GCRXR0190RK0	1	F	*
RAM	1500 4X2	LDT4	5.7	A6, A8	GCRXR0190RK0	1	F	*

California	Environmental	Protection	Agency
Θ Δί	r Resou	rces R	nard

FCA US LLC

EXECUTIVE	ORDER	A-009.	.1310

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 4 of 4

RAM	1500 4X2	LDT4	5.7	A6, A8	GCRXR0225RK0	1	F	*
RAM	1500 4X4	LDT3	5.7	A6, A8	GCRXR0190RK0	1	F	*
RAM	1500 4X4	LDT4	5.7	A6, A8	GCRXR0190RK0	1	F	*
RAM	1500 4X4	LDT4	5.7	A6, A8	GCRXR0225RK0	1	F	*