California Environmental Protection Agency

OD Air Resources Board

CUMMINS ENGINE CO., INC. Executive Order: A-021-0626

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles
Page 1 of 4

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GROUP	INFOR	MATION						
MODEL YEAR	TEST GROUP			VEHICLE CLASS(ES)			FUEL CATEGORY				FUEL TYPE		
2016	GCEXD06.78VV			MDV4			DEDICATED SINGLE FUEL VEHICLE			DIESEL			
US	SEFUL	LIFE (m	iles)	VEHI	CLE EMISSION	CATE	ORY	INTERI	M / INT	ERMEDIA	TE IN-USE STD		
EXH/ORVR EVAP			EVAP	F	TP	SFTP		FTP			SFTP		
150000 *			*	LEV3	ULEV340	*				*			
SPEC	IAL FE	ATURES	& EXHAU		N CONTROL		OBD ST	TATUS		ENGINE	DISPLACEMENT (L)		
1	TC, CAC, DFI, EGR, EGRC, OC, DPF, SCRC, NH3OC, RDQS, NOXS(2)						FULL						
*			*		P	ARTIAL	*		6.7				
*			•				TIAL WITH	ALI. MODIELS					
			EVAPO	DRATIVE & F	REFUELING (E	AP/OR	VR) FAMILY	INFORM	ATION				
EVAP	/ ORV	R FAMIL	Y EV	APORATIVE	STD CATEGO	RY	EVAP EMIS VEHICLE	SSION ST	D	SPECIA	L FEATURES		
	*				*		*			*			
				E	MISSION CREE	OIT INFO	RMATION						
ALLOWANCE FOR TEST GROUP										REDIT FOR STD FOR W			
BASELINE PZEV AT PZE				v	TZEV	NON-PZ	EV ZERO-E	VAP	DOR		TRUCKS		
* *					•	N			N		N		
				NMOG	AND FLEET A	/ERAGE	INFORMAT	TION					
NMOG R	RAF CH4 RAF FTP NMOG/NMHC HCH		нсно/имнс	RATIO	5				NMOG+NOX FLEET STD LDT (3751 LVW-8500 GVWR) + MDPV (g/mi)				
*		*		* *			*			*			

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

California Environmental Protection Agency

OB Air Resources Board

CUMMINS ENGINE CO., INC. Executive Order: A-021-0626

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles
Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx and greenhouse gas Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The listed vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II (OBD) system of the listed vehicle models has been determined to have eleven deficiencies for vehicles equipped with automatic transmissions and ten deficiencies for vehicles equipped with manual transmissions.

The listed vehicle models are approved subject to the manufacturer paying a fine of \$350 per vehicle for the third through eleventh deficiencies for vehicles equipped with automatic transmissions, and \$300 per vehicle for the third through tenth deficiencies for vehicles equipped with manual transmissions in the listed test group that is produced and delivered for sale in California.

On a quarterly basis, the manufacturer shall submit to the Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2016 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$5000 per vehicle pursuant to HSC Section 43154.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this _______ day of May 2015.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

Air Resources Board

CUMMINS ENGINE CO., INC.

Executive Order: A-021-0626 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 4

ATTACHMENT

							Α٦	TAC	НМ	ENT							
	EXH		-		_								IFICATION				
	FU	FUEL TYPE		T EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F) CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP													
, .i *				NMHC+NOx (g/mi)			CO (g/mi)			NOx (g/mi)		HCHO (mg/mi)		PM (g/mi)			
			CER		RT STD		CERT S)	CERT STD		CER	T ST	,	CERT	STD	
FTP@5	OK	*		*		*	*	*		*	*	*	*		*	* .	
FTP@L	L DIE	SEL-	EPA	0.150	0	.340	0.2	6.4		*	*	*	6	(0.0002	0.06	
50°F @	4K	*		*		*	*	*		*	*		*	9.7	4, ; 1		
3.7	; 			FUEL TYPE					NMHC+NO:		ox (g/mi)		CO (g/m				
				FOEL TIPE						CERT		STD	C	CERT		STD	
HWFET @ 50K				*						•		*					
HWFET @ UL				DIESEL-EPA					0.096 0.340					14 14 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
20°F	@ 50K			*						3	- 700-		*		*		
		1	5	FTP E)	(HAU	IST EM	ISSION S	STANDA	ARDS	AND C	ERTIFIC	ATION LI	EVELS				
			1	US06								COMPOSITE					
	FUEL	TYPE	-	NMHC+NOx (g/mi)		Ох	CO PM (g/mi) (mg/mi)			NMHC+NOx (g/mi)		CO (g/mi)		MHC+NOx (g/mi)		PM (mg/mi)	
Ø 41/		, CE		T *			*			*		*	*			1	
@ 4K				*		*		1	*		*				1.5		
		* S1		* *			* *			*		*	*		*	*	
@ UL	*					* *			*		*	*		*	*		
			BIN	. 0	1								*		-,		
		WH	OLE V	EHICLI	E EV								ATION LE	VELS			
EVAPORATIVE FAMILY		Æ F	UEL T					HOLE VEHICLE EVAF			2DHS (g/test) (RL (g/ml) @ UL		UL	
							TD FEL		CE	ERT STD		T FEI		CERT		STD	
			*				* *		4		*	*		*		*	
(RVR /	FUEL	ONLY	CANIS	TER	BLEED	EVAPO	RATIVE	EMIS	SION S	TANDA	RDS AND	CERTIFI	CATI	ON LEVE	LS	
EVAPORATIVE FAMILY									F	UEL ONLY EVAP & CANI							
		/E	ORVR (g/gallor			_				OHS RIG TEST (g/test) @ UL		2DHS RIG TES (g/test) @ UL		BLEED CANISTER TEST (g/test) @ 4K			
		FL	JEL TY	TYPE CER		STD				ERT STD		CERT	STD		CERT	STD	
	*		*		*	*		*		*	*	*	*		*	*	

California Environmental Protection Agency

OD Air Resources Board

CUMMINS ENGINE CO.,

Executive Order: A-021-0626

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 4 of 4

: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: .DT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; PZEV: partial ZEV; AT PZEV: advanced technology PZEV; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for sparkignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor: NOXS: NOX sensor, PMS: PM sensor; RDQS; reductant quality sensor; NH3S; ammonia sensor; EGR; exhaust gas recirculation; EGRC: EGR cooler, AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%" gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission

2016 MODEL YEAR: VEHICLE MODELS INFORMATION												
MAKE	MODEL	VEH CLASS	ENGINE TRANS TYPE		EVAPORATIVE FAMILY	EXH ECS	OBD	PZEV TYPE				
RAM	RAM 2500 4X2	MDV4	6.7	A6	*	1	\$	*				
RAM	RAM 2500 4X2	MDV4	6.7	М6	*	1	\$	*				
RAM	RAM 2500 4X4	MDV4	6.7	A6	*	1	\$	*				
RAM	RAM 2500 4X4	MDV4	6.7	M6	*	1	\$	*				
RAM	RAM 3500 4X2	MDV4	6.7	A6	*	1	\$	*				
RAM	RAM 3500 4X4	MDV4	6.7	A6	*	1	\$	*				