## California Environmental Protection Agency

**OB Air Resources Board** 

HONDA MOTOR CO., LTD. Executive Order: A-023-0637

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

TEST GROUP INFORMATION																	
MODEL YEAR	TE	TEST GROUP				VEHICLE CLASS(ES)				FUEL C	EL CATEGORY			FUEL TYPE			
2016	INXV02	.45K3		PC				DEDICATED SINGLE FUEL VEHICLE				GASOLINE					
US	LIFE	(miles)		VEHICLE EMISSION CA				CATE	TEGORY INTERIM / INT				ERMEDIATE IN-USE STD				
EXH/ORVR EVAP					FTP				SFTP			FTP		SFTP			
1500	150000 150000					v3 s	ULEV30 LEV 3 CO			COMPOSITE	*			NMOG+NOX			
SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS									OBD STATUS					ENGINE DISPLACEMENT (L)			
1 WU-TWC, TWC, WR-HO2S, HO2S, DFI										FULL		ALL MODELS			2.4		
* *										PARTIAL	Г	*					
* *									PA	RTIAL WITH FINES		*					
EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION																	
EVAP / ORVR FAMILY EVAPORATIVE STD CATEGO							3OR	100			SION STD CLASS		SPECIAL FEATURES				
GHNXR0127VGA					LEV 2				PC				*				
EMISSION CREDIT INFORMATION																	
ALLOWANCE FOR TEST GROUP									NIMONE CORDINEROR I NIMONE CORDINEROR IT				OPTIONAL EXH. STD FOR WORK				
BASELINE PZEV AT PZE					TZEV			N.	NON-PZEV ZERO-E			VAP		(	TRUCKS		
ALL MODELS *					*				N		1		N		N		
NMOG AND FLEET AVERAGE INFORMATION																	
NMOG R	AF C	CH4 RAF FTP I			OG/NMHC ATIO HCHO/NMHC		HC RATIO		NMOG+NOX FI PC+LDT (0-37 (g/mi)		0-3750 LVW)	3750 LVW)		NMOG+NOX FLEET STD LDT (3751 LVW-8500 GVWR) + MDPV (g/mi)			
*		*		1.	10	0.05				0.093				0.110			

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

**⊘** Air Resources Board

HONDA MOTOR CO., LTD. Executive Order: A-023-0637

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 4

## BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx and greenhouse gas Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

## BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

#### BE IT FURTHER RESOLVED:

Evaporative family GHNXR0127VGA is certified pursuant to 13 CCR Section 1976(b)(1)(G)3 and deemed to comply with the requirements of 13 CCR Section 1976(b)(1)(G)1 ["LEV III evaporative requirements"].

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

UNLEADED

Executive Order: A-023-0637

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 3 of 4

# **ATTACHMENT**

# EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

		EXH	AUST E	MISS	ION S	TANDA	RDS AN	ND CERT	IFIC/	TION L	EVELS	(FTP, HW	FET,	50°F, 20	°F)		
	FU	n a		CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP													
					OG+N (g/mi)		CO (g/mi)				Ox mi)	HCI- (mg/		_		M mi)	
Disks	· .			CERT	STD		CERT	STE		CERT	STD	CERT		STD	CERT	STD	
FTP@50	K			*		*	*	*		*	*	*		*	*	*	
FTP@U		GASOLINE- LEV3 E10		0.018	3 (	0.030	0.2	1.0		*	*	*	4		*	0.01	
50°F @4K *		*		*		*	*	*		*	*	*		*			
			FUEL TYPE							NI	NMOG+NOx (g/m			CO (g/mi)			
						FOEL TIPE				CERT		STD		CERT		STD	
HWFET @ 50K				*						,	* *						
HWFET @ UL				GASOLINE-LEV3 E10						0.0	0.030			76.		4	
20°F	@ 50K		GAS	ASOLINE-COLD CO LOW OCTANE										0.9		10.0	
		-	SF	TP E	XHAU	JST EM	ISSION	STANDA	RDS	AND C	ERTIFIC	ATION LE	VEL	S			
						l	JS06	6			SC03			CO	OMPOSITE		
FUEL '		YPE		NMOG+NOx (g/mi)		CO P (g/mi) (mg			NMOG+NOx (g/mi)		CO (g/mi)	NMOG+NO (g/mi)		CO (g/mi)	PM (mg/mi		
		CERT		*		*			*		*			The second			
@ 4K	*		STD		*		*			*		*			. 4.	- 10 - 1	
(00 1 11		ASOLINE- EV3 E10 BI		*		* *			*		*	0.031		0.5	*		
				*			*	*		,	k	*	0.110		4.2	*	
					` -								0.050		14.		
		WH	HOLE VE	HICL	EEV	APORA	TIVE EN	MISSION	STAI	NDARD	SANDO	ERTIFIC	ATIO	N LEVEL	S		
				WHOLE VEHICLE EVAPORATIVE TESTIN								ING			DI (-() O III		
FAMILY		E	FUEL TY		(PE 3DHS (g			UL		2DHS	(g/test)	@ UL		RL (g/mi) @ UL			
					CERT S		TD	FEL	CE	RT	STD	FEL	. CER1		Г	STD	
GHNXR0127VGA		A G	ASOLINE PHASE	0.26		6 0	.35	*	0.	24	0.35	*		0.00		0.05	
C	RVR / F	UEL	ONLY /	CANI	STER	BLEED	EVAPO	RATIVE	EMIS	SIONS	TANDA	RDS AND	CER	TIFICAT	ION LEVI	ELS	
									F	UEL ON	LY EVA	P & CAN	STER	BLEED			
EVAPORATIVE FAMILY		E	ORVR (	g/gal	lon) (	D UL				3DHS RIG TEST		2DHS			BLEED C		
		F	IEL TVD	E CEPT STD		CTD	FUEL TYPE			(g/test) @ UL CERT STD		(g/te	st) @		EST (g/te		
		_	JEL TYP			STD	GASOLINE -		CE	KI 31D				STD	CERT	STD	
	GHNXR0127VG		TIER 2	1 0	0.02 0.20		ON DUITE -			0.0		0.0		0.0	*	*	

CA PHASE 2

## California Environmental Protection Agency

**⊘** Air Resources Board

HONDA MOTOR CO.,

Executive Order: A-023-0637 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 4 of 4

not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR.0-3750#LVW; LDT2; .DT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating: LVW: loaded vehicle weight: ALVW: adjusted LVW: LEV: low emission vehicle: ULEV: ultra LEV: SULEV: super ULEV; ZEV: zero-emission vehicle; PZEV: partial ZEV; AT PZEV: advanced technology PZEV; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for sparkignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOX sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN; bleed carbon canister; prefix 2; parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission

#### 2016 MODEL YEAR: VEHICLE MODELS INFORMATION **ENGINE** EVAPORATIVE EXH VEH CLASS TRANS TYPE MAKE MODEL OBD **PZEV TYPE** (L) **FAMILY ECS** 2.4 GHNXR0127VGA HONDA ACCORD PC CV1,SCV7 1 PZEV