California Environmental Protection Agency

@ Air Resources Board

DAIMLER AG

Executive Order: A-003-0573

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles
Page 1 of 4

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED. The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GROU	JP IN	FORMAT	ION					
MODE		TEST GROUP VEHICLE CLASS					FUEL CATEGORY			GORY	FUEL TYPE		
2017	нм	HMBXV03.0U2A PC					DED		SIN	GLE FUEL E	, G2	ASOLINE	
l	JSEFUL	LIFE	(miles)	VE	HICLE EMISSI	ON C	ATEGOR	Y	IN.	TERIM / INT	ERMEDIA	TE IN-USE STD	
EXH	ORVR		EVAP	,	FTP	s	SFTP	1/4		FTP	SFTP		
12	120000 150000 LEV			V2 ULEV		EV 2 SF; STANDARI			*		*		
SPE	CIAL FE	ATUR		AUST EMISS	ION CONTROL			OBD S	TATU	IS	ENGINE	DISPLACEMENT (L)	
1	DFI	, 2TC	, CAC, 2	WR-H02S, 2	HO2S, 2TWC		FUL	L	SOM	E MODELS			
2	DFI, 2	2TC,	CAC, 2WF	2-HO2S, 2HO	2S, 2WU-TWC,		PART	IAL	SOM	SOME MODELS 3.0			
*				*			PARTIAL			* .			
	-		EV	APORATIVE &	REFUELING	EVA	P/ORVR)	FAMILY	INF	ORMATION			
EVAP / ORVR FAMILY EVAPORATIVE STD CATEO				E STD CATEG	ORY	EVAP EMISSION STD VEHICLE CLASS				SPECIAL FEATURES			
Н	MBXR01	70LNS		LEV 3 OPT	CION2 WITH F	EL	PC				*		
Н	MBXR01	55LNS			LEV 2		. PC				*		
Н	MBXR01	60LNE			LEV 2			P	c			*	
					EMISSION CR	EDIT	INFORM	ATION					
	A	LLOW	ANCE FO	R TEST GRO	UP					NMOG CRE	EDIT FOR OPTIONAL EXI		
BASE	LINE P	ZEV	AT	PZEV	TZEV	NC	N-PZEV 2	ZERO-E	VAP	DO	R	TRUCKS	
	*			*	*		1	1		N		N	
				NMO	G AND FLEET	AVE	RAGE IN	FORMA	TION				
NMOG RAF	CH4 RAF	CH4 NMOG/NMHC HCHO/NMHC		PC+LDT (0	NMOG+NOX FLEET S PC+LDT (0-3750 LVV (g/mi)		LVW) LDT (375		+NOX FLEET STD (3751 LVW-8500 R) + MDPV (g/mi)		NMOG+NOX FLEET STD MDV (10001-14000 GVWR) (g/mi)		
*	*	1	1.04	0.018	0.	086			0.	. 101	1	*	

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx and

California Environmental Protection Agency

Air Resources Board

DAIMLER AG

Executive Order: A-003-0573

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 4

greenhouse gas Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

_day of June 2016

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

Executive Order: A-003-0573

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 3 of 4

OB Air Resources Board

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)
--

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

FUEL TYPE

		NMOG (g/mi)		CO (g/mi)		NOx (g/mi)		HCHO (mg/mi)			M mi)
		CERT	STD	CERT	STD	CERT	. STD	CERT	STD	CERT	STD
FTP@50K	GASOLINE - TIER 2 UNLEADED	0.0265	.0.040	0.36	1.7	0.023	0.05	0.4	8	*	*
FTP@UL	GASOLINE - TIER 2 UNLEADED	0.0379	0.055	0.47	2.1	0.027	0.07	0.6	11	*	0.01
50°F @4K	*	*	*	*	*	*	*	*	*	guit or .	

, x ·	FILE TYPE	NOx ((g/mi)	CO (g/mi)		
. # .	FUEL TYPE	CERT	STD	CERT	STD	
HWFET @ 50K	GASOLINE - TIER 2 UNLEADED	0.010	0.07			
HWFET @ UL	GASOLINE - TIER 2 UNLEADED	0.014	0.09			
20°F @ 50K	GASOLINE-COLD CO HIGH OCTANE			0.89	10.0	

SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

-		11-22-1		US06		SC03	3	COM	POSITE	
	FUEL TYPE		NMHC+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	NMHC+NOx (g/mi)	CO (g/mi)	NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)
@ 4K	GASOLINE - TIER 2 UNLEADED	CERT	0.125	1.50		0.019	0.42			All mi
W 411		STD	0.14	8.0		0.20	2.7		120 100	to 1
		CERT	*	*	*	*	*	0.082	*	*
@ UL	GASOLINE - TIER 2 UNLEADED	STD	*	*	*	*	*	0.103	*	*
		BIN		11/1-			11 -	0.100		

WHOLE VEHICLE EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

			WHOLE						
EVAPORATIVE FAMILY	FUEL TYPE	3DHS (g/test) @ UL			2D	HS (g/test) (RL (g/mi) @ UL		
		CERT	STD	FEL	CERT	STD	FEL	CERT	STD
HMBXR0155LNS	GASOLINE - TIER 2 UNLEADED	0.45	0.50	*	*	0.65	*	0.00	0.05
HMBXR0160LNF	E10-EPA	0.312	0.50	*	*	0.65	*	0.000	0.05
HMBXR0170LNS	LEV 3 E10 PREMIUM GASOLINE	0.240	0.300	0.275	*	0.300	0.275	0.00	0.05

DAIMLER AG

Executive Order: A-003-0573

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 4 of 4

@ Air Resources Board

ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS												
				FUEL ONLY EVAP & CANISTER BLEED								
EVAPORATIVE FAMILY	ORVR (g/gallon) @ UL			FUEL TYPE		IG TEST) @ UL	2DHS RIG TEST (g/test) @ UL		BLEED CANISTER TEST (g/test) @ 4K			
	FUEL TYPE	CERT	STD		CERT	STD	CERT	STD	CERT	STD		
HMBXR0170LNS	LEV 3 E10 PREMIUM GASOLINE	0.02	0.20	LEV 3 E10 PREMIUM GASOLINE	*	*	*	*	0.017	0.020		
HMBXR0155LNS	GASOLINE - TIER 2 UNLEADED	0.02	0.20	*	*	*	*	*	*	*		
HMBXR0160LNF	E10-EPA	0.028	0.20	*	*	*	*	*	*	*		

*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV; medium-duty vehicle; MDV4; MDV 8501-10000#GVWR; MDV5; MDV 10001-14000#GVWR; MDPV; mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; PZEV: partial ZEV; AT PZEV: advanced technology PZEV; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; ŴU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%" gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission

2017 MODEL	VEAD. VEHICL	E MODEL C	INFORMATION
2(11/ IVIC)11F1	A F A K : V F H I C I	F MUDIFIES	INFURINATION

MAKE		MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD	PZEV TYPE
MERCEDES BE	ENZ	E 400 (CONVERTIBLE)	PC	3.0	A7	HMBXR0160LNF	1	F	*
MERCEDES BE	ENZ	E 400 (COUPE)	PC	3.0	A7	HMBXR0160LNF	1	F	*
MERCEDES BE	ENZ	E 400 4MATIC (COUPE)	PC	3.0	A7	HMBXR0160LNF	2	F	*
MERCEDES BE	ENZ	S 400 4MATIC (W)	PC	3.0	A7	HMBXR0170LNS	1	P	*
MERCEDES BE	ENZ	SL 450	PC	3.0	A9	HMBXR0155LNS	1	F	*