California Environmental Protection Agency

OB Air Resources Board

FORD MOTOR COMPANY Executive Order: A-010-1962-1 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 1 of 4

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GR	OUP IN	FORMAT	ION							
MODE		EST G	ROUP	VEH	HICLE CLASS(I	ES)	FUEL CATEGORY		FUEL TYPE						
2017	н	MXV02	OVZT		PC	¥.	HYBRID ELECTRIC VEHICLE			GASOLINE					
ı	JSEFUL	LIFE	(miles)		EHICLE EMIS	SION C	ATEGOR	Y	IN'	TERIM / INT	TERMEDIATE IN-USE ST				
EXH	/ORVR		EVAP		FTP		SFTP			FTP		SFTP			
15	0000		150000	LE	V3 SULEV30	LEV	3 СОМРО	SITE		PM		PM			
SPE	CIAL FE	ATUR		IAUST EMIS	SION CONTRO	OL		OBD ST	ΓΑΤυ	s	ENGINE	DISPLACEMENT (L)			
1	7	TWC (2)	, WR-HO	2S, HO2S,	EGR, SFI		FUI	L		*		The second secon			
*				*			PART	ΓIAL	ALI	MODELS		2.0			
*				*			PARTIA FIN			*					
			EV	APORATIVI	& REFUELING	G (EVA	P/ORVR)	FAMILY	INF	ORMATION					
EVA	P / ORV	R FAN	AILY	EVAPORAT	TIVE STD CATE	GORY	EVAP EMISSION STD VEHICLE CLASS				SPECIAL FEATURES				
Н	FMXR01	L45HCI	G.	LEV 3 O	PTION2 WITH	ON2 WITH FEL PC						HCT			
					EMISSION C	REDIT	INFORM	ATION							
	A	LLOW	ANCE FO	R TEST GR	OUP		MOG CR			NMOG CR		OPTIONAL EXH STD FOR WORK			
BASE	LINE P	ZEV	АТ	PZEV	TZEV	NC	NON-PZEV ZERO-EVAP			DC	R	TRUCKS			
	*		ALL 1	MODELS	*		N					N			
				NIV	OG AND FLEE	TAVE	RAGE IN	FORMA	TION						
NMOG RAF	CH4 RAF	PAE NMOG/NMHC PATIO PC+LDT (0-			750 LVW) LDT		IMOG+NOX FLEET STD LDT (3751 LVW-8500 GVWR) + MDPV (g/mi)		MDV	NMOG+NOX FLEET STD MDV (10001-14000 GVWR) (g/mi)					
*	*		1.10	*		0.086			0.	101		*			

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx and greenhouse gas Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance],

California Environmental Protection Agency

⊘ Air Resources Board

FORD MOTOR **COMPANY**

Executive Order: A-010-1962-1 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 2 of 4

2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

This Executive Order hereby supersedes Executive Order A-010-1962 dated April 1, 2016.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this _____ day of November 2016.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

Executive Order: A-010-1962-1
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 3 of 4

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

FUEL TYPE

		NMQG+NOx (g/mi)		CO (g/mi)		NOx (g/mi)		HCHO (mg/mi)		PM (g/mi)	
		CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD
FTP@50K	*	*	*	*	*	*	*	*	*	*	*
FTP@UL	GASOLINE- LEV3 E10	0.019	0.030	0.4	1.0	*	*	*	4	*	0.003
50°F @4K	*	*	*	*	*	*	*	*	*		VSW C. Per

	FILE TYPE	NMOG+	NOx (g/mi)	CO (g/mi)		
V	FUEL TYPE	CERT	STD	CERT	STD	
HWFET @ 50K	*	*	*		1111	
HWFET @ UL	GASOLINE-LEV3 E10	0.011	0.030		3.44	
20°F @ 50K	GASOLINE - COLD CO LOW OCTANE EPA TIER3 E10			0.4	10.0	

SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

-			US06			SC03	3	COMPOSITE			
	FUEL TYPE		NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	NMOG+NOx (g/mi)	CO (g/mi)	NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	
@ 4K	*	CERT	*	*		*	*				
@ 411	,	STD	*	*		*	*	* * * * * * * * * * * * * * * * * * * *	11 3	1-1-1	
		CERT	*	*	*	*	*	0.019	0.6	*	
@ UL	GASOLINE- LEV3 E10	STD	*	*	10	*	*	0.103	4.2	*	
		BIN		() Yes	Variable III			0.040			

WHOLE VEHICLE EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EVAPORATIVE FAMILY			WHOLE						
	FUEL TYPE	3DHS (g/test) @ UL			2D	HS (g/test) (RL (g/mi) @ UL		
		CERT	STD	FEL	CERT	STD	FEL	CERT	STD
HFMXR0145HCE	GASOLINE- LEV3 E10	0.175	0.300	0.300	*	0.300	0.300	0.00	0.05

ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

				FUEL ONLY EVAP & CANISTER BLEED								
EVAPORATIVE FAMILY	ORVR (g/g	gallon) @	D UL	FUEL TYPE	3DHS RIG TEST (g/test) @ UL		2DHS RIG TEST (g/test) @ UL		BLEED CANISTER TEST (g/test) @ 4K			
	FUEL TYPE	CERT	STD		CERT	STD	CERT	STD	CERT	STD		
HFMXR0145HCE	GASOLINE - EPA TIER3 E10 CERT FUEL	0.033	0.20	*	*	*	*	*	*	*		

California Environmental Protection Agency

@ Air Resources Board

FORD MOTOR COMPANY

Executive Order: A-010-1962-1 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 4 of 4

: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR.3751-5750#LVW; LDT3: LDT 6001-8500#GVWR.3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR.5751-8500#ALVW: MDV: medium-duty vehicle: MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GWWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; PZEV: partial ZEV; AT PZEV: advanced technology PZEV; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler, AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%" gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission

	2017 MODEL YEAR: VEHICLE MODELS INFORMATION													
MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH	OBD	PZEV TYPE						
FORD	C-MAX HYBRID FWD	PC	2.0	CV1	HFMXR0145HCE	1	P	AT PZEV (TYPE D)						
FORD	FUSION HYBRID FWD	PC	2.0	CV1	HFMXR0145HCE	1	P	AT PZEV (TYPE D)						
LINCOLN	MKZ HYBRID FWD	PC	2.0	CV1	HFMXR0145HCE	1	P	AT PZEV (TYPE D)						