California Environmental Protection Agency

@ Air Resources Board

BAYERISCHE MOTOREN WERKE AG Executive Order: A-008-0424-1
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 1 of 4

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GROU	PIN	FORMAT	ION				
MODE		EST GF	ROUP	VEHIC	LE CLASS(ES)			FUEL CA	ATEC	SORY	FUEL TYPE	
2017	нв	MXV04	.4N63		PC		DEDI		SIN	GLE FUEL	G2	ASOLINE
-	USEFUL	LIFE ((miles)	VEH	HICLE EMISSIO	N C	ATEGOR	Y	IN'	TERIM / INT	RMEDIA	TE IN-USE STD
EXH	/ORVR		EVAP	3	FTP		SFTP			FTP		SFTP
12	0000		150000	LEV	2 ULEV		EV 2 SFT			*		*
SPE	CIAL FE	ATUR		IAUST EMISSI TEMS	ON CONTROL			OBD ST	ATU	s	ENGINE	DISPLACEMENT (L)
1	2TWC	, 2WR	-HO2S,	2HO2S, DFI,	2TC, 2CAC		FUL	L		*		
*			-	*			PART	IAL	ALI	MODELS		4.4
*				*			PARTIAL FINE			*		
			EV	APORATIVE &	REFUELING (E	EVA	P/ORVR)	FAMILY	INF	ORMATION		
EVA	P / ORV	'R FAM	IILY	EVAPORATIV	E STD CATEGO	DRY		AP EMIS			SPECIA	L FEATURES
H	BMXR01	70N63		· I	LEV 2 PC		PC			*		
F	IBMXR01	30N54		I	LEV 2 PC		PC			HCT		
				,	EMISSION CRE	DIT	INFORM	ATION		1-1-	***	
	A	LLOW	ANCE FO	R TEST GROU	JP .	Τ.						OPTIONAL EXH
BASE	ELINE P	ZEV	AT	PZEV	TZEV	_	MOG CR N-PZEV Z			NMOG CRE		STD FOR WORK TRUCKS
	*			*	* :		N			N		N
				NMO	AND FLEET	VE	RAGE INF	ORMAT	ION	489	*	
NMOG RAF	CH4 RAF	NMO	FTP G/NMHC ATIO	HCHO/NMHC RATIO	NMOG+NOX PC+LDT (0-	3750		LDT (3751	(FLEET STI LVW-8500 MDPV (g/mi)	MDV	NOX FLEET STD (10001-14000 VWR) (g/mi)
*	*	1	04	*	0.0	086			0.	101		*

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx and greenhouse gas Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

California Environmental Protection Agency

⊘ Air Resources Board

BAYERISCHE MOTOREN WERKE AG Executive Order: A-008-0424-1
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 2 of 4

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

day of July 2016.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

This Executive Order hereby supersedes Executive Order A-008-0424 dated March 16, 2016.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this ______da

THE CONTROL RESIDENCE OF A SECURITY OF A SEC

1 mil 3 (1 1 7, 50)

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

September 1995 to the september 1995 of the

Executive Order: A-008-0424-1
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 3 of 4

⊘ Air Resources Board

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

FUEL TYPE

		NMOG (g/mi)		CO (g/mi)		NOx (g/mi)		HCHO (mg/mi)		PM (g/mi)	
		CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD
FTP@50K	GASOLINE - TIER 2 UNLEADED	0.009	0.040	0.5	1.7	0.04	0.05	*	8	*	*
FTP@UL	GASOLINE - TIER 2 UNLEADED	0.009	0.055	0.5	2.1	0.05	0.07	*	11	0.00	0.01
50°F @4K	GASOLINE - TIER 2 UNLEADED	0.023	0.080	0.4	1.7	0.02	0.05	*	16		

STATE OF STREET	FUEL TYPE	NOx	(g/mi)	CO (g/mi)		
	FUEL TYPE	CERT	STD	CERT	STD	
HWFET @ 50K	GASOLINE - TIER 2 UNLEADED	0.01	0.07		yakin yakin say	
HWFET @ UL	GASOLINE - TIER 2 UNLEADED	0.01	0.09	1		
20°F @ 50K	GASOLINE-COLD CO HIGH OCTANE		Same to the same of the	0.6	10.0	

SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

				US06		SC0	3	COMPOSITE		
	FUEL TYPE		NMHC+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	NMHC+NOx (g/mi)	CO (g/mi)	NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)
@ 4K	GASOLINE - TIER 2 UNLEADED	CERT	0.12	1.7		0.03	0.3			
		STD	0.14	8.0	Paul 1	0.20	2.7			
		CERT	*	*	*	*	*	0.074	*	*
@ UL	GASOLINE - TIER 2 UNLEADED	STD	*	*	*	*	*	0.103	*	*
		BIN				the plantage	Mary and the same of the	0.160	Part Service Approx	الم المامان

WHOLE VEHICLE EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

•			WHOLE						
EVAPORATIVE FAMILY	FUEL TYPE	3DH	S (g/test) (@ UL	2DI	HS (g/test) @	D UL	RL (g/m	ni) @ UL
		CERT	STD	FEL	CERT	STD	FEL	CERT	STD
HBMXR0130N54	GASOLINE - TIER 2 UNLEADED	0.31	0.50	*	*	0.65	*	0.01	0.05
HBMXR0170N63	GASOLINE - TIER 2 UNLEADED	0.43	0.50	*	*	0.65	*	0.03	0.05

BAYERISCHE MOTOREN WERKE AG Executive Order: A-008-0424-1
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 4 of 4

ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS		The state of the s	The state of the s
ORVR/FUEL ONLY/CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS	ODVD / FUEL ONLY / OANHOT	ED DI EED EVADODATIVE ENGOVO	NI OTA NIDA DOG AND OFFICIAL VIOLET OF A
THE THE PERSON OF THE PERSON O	URVR/FUEL ONLY/CANISTI	ER BLEED EVAPORATIVE EMISSIO	IN STANDARDS AND CERTIFICATION LEVELS
			TO THE PARTY OF THE PERTY PORT OF THE PERTY PROPERTY PROP

				FUEL ONLY EVAP & CANISTER BLEED								
EVAPORATIVE FAMILY	ORVR (g/g	gallon) @	D UL	FUEL TYPE		IG TEST) @ UL		IG TEST) @ UL	BLEED C TEST (g/t			
	FUEL TYPE	CERT	STD		CERT	STD	CERT	STD	CERT	STD		
HBMXR0130N54	GASOLINE - TIER 2 UNLEADED	0.01	0.20	*	*	*	*	*	*	*		
HBMXR0170N63	GASOLINE - TIER 2 UNLEADED	0.02	0.20	*	*	*	*	*	*	*		

*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GWWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; PZEV: partial ZEV; AT PZEV: advanced technology PZEV; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission

2017 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD	PZEV TYPE
BMW	5501 XDRIVE GRAN TURISMO	PC	4.4	SA8	HBMXR0130N54	1	P	*
BMW	650I CONVERTIBLE	PC	4.4	SA8	HBMXR0130N54	1	P	*
BMW	650I COUPE	PC	4.4	SA8	HBMXR0130N54	1	P	*
BMW	6501 GRAN COUPE	PC	4.4	SA8	HBMXR0130N54	1	P	*
BMW	6501 XDRIVE CONVERTIBLE	PC	4.4	SA8	HBMXR0130N54	1	P	*
BMW	6501 XDRIVE COUPE	PC	4.4	SA8	HBMXR0130N54	1	P	*
BMW	6501 XDRIVE GRAN COUPE	PC	4.4	SA8	HBMXR0130N54	1	P	*
BMW	7501	PC	4.4	SA8	HBMXR0170N63	1	P	*
BMW	7501 XDRIVE	PC	4.4	SA8	HBMXR0170N63	1	P	*
BMW	7501 XDRIVE (SWB)	PC	4.4	SA8	HBMXR0170N63	1	P	*
BMW	ALPINA B6 XDRIVE GRAN COUPE	PC	4.4	SA8	HBMXR0130N54	1	P	*
BMW	ALPINA B7 XDRIVE	PC	4.4	SA8	HBMXR0170N63	1	P	* .