## California Environmental Protection Agency

**⊘** Air Resources Board

FCA US LLC.

Executive Order: A-009-1353

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GROU	PIN	IFORMAT	TION					
MODE		EST G	LE CLASS(ES)			FUEL CATEGORY			FUEL TYPE				
2017	н	3.65P0		PC				ATED SINGLE FUEL VEHICLE			ASOLINE		
	USEFU	LLIFE	(miles)	VEH	IICLE EMISSIC	N C	ATEGOR	RY	IN	TERIM / INT	ERMEDIA	TE IN-USE STD	
EXH/ORVR EVAP					FTP		SFTP			FTP	SFTP		
120000 150000			TRANS BIN11	A TIER3 SITIONAL COUNTED LEV2 ULEV	TIONAL LEV 2 SFTP COUNTED STANDARD		*			*			
SPE	CIAL F	EATUR		HAUST EMISSION	ON CONTROL			OBD S	ΓΑΤ	IS	ENGINE	DISPLACEMENT (L)	
1			2H02S (2	), 2TWC, SFI			FU	LL	ALI	MODELS	MODELS		
*	*						PAR	TIAL		*	3.6		
*			*		PARTIA FIN			*					
			EV	APORATIVE &	REFUELING (	EVA	P/ORVR)	FAMILY	INF	ORMATION			
EVA	P/OR	/R FAN	VILY	EVAPORATIVE	STD CATEGO	ORY	EVAP EMISSION STD VEHICLE CLASS				SPECIA	L FEATURES	
I	HCRXR0	141PK	0	L	EV 2			P	PC			. *	
					EMISSION CRI	EDIT	INFORM	IATION					
	P	LLOW	ANCE FO	R TEST GROU	Р		MOG CF	REDIT FO	OR	NMOG CRE	DIT FOR	OPTIONAL EXH	
BASELINE PZEV AT PZEV					TZEV	NC	N-PZEV	ZERO-E	VAP	DO	ISTO FOR W		
* *					*		1	N		N		N	
				NMOG	AND FLEET	AVE	RAGE IN	FORMA	TION				
NMOG RAF	CH4 RAF	AIMOC/AIMILC		NMOG+NOX FLEE PC+LDT (0-3750 I (g/mi)		0 LVW) LDT (		NMOG+NOX FLEET ST LDT (3751 LVW-8500 GVWR) + MDPV (g/mi)					
*	*		1.04	*	0.	086			0.	101		*	

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

### BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx and greenhouse gas Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

California Environmental Protection Agency

**⊘** Air Resources Board

FCA US LLC.

Executive Order: A-009-1353

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 4

#### BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

I have

Emissions Compliance, Automotive Regulations and Science Division

**OB** Air Resources Board

FCA US LLC.

Executive Order: A-009-1353

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 3 of 4

## **ATTACHMENT**

# EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

### **FUEL TYPE**

FTP@50K

FTP@UL

50°F @4K

	NMOG+NOx (g/mi)				NOx (g/mi)		HCHO (mg/mi)			M mi)
	CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD
*	*	*	*	*	*	*	*	*	*	*
GASOLINE - TIER 2 UNLEADED	0.0616	0.110	0.72	2.1	*	*	*	4	*	0.010
*	*	*	*	*	*	*	*	*		10.15

1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		NMOG+N	lOx (g/mi)	CO (g/mi)		
	FUEL TYPE	CERT	STD	CERT	STD	
HWFET @ 50K	*	*	*		in terms in	
HWFET @ UL	GASOLINE - TIER 2 UNLEADED	0.0049	0.110	to the state of th		
20°F @ 50K	GASOLINE-COLD CO LOW OCTANE	112 V 131 S		1.68	10.0	

# SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

4, 11				US06		SC03	3	COMPOSITE			
	FUEL TYPE		NMHC+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	NMHC+NOx (g/mi)	CO (g/mi)	NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	
@ 4K	GASOLINE - TIER 2 UNLEADED	CERT	0.060	0.24		0.054	2.27				
		STD	0.14	8.0		0.20	2.7			1.4	
		CERT	*	*	*	*	*	0.0860	*	*	
@.UL	GASOLINE - TIER 2 UNLEADED	STD	*	*	*	*	*	0.103	*	*	
	-Acres 3 / Acres	BIN	7		Maria San	1-16	4 5 7 1 1 1	0.110		( = 1 )	

### WHOLE VEHICLE EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

			WHOLE						
EVAPORATIVE FAMILY	FUEL TYPE	3DHS	6 (g/test) (	@ UL	2Di	HS (g/test) (	RL (g/mi) @ UL		
		CERT	STD	FEL	CERT	STD	FEL	CERT	STD
HCRXR0141PK0	GASOLINE - TIER 2 UNLEADED	0.454	0.50	*	0.383	0.65	*	0.000	0.05

California Environmental Protection Agency

@ Air Resources Board

FCA US LLC.

Executive Order: A-009-1353

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 4 of 4

ORVR / FUI	EL ONLY / CA	NISTER	BLEED	EVAPORATIVE	EMISSION	STANDA	RDS AND	CERTIFICA	ATION LEV	ELS			
				FUEL ONLY EVAP & CANISTER BLEED									
EVAPORATIVE FAMILY	ORVR (g/gallon) @ UL			FUEL TYPE	3DHS RIG TEST (g/test) @ UL		2DHS RIG TEST (g/test) @ UL		BLEED CANISTER TEST (g/test) @ 4K				
	FUEL TYPE	CERT	STD		CERT	STD	CERT	STD	CERT	STD			
HCRXR0141PK0	GASOLINE - TIER 2 UNLEADED	0.090	0.20	*	*	*	*	*	*	*			

': not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV; heavy-duty vehicle; ECS; emission control system; CERT; certification; STD; standard; FEL; family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ŽEV: zero-emission vehicle; PZEV: partial ZEV; AŤ PZEV: advanced technology PZEV; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX; continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%" gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission, SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission

## 2017 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MAKE MODEL		ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD	PZEV TYPE
CHRYSLER	300 AWD	PC	3.6	A8	HCRXR0141PK0	1	F	*
CHRYSLER	300 RWD	PC	3.6	A8	HCRXR0141PK0	1	F	*
DODGE	CHALLENGER GT	PC	3.6	A8	HCRXR0141PK0	1	F	*
DODGE	CHALLENGER RWD	PC	3.6	A8	HCRXR0141PK0	1	F	*
DODGE	CHARGER AWD	PC	3.6	A8	HCRXR0141PK0	1	F	*
DODGE	CHARGER RWD	PC	3.6	A8	HCRXR0141PK0	1	F	*