California Environmental Protection Agency

@ Air Resources Board

FORD MOTOR COMPANY

Executive Order: A-010-2020

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GROU	P IN	FORMATIO	N					
MODE	- 1	TEST GROUP			VEHICLE CLASS(ES)			FUEL CATEGORY			FUEL TYPE		
2017	HF	MXV01	. 6VDC	PC			DEDIC	DEDICATED SINGLE FUEL VEHICLE			GASOLINE		
USEFUL LIFE (miles)				VEH	VEHICLE EMISSION CATEGORY				NTERIM / INT	ERMEDIA	RMEDIATE IN-USE STD		
EXH/ORVR EVAP			EVAP		FTP			SFTP FTP		SFTP			
120000 150000			TRAN	A TIER3 SITIONAL LEV 2 SFTP COUNTED STANDARD LEV2 ULEV			*		*				
SPE	CIAL FE	ATUR		AUST EMISSI EMS	ON CONTROL	-1	0	BD STAT	us	ENGINE	DISPLACEMENT (L)		
1		SF	TI, WR-H	02S, HO2S,	TWC		FULL	A	LL MODELS				
*				*			PARTIA	L	*	1.6			
*	*						PARTIAL V		*				
			EV	APORATIVE &	REFUELING (E	EVAF	P/ORVR) FA	AMILY IN	FORMATION				
EVA	P / ORV	R FAN	TILY	EVAPORATIV	E STD CATEGO	DRY		EMISSI HICLE C		SPECIA	L FEATURES		
н	IFMXR01	05GBA	1	I	EV 2			PC ·		*			
-					EMISSION CRE	DIT	INFORMAT	TION					
	A	LLOW	ANCE FO	R TEST GROU	JP	N	MOG CREI	DIT FOR	NMOG CR	EDIT FOR	OPTIONAL EXH STD FOR WORK		
BASE	LINE P	ZEV	AT	PZEV	TZEV	NO	N-PZEV ZE	RO-EVAI	DC	R	TRUCKS		
* *					*	* N				и и			
				NMO	AND FLEET	VEF	RAGE INFO	RMATIO	N				
NMOG RAF	CH4 RAF	NIME SECTION AND S		HCHO/NMHC RATIO	NMOG+NOX FLE PC+LDT (0-375 (g/mi)		50 LVW) LDT		OG+NOX FLEET ST DT (3751 LVW-8500 VWR) + MDPV (g/mi)		MDV (10001-14000		
*	*	1.04 *			0.086			0.101			*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx and greenhouse gas Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

FORD MOTOR COMPANY Executive Order: A-010-2020

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 4

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The listed vehicle models are federally certified, and are certified under the provisions of 13 CCR Section 1961.2(a)(12) and the incorporated test procedures.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

day of November 2016.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

FORD MOTOR COMPANY

Executive Order: A-010-2020 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 4

OB Air Resources Board

UNLEADED

ATTACHMENT

	EXH					IVE EMIS						-			5		
	F	FUEL TYPE		CH4: me monoxid adjustm DRVR [ethane; Nox: de; Nox: ent factor g HC/gall	MDARDS A IMOG: non- oxides of ni r; 2DHS/3D on dispense egrees Fahr	CH4 orgatrogen; H HS [g HC	anic gas; ICHO: for c/test]: 2/3 oard refu	HC: h rmalde 3 days eling v	ydroca hyde; F diurnal apor re	rbon; NMH PM: particu +hot-soak covery; g:	IC: nulate; RL	on-CH4 H0 matter; RA [g HC/mi]: n; mg: milli	C; CO: ca F: reactive running le gram; mi:	/ity oss;		
				NMC		1	CO (g/mi)		NOx (g/mi)		HCI (mg/			PM (g/mi)			
				CERT	STI	O CER	T ST	D CI	RT	STD	CER	Т	STD	CERT	STD		
FTP@5	× *		* *		*	*	*		*	*	*		*	*	*		
FTP@L	GASOLINE TIER 2 UNLEADED		2	0.066	0.1	10 0.6	2.	1	*	*	*		4	*	0.010		
50°F @4	4K	*		*	*	* *			*	*	*		*		777		
LIFE STATE OF THE				FUEL TYPE					NMOG+NOx (g/mi)			CO (g/mi)					
									CERT		STD		CERT		STD		
HWFET @ 50K				*				*		*		idwalla	CAR GVA	Augusti.			
HWFET@UL GASOLII				ASOLIN	INE - TIER 2 UNLEADED				0.038		0.110	0.110					
20°F @ 50K GASOLINE-COLD				CO LOW O	LOW OCTANE					1.1			10.0				
	_		5	SFTP E	XHAUST	EMISSION	STAND	ARDS A	ND CE	RTIFIC	ATION LI	EVEL	_S				
			18 mm		US06				SC03				COMPOSITE				
	FUEL	UEL TYPE		NMHC+NOx (g/mi)		CO (g/mi)		M !	NMHC+NOx (g/mi)		CO N		IOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)		
@ 4K	TIER		OLINE - CERT		0.02	4.8			0.0	03	0.8						
@ 41.	OINEL	ONLEADED		STE			0.14	8.0	STUT	14 × 25	0.2	20	2.7				
		С		CERT		*		*	*		*	0.066		*	*		
@ UL			and the second		D *			*			*	0.103		*	*		
		BIN		N E										V\$20.10			
		WH	OLE V	/EHICL	E EVAP	DRATIVE E	MISSION	STAND	ARDS	AND	CERTIFIC	ATIC	N LEVELS	3			
						WHOLE \	/EHICLE	EVAPO	RATIV	E TES	TING						
EVAPORATIVE		I FUEL		FUEL LYPE		3DHS (g/test) @ UL				2DHS (g/test) @ UL			RL (g/mi) @ l		UL		
ГА	MILY		CERT			STD			RT STD		FEL		CERT		STD		
HFMXR0105GBA		BA	TIER	INE -		0.50	*	*		0.65	*		0.00		0.05		

California Environmental Protection Agency

@ Air Resources Board

FORD MOTOR COMPANY

Executive Order: A-010-2020

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 4 of 4

ORVR / FU	EL ONLY / CA	NISTER	BLEED	EVAPORATIVE	EMISSION	STANDA	RDS AND	CERTIFIC	ATION LEV	ELS			
				FUEL ONLY EVAP & CANISTER BLEED									
EVAPORATIVE FAMILY	ORVR (g/gallon) @ UL			FUEL TYPE		IG TEST	2DHS R (g/test	IG TEST) @ UL	BLEED CANISTER TEST (g/test) @ 4K				
	FUEL TYPE	CERT	STD	4.00	CERT	STD	CERT	STD	CERT	STD			
HFMXR0105GBA	GASOLINE - TIER 2 UNLEADED	0.00	0.20		*	*	*	*	*	*			

the not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: _DT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; PZEV: partial ZEV; AT PZEV: advanced technology PZEV; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission

2017 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD	PZEV TYPE
FORD	FIESTA FWD	PC	1.6	AMS6,M5	HFMXR0105GBA	1	F	*