

NISSAN MOTOR COMPANY, LTD.

Executive Order: A-015-0754-1 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 1 of 4

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GR	OUP	INF	ORMATIO	N						
MODE		EST G	ROUP	VE	HICLE CLASS(I	ES)	FUEL CATEGORY			FUEL TYPE					
201	7 H1	sxv03	3.5NCB		PC			нув	HYBRID ELECTRIC VEHICLE				GASOLINE		
	USEFU	LIFE	(miles)		VEHICLE EMIS:	SION	CA	TEGORY		IN	TERIM / IN	ERME	DIA	TE IN-USE STD	
EXI	I/ORVR		EVAP		FTP	T		SFTP			FTP			SFTP	
1:	20000		150000		LEV2 ULEV			V 2 SFTP			*			*	
SPI	CIAL FI	EATUR		HAUST EM TEMS	SSION CONTRO	DL		OE	BD S1	TAT	JS	ENG	INE	DISPLACEMENT (L)	
1		2TWC	(2), 2HC	2S, 2WR-	HO2S, SFI		11	FULL			*				
*	*						1	PARTIA	\L	SON	SOME MODELS			3.5	
*				*				PARTIAL W		SOME MODELS					
			EV	'APORATI\	E & REFUELING	G (EV	/AP	P/ORVR) FA	AMILY	INF	ORMATION				
EV	AP / OR\	/R FAI	MILY	EVAPORA	TIVE STD CATE	GOF	ORY EVAP EMISSION STD VEHICLE CLASS			SPECIAL FEATURES					
	HNSXR0:	141MB	A		LEV 2		PC			*					
					EMISSION (RED	IT I	INFORMAT	TION						
	A	LLOW	VANCE FO	R TEST G	ROUP					OPTIONAL EXH. STD FOR WORK					
BAS	ELINE P	ZEV	AT	PZEV	TZEV	ľ	IOI	N-PZEV ZEF	KO-E	VAP	, DC	OR		TRUCKS	
* * *								N			1	1		N	
				N	MOG AND FLEE	TAV	ÆR	AGE INFO	RMA	TION					
SKINIOCI CUX I TO TUCUO/KINIUCI TITTE					PC+LDT	NMOG+NOX FLEET STD PC+LDT (0-3750 LVW) (g/mi)		LVW)	NMOG+NOX FLEET STI LDT (3751 LVW-8500 GVWR) + MDPV (g/mi)		N	NMOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi)			
*							6		0.101 *			*			

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.



NISSAN MOTOR COMPANY, LTD.

Executive Order: A-015-0754-1 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c)(3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The listed vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II (OBD) system of the listed vehicle models produced on or before November 27, 2016 have been determined to have five deficiencies. The listed vehicle models are approved subject to the manufacturer paying a fine of \$100 per vehicle for the third through fifth deficiencies for vehicles in the listed test group that are produced and delivered for sale in California.

On a quarterly basis, the manufacturer shall submit to the Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2017 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$37,500 per vehicle pursuant to HSC Section 43154.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

This Executive Order hereby supersedes Executive Order A-015-0754 dated August 18, 2016.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this ______ day of December 2017.

missions Compliance, Automotive Regulations and Science Division



NISSAN MOTOR COMPANY, LTD.

Executive Order: A-015-0754-1 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 4

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AN	ND CERTIFICATION LEVELS	FTP	, HWFET	, 50°F.	20°F)	
-------------------------------	-------------------------	-----	---------	---------	-------	--

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

FUEL TYPE

			NMOG (g/mi)		CO (g/mi)		NOx (g/mi)		HCHO (mg/mi)		M mi)
1-0-1		CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD
FTP@50K	GASOLINE - CA PHASE 2	0.019	0.040	0.3	1.7	0.03	0.05	*	8	*	*
FTP@UL	GASOLINE - CA PHASE 2	0.020	0.055	0.4	2.1	0.03	0.07	*	11	*	0.01
50°F @4K	GASOLÎNE - CA PHASE 2	0.038	0,080	0.5	1.7	0.02	0.05	*	16		

7777	FUEL TYPE	NOx	(g/mi)	CO (g/mi)		
	FUEL TYPE	CERT	STD	CERT	STD	
HWFET @ 50K	GASOLINE - CA PHASE 2	0.003	0.07			
HWFET @ UL	GASOLINE - CA PHASE 2	0.004	0.09	1977 TA	e - 1967	
20°F @ 50K	GASOLINE-COLD CO LOW OCTANE		4	1.2	10.0	

SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

				US06		SC03	3	CON	POSITE	
	FUEL TYPE	,	NMHC+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	NMHC+NOx (g/mi)	CO (g/mi)	NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)
@ 4K	GASOLINE - CA PHASE 2	CERT	0.04	1.0		0.02	0.3			
		STD	0.14	8.0		0.20	2.7		XF Y 3	
		CERT	*	*	*	*	*	0.038	*	*
@ UL	GASOLINE - CA PHASE 2	STD	* .	*	*	*	*	0.103	*	*
		BIN	A Last					0.140		

WHOLE VEHICLE EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EVAPORATIVE FAMILY			WHOLE	•					
	FUEL TYPE	3DH:	S (g/test)	@ UL	2D	HS (g/test) (RL (g/mi) @ UL		
		CERT	STD	FEL	CERT	STD	FEL	CERT	STD
HNSXR0141MBA	GASOLINE - CA PHASE 2	0.34	0.50	*	0.27	0.65	*	0.000	0.05

ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

	`			FUEL ONLY EVAP & CANISTER BLEED								
EVAPORATIVE FAMILY	ORVR (g/gallon) @ UL			FUEL TYPE	3DHS RIG TEST (g/test) @ UL		2DHS RIG TEST (g/test) @ UL		BLEED CANISTER TEST (g/test) @ 4K			
	FUEL TYPE	CERT	STD		CERT	STD	CERT	STD	CERT	STD		
HNSXR0141MBA	GASOLINE - TIER 2 UNLEADED	0.01	0.20	*	*	* .	*	*	*	*		



NISSAN MOTOR COMPANY, LTD.

Executive Order: A-015-0754-1
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 4 of 4

*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: .DT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%" gasoline) fuel; E10: "10%" ethanol ("90%" gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT; other transmission; AER; all-electric range; EAER; equivalent AER; PHEV; plug-in hybrid electric vehicle

2017 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD	PZEV TYPE
INFINITI	Q50 HYBRID	PC	3.5	SA7	HNSXR0141MBA	1	* \$	*
INFINITI	Q50 HYBRID	PC	3.5	SA7	HNSXR0141MBA	1	P	*
INFINITI	Q50 HYBRID AWD	PC	3.5	SA7	HNSXR0141MBA	1	\$	*
INFINITI	Q50 HYBRID AWD	PC	3.5	SA7	HNSXR0141MBA	1	P	*
INFINITI	Q70 HYBRID	PC	3.5	SA7	HNSXR0141MBA	1	\$	*
INFINITI	Q70 HYBRID	PC	3.5	SA7	HNSXR0141MBA	1	P	*