California Environmental Protection Agency

OB Air Resources Board

GENERAL MOTORS LLC. Executive Order: A-006-2122-1
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 1 of 4

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

| | | | | | TEST GRO | OUP IN | FORMAT | ION | | | | | |
|---------------|-------------------|-------|---|------------|----------------|-----------------|-------------------------------|--|-------------------|-----------|------------------------------|--|--|
| MODE | TEST GROUP VEH | | | | ICLE CLASS(ES) | | | FUEL CATEGORY | | | FUEL TYPE | | |
| 2018 | 2018 JGMXJ01.6356 | | | | LDT2, PC | | DEDICATED SINGLE FUEL VEHICLE | | | DIESEL | | | |
| | USEFUL | LIFE | (miles) | 1 | EHICLE EMISS | SION C | ATEGOR | Y | INTERIM / IN | TERMEDIA | TE IN-USE STD | | |
| EXH/ORVR EVAP | | | | | FTP | | | SFTP | | | SFTP | | |
| 15 | 0000 | | * | LE | V3 ULEV125 | LEV 3 COMPOSITE | | SITE | PM | | PM | | |
| SPE | CIAL FE | ATUR | | IAUST EMIS | SION CONTRO | L | | OBD ST | ATUS | ENGINE | DISPLACEMENT (L) | | |
| 1 | DFI, | TC, C | | DPF, EGR | , EGRC, SCRC | , | FULL | | * | * | | | |
| * | | | | * | | Y | PARTIAL | | * | 11 | 1.6 | | |
| * | | | | * | | | PARTIAI FIN | | ALL MODELS | | | | |
| | | | EV | APORATIVI | & REFUELING | (EVA | P/ORVR) | FAMILY | INFORMATION | 1 | | | |
| EVA | P / ORV | R FAN | MILY | EVAPORAT | TIVE STD CATE | GORY | | AP EMIS | SION STD CLASS | SPECIA | L FEATURES | | |
| * | | | | | * | * | | | * | | * | | |
| | | | | | EMISSION C | REDIT | INFORM | ATION | | | | | |
| | A | LLOW | ANCE FO | R TEST GR | OUP | | IMOG CR | | | REDIT FOR | OPTIONAL EXH STD FOR WORK | | |
| BASE | ELINE P | ZEV | AT | PZEV | TZEV | NO | N-PZEV | ZERO-EV | AP D | OR | TRUCKS | | |
| | * | | | * | * | | N | | | N | | | |
| | | | | NIV | OG AND FLEE | TAVE | RAGE IN | FORMAT | ION | | | | |
| NMOG RAF | NIVICE (NIBRIE) | | HCHO/NMHC RATIO NMOG+NOX PC+LDT (0- (g/n | | | 3750 LVW) | | NMOG+NOX FLEET ST LDT (3751 LVW-8500 GVWR) + MDPV (g/mi) | | | | | |
| * | * | | * | * | | 0.079 | | | | * | | | |

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

⊘ Air Resources Board

GENERAL MOTORS LLC. Executive Order: A-006-2122-1 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx and greenhouse gas Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II system of the listed vehicle models has been determined to have eight, six, seven, five and seven deficiencies for AT Cruze Sedans. MT Cruze Sedans, AT Cruze Hatchbacks, MT Cruze Hatchbacks, Equinox and Terrain, respectively. The listed vehicle models are approved subject to the manufacturer paying a fine of one hundred seventy five dollars (\$175), one hundred twenty five dollars (\$125), one hundred fifty dollars (\$150), one hundred dollars (\$100) and one hundred fifty dollars (\$150) for AT Cruze Sedans, MT Cruze Sedans, AT Cruze Hatchbacks, MT Cruze Hatchbacks, Equinox and Terrain, respectively, in the listed test group that are produced and delivered for sale in California. On a quarterly basis, the manufacturer shall submit to the Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2018 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$37,500 per vehicle pursuant to HSC Section 43154.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations. This Executive Order hereby cancels and supersedes Executive Order A-006-2122 dated July 24, 2017.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this _

____ day of September 2017.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

GENERAL MOTORS LLC.

Executive Order: A-006-2122-1 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 4

| | | | | | | A | TTAC | HM | ENT | | | | | | | |
|------------------|-----------------|---------------------------|----------|--------------------|----------------------------------|------------------------------------|------------------------------------|----------------------------|---------------------------------|-----------------------------------|--|---------------------------------|-----------------|------------------------|------------------------------------|--|
| | | | | | | | | | | | D CERTI | | | | 3 | |
| | | EXH | AUST EN | MISSION : | STANDA | ARDS AN | ID CER | TIFICA | ATION L | EVELS | (FTP, HW | FET, 50 |)°F, 20° | °F) | | |
| | FUE | FUEL TYPE | | noxide; Nustment f | Ox: oxid actor; 20 /gallon | les of nitr DHS/3DH dispense | rogen; He IS [g HC d]: on-bo | CHO: /test]: pard re | formalde 2/3 days fueling | ehyde; F s diurnal vapor re | bon; NMH PM: particu +hot-soak covery; g: lure; SFTP | late ma ; RL [g l gram; n | tter; RAHC/mi]: | AF: reactive running I | vity loss; | |
| | 7. | | | NMHC+NOx (g/mi) | | CO (g/mi) | | | NOx (g/mi) | | HCHO (mg/mi) | | | | M (mi) | |
| | | | | ERT | STD | CERT | STE | | CERT | STD | CER | TS | TD | CERT | STD | |
| FTP@5 | 50K * | | - | * | * | | | | * * | | * | | * | * | * | |
| FTP@L | L DIES | EL-I | EPA 0 | .104 | 0.125 | 0.1 | 2.1 | 1 | * | * | * | | 4 | 0.000 | 0.003 | |
| 50°F @4 | 4K | * | | * | * | * | * | | * | * | * | | * | | 200 | |
| 0 - 40 | | | | EI | JEL TYP | E | | | N | MHC+N | Ox (g/mi) | | | CO (g/mi |) | |
| | | | | TOLLTIF | | | - | | CE | RT | STD | | CERT | | STD | |
| HWFET @ 50K | | | | * | | | | | * | | * | * 150 | | | | |
| HWFET@UL DIESEL | | | | ESEL-E | PA . | | 0.004 | | 0.125 | | F 14 | | | | | |
| 20°F @ 50K | | | | * | | | | | | | 2. 5 11. 1 | | * | | | |
| | | | SF | TP EXHA | UST EN | ISSION | STANDA | ARDS | AND CI | ERTIFIC | ATION LE | VELS | | | | |
| | | | | US06 | | | | | | | COM | | | POSITE | | |
| | FUEL TY | PE | | NMHC+NOx (g/mi) | | CO (g/mi) | 1 000 | | | +NOx mi) | CO (g/mi) | NMHC+NOx (g/mi) | | CO (g/mi) | PM (mg/mi | |
| @ 4K | * | | CERT | * | | * | | | , | * | * | | | | 17/6 | |
| | | ST | | * | | * | 19313 | - | , | | * | | | | THE' | |
| | | CEI IESEL-EPA ST BI | | * | | * | 0. | 4 | , | * | * | * 0.112 | | 0.2 | * | |
| @ UL | DIESEL- | | | * | | * | 1 | 0 | 1 | * | * | 0.0 | 097 | 4.2 | * | |
| | | | | | . 13/ | | | 5-1 | 17. | | | 0.1 | 120 | 3000 | | |
| | | WH | OLE VE | HICLE EV | | | | | | | ERTIFIC | MOITA | EVEL | S | | |
| EVAPORATIVE FUEL | | UEL TYP | of | HOLE VEHICLE EVAP | | | 2DHS (g/test) @ UL | | | RL | | . (g/mi) @ UL | | | | |
| | | Ι. | | | | TD FEL | | CE | | STD | 1 | - | CERT | - | STD | |
| * | | + | * | | CERT STD | | * | 1 | | * | | FEL * | | * | | |
| - | | IEL (| ONLY / C | ANISTER | BLEET | EVAPO | RATIVE | EMIS | SIONS | TANDA | RDS AND | CERT | | ION LEVI | ELS | |
| | | T | | | | | | | | | P & CANI | | | | | |
| | ORATIVE MILY | ORVR (g/g | | /gallon) | gallon) @ UL | | FUEL TYPE | | 3DHS RIG TEST (g/test) @ UL | | 2DHS | RIG TE | ST E | BLEED C | LEED CANISTER EST (g/test) @ 4K | |
| | | FU | EL TYPE | CERT | STD | | | CE | | STD | CERT | ST | | CERT | STD | |
| - | 4 | 1 | | | | | + | | | + | | - | | | | |

California Environmental Protection Agency

⊘ Air Resources Board

GENERAL MOTORS LLC. Executive Order: A-006-2122-1 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 4 of 4

not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR.3751-5750#LVW: LDT3: LDT 6001-8500#GVWR.3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR.5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV; heavy-duty vehicle; ECS; emission control system; CERT; certification; STD; standard; FEL; family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; PZEV: partial ZEV; AT PZEV: advanced technology PZEV; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst: NAC: NOx adsorption catalyst: SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semiautomatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS; automated manual-selectable transmission; OT; other transmission

2018 MODEL YEAR: VEHICLE MODELS INFORMATION

| MAKE | MODEL | VEH CLASS | ENGINE (L) | TRANS TYPE | EVAPORATIVE FAMILY | EXH ECS | OBD | PZEV TYPE | |
|-----------|--------------------|-----------|---------------|------------|--------------------|------------|-----|-----------|--|
| CHEVROLET | CRUZE | PC | 1.6 | A9,M6 | * | 1 | \$ | * | |
| CHEVROLET | CRUZE HATCHBACK | PC | 1.6 | A9,M6 | * | 1 | \$ | * | |
| CHEVROLET | EQUINOX AWD | LDT2 | 1.6 | A6 | * | 1 | \$ | * | |
| CHEVROLET | EQUINOX FWD | LDT2 | 1.6 | A6 | * | 1 | \$ | * | |
| GMC | TERRAIN | LDT2 | 1.6 | A6 | * | 1 | \$ | * | |
| GMC | TERRAIN AWD | LDT2 | 1.6 | A6 | * | 1 | \$ | * | |