California Environmental Protection Agency

⊘ Air Resources Board

GENERAL MOTORS LLC. Executive Order: A-006-2122

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GRO	UP INFO	RMATION						
MODE		EST G	ROUP	VEHI	CLE CLASS(E	S)	FUEL CATEGORY			FUEL TYPE			
2018	.8 JGMXJ01.6356				LDT1, PC		DEDICATED SINGLE FUEL VEHICLE			DIESEL			
USEFUL LIFE (miles) VEHICLE EMISS							ON CATEGORY INT			ERIM / INTERMEDIATE IN-USE STD			
EXH/ORVR EVAP					FTP	S	SFTP		FTP		SFTP		
150000 . *				LEV:	3 ULEV125	EV125 LEV 3 COMPOSITE		PM		PM			
SPE	CIAL FE	ATUR	ES & EXH		ION CONTRO	L	OBD S	TATUS		ENGINE	DISPLACEMENT (L)		
1	DFI,	TC,		DPF, EGR, , PMS, RDQ	EGRC, SCRC	,	FULL *						
*				*			PARTIAL *			1.6			
*		-		*	RTIAL WITH	H ALL MODELS							
			EV	APORATIVE	& REFUELING	(EVAP/C	RVR) FAMIL	INFORM	ATION				
EVA	P / ORV	R FAM	MILY	EVAPORATIV	E STD CATE	GORY	EVAP EMI	SSION STI	D	SPECIA	L FEATURES		
* /					•	*					*		
					EMISSION C	REDIT IN	FORMATION						
	A	LLOW	ANCE FO	R TEST GRO	UP					REDIT FOR OPTIONAL			
BASELINE PZEV AT PZEV					TZEV	NON-I	PZEV ZERO-E	VAP	AP DOR		TRUCKS		
	*			•	*		N		И		N		
				NMC	G AND FLEET	AVERA	GE INFORMA	TION					
NMOG RAF	NMOG/NMHC I			HCHO/NMHC RATIO NMOG+NOX PC+LDT (0-1 (g/m			VW) LDT	MOG+NOX FLEET STD LDT (3751 LVW-8500 GVWR) + MDPV (g/mi)		NMOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi)			
*	*		*	*	0	.079		0.092			*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

California Environmental Protection Agency

⊘ Air Resources Board

GENERAL MOTORS LLC. Executive Order: A-006-2122 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx and greenhouse gas Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II system of the listed vehicle models has been determined to have eight, six, seven, five and seven deficiencies for AT Cruze Sedans, MT Cruze Sedans, AT Cruze Hatchbacks, MT Cruze Hatchbacks, Equinox and Terrain, respectively. The listed vehicle models are approved subject to the manufacturer paying a fine of one hundred seventy five dollars (\$175), one hundred twenty five dollars (\$125), one hundred fifty dollars (\$150), one hundred dollars (\$100) and one hundred fifty dollars (\$150) for AT Cruze Sedans, MT Cruze Sedans, AT Cruze Hatchbacks, MT Cruze Hatchbacks, Equinox and Terrain, respectively, in the listed test group that are produced and delivered for sale in California. On a quarterly basis, the manufacturer shall submit to the Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2018 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$5000 per vehicle pursuant to HSC Section 43154.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

GENERAL MOTORS LLC. Executive Order: A-006-2122

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles
Page 3 of 4

*

						AT	TAC	НМЕ	ENT							
	EXHA	UST	ANDE	VAPOR	RATIVI	E EMISS	SION	STAN	DARE	S ANI	CERT	FIC	ATION	LEVELS	3	
-		EXH/	AUST EN	ISSION S	TANDA	ARDS AN	D CER	TIFICA	TION L	EVELS	(FTP, HW	FET,	50°F, 20)°F)		
	FUE	FUEL TYPE		CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP												
	0.			NMHC+NOx (g/mi)		CO (g/mi)			NOx (g/mi)			HCH mg/n			mi)	
			C	ERT	STD	CERT	STI	D	CERT	STD	CER	T	STD	CERT	STD	
FTP@5	0K	*		*	*	*	*	_	*	*	*	X	*	*	*	
FTP@L	L DIES	EL-E	PA 0	104	0.125	0.1	2.:	1	*	*	*	4		0.000	0.003	
50°F @4	4K	*		*	*	*	*		* .	*	*		*			
-	Town !			FUEL TYPE					NMHC+NOx (g/			i)		CO (g/mi)		
				FUEL TYPE					CERT		STD		CER	T	STD	
HWFET	T @ 50K			*							*					
HWFET @ UL			DIESEL-EPA					0.004 0.125			13. P					
20°F	@ 50K			+				-				£ +		*		
		_	SF	P EXHA	UST EN	ISSION S	TAND	ARDS	AND C	ERTIFIC	ATION L	VEL	S			
1						US06		SC03				COMPOS		ITE		
	FUEL T	/PE		NMHC+NOx (g/mi)		CO (g/mi)			NMHC+NOx (g/mi)		CO Ni (g/mi)		HC+NOx g/mi)	CO (g/mi)	PM (mg/mi)	
@ 4K	. *	, CE		. *		*	1	- , .		*				2	***	
	S		STD	*		*				*	*					
		DIESEL-EPA ST		* T		*	* 0.4			*	*	* 0.112		0.2	*	
@ UL	DIESEL-			-		/ *	1	.0		*	*	0	.097	4.2	*	
				-	1					6-1-			.120	f		
		WH	OLE VE	ICLE EV							CERTIFIC	ATIO	N LEVE	LS		
EVAPORATIVE TUEL TYPE 2016 (a)					HOLE VEHICLE EVAP							RL (g/mi) @ UL				
FAMILY		F	FUEL TYPE		3DHS (g/test) @ UL				2DHS (g/test) (@ UL		(g/m) @		,	
				CE	RT STD		FEL C		RT STD		FEL		CER	RT	STD	
*		* *						* *		*	* *					
(ORVR / FU	JEL (ONLY / C	ANISTER	BLEE	EVAPO	RATIVE							TION LEV	ELS	
FAMILY		001/5 (FUEL ONLY EVAP & CANISTER BLEED DHS RIG TEST 2DHS RIG TEST BLEE								
		ORVR (g/ga		/gallon) (allon) @ UL		FUEL TYPE		HS RIG (test) (2DHS (g/te			BLEED CANISTER TEST (g/test) @ 4K		
		FUEL TYPE		CERT	STD			CE	RT	STD	CERT		STD	CERT	STD	

*

California Environmental Protection Agency

⊘ Air Resources Board

GENERAL MOTORS LLC. Executive Order: A-006-2122

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 4 of 4

': not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR.5751-8500#ALVW; MDV; medium-duty vehicle; MDV4; MDV 8501-10000#GVWR; MDV5; MDV 10001-14000#GVWR; MDPV; mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ŽEV: zero-emission vehicle; PZEV: partial ZEV; AT PZEV: advanced technology PZEV; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3; selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler, AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semiautomatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS; automated manual-selectable transmission; OT; other transmission

2018 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD	PZEV TYPE
CHEVROLET	CRUZE	PC	1.6	A9,M6	*	1	\$	*
CHEVROLET	CRUZE HATCHBACK	PC	1.6	A9,M6	*	1	\$	*
CHEVROLET	EQUINOX AWD	LDT1	1.6	A6	*	1	\$	*
CHEVROLET	EQUINOX FWD	LDT1	1.6	A6	*	1	\$	*
GMC	TERRAIN	LDT1	1.6	A6	*	1	\$	*
GMC	TERRAIN AWD	LDT1	1.6	A6	*	1	\$	*