

Executive Order: A-009-1366-2

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED. That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

						TEST GRO	UP IN	IFOR	MATION			·			
MODI		TES	ST GROUP		VEHICLE CLASS(ES)				FUEL C	ATEGORY		FUEL TYPE			
201	8	JCR	XT03.05PV		•	LDT4 DED				SINGLE FUEL HICLE		DIESEL			
USEFUL LIFE (miles) VEHICLE EMISSION									ORY	INTERIM / IN	TEI	ERMEDIATE IN-USE STD			
EXH/ORVR EVAP					FTP SF				TP FTP			SFTP			
1	20000)	*		LEV	V2 LEV LEV 2 STANDA				*		*-			
SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS									TATUS	T	ENGINE DISPLACEMENT (L)				
1	CAC, 1	DFI,	DPF, EGRO	•	OXS(2), O		QS,		FULL	£ *		3.0			
*				*	i			P.	ARTIAL	*					
*				*	,				TIAL WITH ALL MODELS			• .			
			E	VAPO	ORATIVE &	REFUELING	(EVA	P/OR	VR) FAMIL'	INFORMATION	1				
ΕÝ	AP/O	RVR	FAMILY	EV	APORATIVE	STD CATE	30RY	,		SSION STD E CLASS		SPECIAL FEATURES			
* *.										*	*.				
			, •		:	EMISSION CI	REDIT	T INFO	RMATION	<u> </u>					
NMOG+NOX FLEET AVE. CREDIT FOR EXTENDED WARRANTY NMOG CREDIT FOR NON- ZERO-EVAP								N-PZEV NMOG CREDIT FOR DOI			₹	OPTIONAL EXH. STD FOR WORK TRUCKS			
	и								N.			Ņ			
					NMOG	AND FLEET	AVE	RAGE	INFORMA	TION		<u> </u>			
NIBETTATION					HO/NMHC RATIO	PI:+						NMOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi)			
*	*		*		*	0	.079	•	0.092			.*			

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



Executive Order: A-009-1366-2
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c)(3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The listed vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II (OBD) system of the listed vehicle models have been determined to have seventeen deficiencies. These vehicle models are approved subject to the manufacturer paying a fine of \$500 per vehicle for the third through seventeenth deficiencies for vehicles in the listed test group that are produced and delivered for sale in California.

On a quarterly basis, the manufacturer shall submit to the Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2018 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$37,500 per violation per vehicle pursuant to HSC Section 43154.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

This Executive Order hereby supersedes Executive Order A-009-1366-1 dated April 5, 2018.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this 3/ day of December 2018.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division



Executive Order: A-009-1366-2 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 4

ATTACHMENT

								Α	HA	CH	IME	:N 1								
	EXH	AUS	ST A	ND I	VA f	ORA	ΓΙVΕ	EMIS	SSIOI	V ST	ΓAN	DAR	DS AN	D CER	TIFI	CATION	LEV	/ELS		
		EX	HAU										····			T, 50°F, 2				
	Fl			adj OF	CH4; methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP; federal test procedure; SFTP; supplemental FTP															
						NMHC (g/mi)			CO (g/ml)			NOx (g/mi)				HO /mi)	* .		PM (g/ml)	
		· -			ERT	ST	D	CER		STD	10	CERT STD CERT		RT	T STD		RT	STD		
FTP@5	OK DI	DIESEL-EPA		 +	0306		•	0.31		3.4		.029		0.05 *		15		+	*	
			SEL-EPA		0439	0.0	90	0.44	1 .	4.2	70	.032	0.0	0.07 *		18		001	0.01	
50°F @		*		+	*	*		*		*		*	*	* *		*	* 3/1/2/2/2			
						Et 1641	TVD	<u></u>			,		NOx	(g/ml)		CO (g/n				
		771 \$5.				FUEL TYPE		<u> </u>				C	ERT	ST	D	CER	RT		STD	
HWFET @ 50K		ĸ				DIESEL-EPA		A			0.007		0.0	0.07						
HWFET @ UL		_				DIESEL-EPA						0.010 0			09				1 11	
20°F @ 50K				*·											Hala * ' * .			'₩.		
				SF	TP EX	(HAUS)	EMI	SSION	STAN	NDAF	RDS /	AND C	ERTIFIC	CATION	LEVE	LS		•		
100 AV						US06						SC03				Ç	OMPC	SITE		
	FUELT		TYPE		NMHC+NOx (g/mi)			CO (g/ml)		PM (mg/mi)		NMHC+NOx (g/mi)		CO (g/mi		NMHC+NOx (g/mi)		CO g/mi)	PM (mg/mi)	
@:4K	DIESE	IESEL-EPA		ERT		0.058		0.02				0.018		0.03						
				STD				11.8				0.44		4.0				(31676 ★	+	
		IESEL-EPA ST		ERT			_	*		*		*			* 0.05 * 0.09				*	
@ UL	DIESE			BIN	57.	e e e e e e e e e e e e e e e e e e e			dari uzu	alut y	3 1 3 3 4 3					0.140		sussit sitts	4 y .	
		v		_,	HICLE	FVΔP	ORA.	TIVE E	MISSI	ON S	TΔN	DARI	S AND	CERTIF	ICATI	ON LEVE	LS		* "	
		Ť											IVE TES	·	-,,,,				· · · · · · · · · · · · · · · · · · ·	
EVAPORATIVE FL			FU	EL TY	PE	3DHS (g/test) @ l) UL			2DH	S (g/tes) @ UL	@ UL		RL (g/m		ni) @ UL	
					Ī	CERT S		TD	FEL	FEL		T.	STD	F	EL	CE	स		STD	
	*			*		*		*	*		*		*		, * :	*	•		*	
(DRVR /	FUE	L ON	ILY / C	ANIS	TER BL	EED	EVAP	ORAT	IVE 6						ERTIFICA		LEV	ELS	
EVAP	ORATI	VE	O.	RVR (g/galle	on) @ U	IL					.	NLY EV			ER BLEE 3 TEST		ED C	ANISTER	
F	FAMILY		pmg 1 mm 4 mm		_1			FUE	L TYP	С			@ UL		- i	@ UL		_	est) @ 4K	
			FUEL		YPE CERT STD				*			RT STD		CEF	CI	STD	CE		STD	
	*.		FFF					ER ST	•	ARD									· ·	
					<u></u>	LEAK FAMILY				NDARD AND CERTIFICATION CERT					STD					
	٠,	,		$\overline{}$	· · · · · ·	¥	ų ·					*		-	 	·	*.			



Executive Order: A-009-1366-2
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 4 of 4

: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty-truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: _DT-6000#GVWR;3751-5750#LVW; LDT3; LDT 6001-8500#GVWR;3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR;5751-8500#ALVW; MDV; medium-duty vehícle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3; selective catalytic reduction-urea/ammonia; NH3OC; ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF; diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HQ2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonta sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection: DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission: OT: other transmission: AER; all-electric range: EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle: NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

2018 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
JEEP	GRAND CHEROKEE 4X2	LDT4	3.0	A8	*	1.	\$
JEEP	GRAND CHEROKEE 4X4	LDT4	3.0	A8	*	1	\$
RAM	1500 4X2	LDT4	3.0	.A8	. *	1	\$
RAM	1500 4X4	LDT4	3.0	A8	★.	1	\$
RAM	1500 HFE 4X2	LDT4	3.0	8A	*	1	\$