

FORD MOTOR COMPANY

Executive Order: A-010-2084-1 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GRO	UP IN	NFORI	MATION	_			·		
MODE YEAR		EST GROUP	VEHICLE CLASS(ES)				S) FUEL			CATEGORY		FUEL TYPE		
2018	JF	MXD06.27CX		MDV5				FLEX-FUEL VEHICLE (FFV)			85% ETHANOL, GASOLINE			
USEFUL LIFE (miles) V					VEHICLE EMISSION CATEGORY			ORY	INTERIM / INTE			RMEDIATE IN-USE STD		
EXH	/ORVR	EVAP	5	FTP SF			TP FTP			SFTP				
12	120000 150000				2 ULEV	LEV *			*			*		
SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS							OBD		STATUS			ENGINE DISPLACEMENT (L)		
1	2TWC, 2HO2S, 2WR-HO2S, SFI							FULL ALL MODELS						
*	*						Р	PARTIAL * 6.2				6.2		
*		-	* PARTIAL WITH * FINES											
EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION														
EVAP / ORVR FAMILY EVAPORATIVE STD CATEGORY						GORY	,	EVAP EMISSION STD VEHICLE CLASS				SPECIAL FEATURES		
JFMXF0265NAS				LEV 2			MDV5				*			
				E	EMISSION CI	REDIT	INFO	RMATION						
NMOG+NOX FLEET AVE. CREDIT FOR EXTENDED WARRANTY NMOG CREDIT FOR NON- ZERO-EVAP					ON-P	ZEV	NMOG CREDIT FOR DOR			₹	OPTIONAL EXH. STD FOR WORK TRUCKS			
		N			N		n n					N		
NMOG AND FLEET AVERAGE INFORMATION														
NMOG RAF	CH4 RAF	FTP NMOG/NMHC RATIO (GASOLINE)	R				500 G	T STD NMOG+NOX FLEET S 0 GVW) MDV (8501-10000 GVV) (g/mi)		01-10000 GVW				
*	*	1.04		* * *				*				*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



FORD MOTOR COMPANY

Executive Order: A-010-2084-1

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c)(3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

day of January 2019.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

This Executive Order hereby cancels and supersedes Executive Order A-010-2084 dated September 22, 2017.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

The The

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division



*

FORD MOTOR COMPANY

Executive Order: A-010-2084-1
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 3 of 4

ATTACHMENT

	EXHA	UST AI	ND E	VAPOI	RATIVE	EMISS	SION S	TAN	DARD	S AND	CERTI	FIC	ATION	LEVELS	3	
		EXHAUS	T EMI	SSION	STANDA	RDS AN	D CERT	IFICA	TION L	EVELS	(FTP, HW	FET,	50°F, 2	0°F)		
	FUEI	L TYPE	mon adjus ORV	oxide; N stment f 'R [g HC	Ox: oxid actor; 2D /gallon o	es of nitro HS/3DHS lispensed	ogen; H0 S [g HC/ I]: on-bo	CHO: fo test]: 2 ard ref	ormalde /3 days ueling v	ehyde; P s diurnal- /apor red	M: particu +hot-soak;	late r RL [gram	natter; F g HC/mi ; mg: mi	HC; CO: ca RAF: reactivi i]: running l illigram; mi al FTP	vity oss;	
					3	l .	со		NOx			нсно		1	PM	
				(g/mi)		(g/mi)		_	(g/mi)		(mg/				mi)	
				RT	STD	CERT	STD) (ERT	STD	CER			CERT	STD	
FTP@5		*	_	*	*	*	*		*	*	*	_	*	*	*	
FTP@L	JL (GASOLINE - TIER 2 UNLEADED)				0.167 0.167)	5.7 (5.3)	7.3 (7.3).16).36)	0.4 (0.4)	(*)		21 (21)	(*)	0.06	
50°F @	4K E85	-EPA	0.1	410	0.334	1.54	7.3		0.02	0.4	5		42	· 大阪 生产设备	49.000	
				Ė	IEI TVD	=			NOx (g		/mi)		1.	CO (g/mi	g/mi)	
4 Inches	desir and sectors			FUEL TYPE				CE	RT	STD	STD		RT	STD		
HWFE ⁻	T @ 50K			*					*		*	多類子為		K.		
HWFET @ UL			(GASO		85-EPA	UNLEADED)		-	0. (0.		0.8				e ger verder, dan e verdere ee	
20°F @ 50K					*			Process and the second			*		*			
	-		SFTI	PEXHA	UST EM	ISSION S	TANDA	RDS A	ND C	ERTIFIC	ATION LE	VEL	S			
		- Ex		US06					SC03		_		CC	OMPOSITE		
	FUEL TY		10 M3 1	NMHC+NOx (g/mi)		CO (g/mi)	PM (mg/mi)		NMHC+NOx (g/mi)		CO NN (g/mi)		OG+NO (g/mi)	x CO (g/mi)	PM (mg/mi	
@ 4K	*.	CERT		CERT *		*	est de la la casa		*		*		interest of the co	in Egyptonia (projekty)	en en orangen	
		S	ΓD	*		*			,	ł	*					
@ UL		CE	RT	*		*	*			ł .	*		*	*	*	
	*	-	ΓD	*		*	*		1	·	*		*	*	*	
		BIN										*				
		WHOLE	EVEH	ICLE E							ERTIFICA	ATIO	N LEVE	LS		
EVAPORATIVE FAMILY					HOLE VEHICLE EVAI			2DHS (g/test) @ UL			RL (RL (g/mi) @	g/mi) @ UL		
						STD FEL		CER	CERT STD		FEL		CEI	рт	STD	
JFMXF0265NAS		E10			.00	*	0.53				*		00	0.05		
								-				CFF		TION LEV		
	21(41(71))	T OIAL	,		DLLL	21710	I V L				P & CANI					
	ORATIVE	OR	ORVR (g/gallon) @ UL				3			TEST	2DHS	2DHS RIG TEST (g/test) @ UL				
		FUEL	TYPE	CERT	STD	1 . 5.2		(g/test) @ UL CERT STD		CERT		STD	CERT			
								-								



FORD MOTOR COMPANY

Executive Order: A-010-2084-1
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 4 of 4

EFFECTIVE LEAK DIAMETER STANDARD AND CERTIFICATION LEVEL (INCHES)										
EVAPORATIVE FAMILY	LEAK FAMILY	CERT	STD							
*	1 1 6 1 * 1 1 1 1	*	*							

*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series: CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

2018 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
FORD	E350 CUTAWAY FFV	MDV5	6.2	SA6	JFMXF0265NAS	1	F
FORD	E350 STRIP CHASSIS FFV	MDV5	6.2	SA6	JFMXF0265NAS	1	F
FORD	E450 CUTAWAY FFV	MDV5	6.2	SA6	JFMXF0265NAS	1	F
FORD	E450 STRIP CHASSIS FFV	MDV5	6.2	SA6	JFMXF0265NAS	1	F