California Environmental Protection Agency

⊘ Air Resources Board

FORD MOTOR COMPANY

Executive Order: A-010-2100

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

							TEST GRO	UP II	NFOF	RMATION	1						
MOD	TEST COOLID					VEHICLE CLASS(ES)				FUEL CATEGORY				FUEL TYPE			
YEA	R 1231 GROOT					VEHICLE CLASS(ES)					POEL CATEGORY				PUEL TIPE		
201	018 JFMXD06.26CH					MDV4				FLEX-FUEL VEHICLE (FFV)			85% ETHANOL, GASOLINE				
USEFUL LIFE (miles)						VEHICLE EMISSION CATE				GORY	ORY INTERIM / INT			ERMEDIATE IN-USE STD			
EXH/ORVR				EVAP		FTP			SFTP		FTP		SFT		SFTP		
150000 150000				LE'	V3 ULEV200	ULEV200 LEV3 ULE US06, SC TEST C				1 1			D PM NMOG+NOX AND PM				
SPECIAL FEATURES & EXHAUST EMISSION CONTRO SYSTEMS								L	OBD			BD STATUS			ENGINE DISPLACEMENT (L)		
1		2TWC, 2WR-HO2S, 2HO2S, SFI								FULL	.L *						
*		*								PARTIAL	IAL ALL MODELS			6.2			
*	* PA								PA	RTIAL WI	ΊΤΗ		*				
				E۱	APOR	ATIVE	& REFUELING	(EV	AP/OI	RVR) FAI	MILY	INF	ORMATION	l			
EV	EVAP / ORVR FAMILY EVAPORATIVE STD CATEGO								RY EVAP EMISSION STD VEHICLE CLASS			SPECIAL FEATURES					
JFMXF0265NAS						LEV 2				MDV4				*			
						-	EMISSION CI	REDI	T INF	ORMATI	ON						
	ALLOWANCE FOR TEST GROUP								NMOG CREDIT FOR NMOG CREDIT FOR			OPTIONAL EXH.					
BAS	BASELINE PZEV AT PZEV					TZEV			NON-PZEV ZERO			O-EVAP D		OR		TRUCKS	
* *							*			И			N		N		
						NM	OG AND FLEET	AVE	ERAG	E INFOR	RMA	TION					
NMO(RAF		PAE PATIO			R			VW-8	/-8500 GVW) M		NMOG+NOX FLEET ST MDV (8501-10000 GVW (g/mi)		TD NMOG+NOX FLEET S /R) MDV (10,001-14,000 GVWR) (g/mi)		(10,001-14,000		
*	,	* 1.10 *				*		*			*				· *		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

⊘ Air Resources Board

FORD MOTOR COMPANY

Executive Order: A-010-2100

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx and greenhouse gas Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Ánnètté Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

FORD MOTOR COMPANY

Executive Order: A-010-2100

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 3 of 4

OB Air Resources Board

							A	ГТАС	НМ	ENT								
	EXH	AUST	TANI	DEVA	POF	RATIVE	EMIS	SION S	ATA	IDAR	DS AND	CERTI	FIC	ATION	LEVELS	3		
		EXH	AUST	EMISS	ION S	TANDA	RDS AN	ID CERT	TIFIC/	ATION	LEVELS	(FTP, HW	FET,	50°F, 20)°F)			
10.	FUI	EL TY	CH4: mono adjust ORVF		de; No nent fa [g HC.	Ox: oxidactor; 2D /gallon o	es of nitr HS/3DH lispense	rogen; Ho IS [g HC/ d]: on-bo	CHO: /test]: oard re	formale 2/3 day fueling	dehyde; P ys diurnal vapor re	M: particu +hot-soak;	late r RL [gram	natter; R g HC/mi] ; mg: mil	HC; CO: ca AF: reactiv i: running li iligram; mi: al FTP	vity oss;		
					OG+N (g/mi)		CO (g/mi) CERT STD			NOx (g/mi)		HCHC (mg/m		_		M mi)		
					Г	STD			5	CERT	STD	CERT		STD	CERT	STD		
FTP@5	50K *			*		*	*	*		*	*	*		* . *		*		
FTP@L	E85-EPA		NE-	0.119		0.200	2.12	•		* (*)	* (*)	1.2	1	6 (6)	0.0004	0.008		
50°F @4	1K	*		*		*	*	*		*	*	*		*				
-				EUEL TVEE						N	MOG+N	Ox (g/mi)			CO (g/mi	O (g/mi)		
-	-				FUEL TYPE					С	ERT ·	STD		CER	Т	STD		
HWFE	@ 50K					*				*	*			-3H 1VI				
HWFET @ UL				E85-EPA (GASOLINE-TIER3 E10)						0.1699 0.200 (0.1449) (0.200)			550		0 + 4			
20°F	@ 50K					*				1.				*		*		
				SFTP E	XHA	UST EM	ISSION	STANDA	ARDS	AND	CERTIFIC	ATION LE	VEL	S				
						l	JS06			SC03			C		OMPOSITE			
	FUEL 1	UEL TYPE			NMOG+NOx (g/mi)		CO PM (g/mi) (mg/mi)			NMOG+NOx (g/mi)		CO (g/mi)			CO (g/mi)	PM (mg/mi)		
@ 4K	*		CERT		*		*		-	*		*						
	,	STD			*		*	-		*		*	*					
		В					* *		r	*		*	0.1813		7.96	1.1		
@ UL	E85-					_	*		*	,	•	*		*	(0.800	22.0	10
				_	-	, ,				-			0.1370		17.40	3.1		
	GASOL	GASOLINE- TIER3 E10 BI		OLINE- CERT			-		• •			-						
@ UL					*		*	,			*	*	0.000		22.0	10		
													*					
		WI	HOLE	VEHIC	EEV							ERTIFICA	ATIO	N LEVE	LS			
EVAPORATIVE ELE			THE T	TYPE				LE VEHICLE EVAP			IVE TEST				RL (g/mi) @ UL			
FAMILY			FUEL TYPE				STD FEL		CE	RT	STD			CEF	PT	STD		
JFMXF0265NAS		S	E10-EPA					.00 1.00		* 1.25		+ FEL			001 0.05			
		_							EMI	SSION		RDS AND	CE		TION LEV			
			3.421	· JAN	3.51							P & CANI						
EVAPORATIVE FAMILY		VE ORVR (g			(g/gallon) @ UL					DHS RIG TEST (g/test) @ UL		2DHS	2DHS RIG (g/test) @		BLEED C	LEED CANISTER ST (g/test) @ 4K		
		FUEL TYPE			ERT	STD				ERT	STD	CERT		STD	CERT	STD		
JFMXF0265NAS		SI	E10-E	PA	*	*		*		*	*	*	*		*	*		

California Environmental Protection Agency

⊘ Air Resources Board

FORD MOTOR COMPANY

Executive Order: A-010-2100

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 4 of 4

t: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; PZEV: partial ZEV; AT PZEV: advanced technology PZEV; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine: HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semiautomatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission

2018 MODEL YEAR: VEHICLE MODELS INFORMATION												
MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD	PZEV TYPE				
FORD	F350 INCOMPLETE 2WD FFV	MDV4	6.2	SA6	JFMXF0265NAS	1	P	*				
FORD	F350 INCOMPLETE 4WD FFV	MDV4	6.2	SA6	JFMXF0265NAS	1	P	*				