

FORD MOTOR COMPANY

Executive Order: A-010-2102

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

				TEST GROUP	INFORM	ATION				
MODE		EST GROUP	VEHIC	VEHICLE CLASS(ES)			ATEGORY	FUEL TYPE		
2018	JF	MXD06.761B		MDV4	DE		SINGLE FUEL HICLE	DIESEL		
l	JSEFUL	LIFE (miles)	VEH	IICLE EMISSION	CATEGO	ORY	INTERIM / INT	ERMEDIATE IN-USE STD		
EXH	ORVR	EVAP		FTP			FTP	SFTP		
120000 *			LEV	2 ULEV	*		*	. *		
SPE	CIAL FE	ATURES & EXI	HAUST EMISSION	ON CONTROL		OBD S	TATUS	ENGINE DISPLACEMENT		
1	TC, D	FI, CAC, EGF	S (2) RDQS	DPF, SCRC,	F	FULL *				
*			*		PA	RTIAL	*	6.7		
*			*			IAL WITH	ALL MODELS			
		EV	APORATIVE &	REFUELING (EV	AP/ORV	R) FAMILY	INFORMATION			
EVAP / ORVR FAMILY EVAPORATIVE STD CATEGOR							SSION STD CLASS	SPECIAL FEATURES		
	*			*				*		
				EMISSION CRED	IT INFOR	MATION		****		
	EDIT FO	X FLEET AVE. OR EXTENDED RRANTY		OG CREDIT FOR NON-PZEV ZERO-EVAP			REDIT FOR DOR	OPTIONAL EXH. STD FOR WORK TRUCKS		
		*		N			N	N		
			NMOG	AND FLEET AV	ERAGE	NFORMA	TION			
NMOG RAF	CH4 RAF	FTP NMOG/NMHC RATIO	HCHO/NMHC RATIO	HO/NMHC DT /3751 \/W-850				NMOG+NOX FLEET STE MDV (10,001-14,000 GVWR) (g/mi)		
*	*	*	*	*			*	*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.



FORD MOTOR COMPANY

Executive Order: A-010-2102

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx and greenhouse gas Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II system of the listed vehicle models has been determined to have four deficiencies. The listed vehicle models are approved subject to the manufacturer paying a fine of one hundred dollars (\$100) per vehicle for the third and fourth deficiencies in the listed test group that is produced and delivered for sale in California.

On a quarterly basis, the manufacturer shall submit to the Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2018 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$37,500 per vehicle pursuant to HSC Section 43154.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division



FORD MOTOR COMPANY

Executive Order: A-010-2102

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 3 of 4

			_														
							A	ΓTΑC	НМІ	ENT		٠.					
	EXHA	JST A	ND E	EVAP	OR	ATIVE	EMIS	SION	STAN	IDARD	S AND	CERTI	FIC	ATION	LEVEL	S	
	E	XHAUS	STEN	IISSIC	N S	TANDA	RDS AN	ND CER	TIFICA	TION L	EVELS (FTP, HW	FET,	50°F, 20	O°F)		
4	FUEL	FUEL TYPE		noxide ustme VR [g	t fa HC/	ox: oxid ctor; 2D gallon o	es of nitr HS/3DH lispense	rogen; H IS [g HC d]: on-bo	CHO: /test]: pard re	formalde 2/3 days fueling v	hyde; Ph diurnal+ apor rec	/: particu hot-soak;	late r RL [gram	matter; R g HC/mi ; mg: mi	HC; CO: c AF: react]: running Iligram; m al FTP	ivity loss;	
					NMHC (g/mi)		l .	CO g/mi)	/mi)	NOx (g/mi)		HCI- (mg/				PM /mi)	
				CERT		STD	CERT					CERT			CERT	STD	
FTP@5	ok .	*		*	+	*	*	*		*	*	*		*	*	*	
FTP@U		EL-EPA	0	.043	0	.143	0.2	6.	4	0.2	0.2	6.0		16	0.01	0.06	
50°F @4	ıĸ	*		*		* .	*	*		*	*	*		*			
	S. Charles				EIII	EL TVD	E				NOx (g	/mi)			CO (g/m	i) _	
	4 - 177	FUEL TYPE					_			CERT		STD		CERT		STD	
HWFET @ 50K				*						. *		*	*				
HWFET @ UL				DIESEL-EPA						0.1		0.4		1			
20°F	@ 50K					*								*		*	
-			SF	TP EX	HAL	JST EM	ISSION	STAND	ARDS	AND CE	RTIFICA	TION LE	VEL	S			
-			- JA	US06						SC03			COMPOSITE				
112 - 1 1 - 1	FUEL TY	LTYPE		NMHC+NOx (g/mi)		CO (g/mi)		PM (mg/mi)		+NOx ni)	CO (g/mi)	NMHC+NO (g/mi)		CO (g/mi	PM (mg/mi)		
@ 4K	*	, CE		*		*	The second secon				*						
		S	TD		*		*			*		*	A CONTRACTOR				
		CE	RT		*		*		*		*		*		*	*	
@ UL	*	S	TD		*		*		*	*		*	*		*	*	
		BI		e el ar		-1	- 1 - 1	15 m	- 4		'	U1257 7		*			
		WHOL	E VE	HICLE	EV							ERTIFICA	OITA	N LEVE	LS		
EVAPORATIVE FAMILY				WHOLE VEHICLE EVAP					ORATIVE TESTING				RL (g/mi) @ UL				
		FUEL TYP		PE	3DHS (g/test)		/test) @	@ UL		2DHS (g/test)		@ UL		K	L (g/mi) (D OF	
					CER	RT S	STD	FEL	CE	RT STD		FEL		CERT		STD	
*			* *			* *		*	*		*	*		* *			
C	RVR / FU	EL ON	Y/0	ANIS	TER	BLEEC	EVAPO	DRATIVE								ELS	
		-		,					_			& CANI					
EVAPORATIVE FAMILY		E ORVR (g/		g/gallo	/gallon) @ UL		FUEL TYPE			DHS RIG TEST (g/test) @ UL		2DHS RIG (g/test) @				ED CANISTER T (g/test) @ 4K	
		FUEL		-	_	STD			CE	RT	STD	CERT		STD	CERT	STD	
	*		k .	1		*		*		*	*	*		*	*	*	
		EFFEC	TIVE	LEA	KD	IAMET	ER ST	ANDAF	RD AN	ID CER	TIFICAT	ION LE	VEL	(INCH	ES)		
EVA	PORATIVE	FAMIL	Y	L	EA	K FAMI	LY		CERT				STD				
6			1														



FORD MOTOR COMPANY

Executive Order: A-010-2102

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 4 of 4

" =not applicable; UL=useful life; PC=passenger car; LDT=light-duty truck; LDT1=LDT<6000#GVWR,0-3750#LVW; LDT2=LDT<6000#GVWR,3751-5750#LVW; LDT3=LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4=LDT 6001-8500#GVWR,5751-8500#ALVW; MDV=medium-duty vehicle; MDV4=MDV 8501-10000#GVWR; MDV5=MDV 10001-14000#GVWR; MDPV=medium-duty passenger vehicle; ECS= emission control system; CERT= certification; STD= standard; FEL= family emission limit; LVW=loaded vehicle weight; ALVW=adjusted LVW; LEV=low emission vehicle; ULEV=ultra LEV; SULEV=super ULEV; PZEV=partial allowance zero-emission vehicle; AT PZEV=advanced technology PZEV; TZEV=transitional zero-emission vehicle; TWC/OC=3-way/oxidizing catalyst; ADSTWC=adsorbing TWC; WU=warm-up catalyst; NAC=NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3= selective catalytic reduction-urea/ammonia; NH3OC=ammonia oxidation catalyst; CTOX/PTOX= continuous/periodic trap oxidizer; DPF=diesel particulate filter (active); HO2S/O2S=heated/oxygen sensor; WR-HO2S or AFS=wide rage/linear/heated air-fuel ratio sensor; NOXS= NOx sensor; RDQS=reductant quality sensor; NH3S = ammonia sensor; EGR=exhaust gas recirculation; EGRC=EGR cooler; AIR/AIRE=secondary air injection (belt driven)/(electric driven); PAIR=pulsed AIR; SFI/MFI= sequential/ multiport fuel injection; DFI=direct fuel injection; TC/SC= turbo/super charger; CAC=charge air cooler; OBD(F)/(P)(B)=full/partial/both on-board diagnostic; DOR=direct ozone reducing; HCT=hydrocarbon trap; BCAN=bleed carbon canister; prefix 2=parallel; (2) suffix=series; CNG/LNG= compressed/liquefied natural gas; LPG=liquefied petroleum gas; E85="85%" ethanol ("15%"gasoline) fuel; E10="10%" ethanol ("90%"gasoline) fuel

2018 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD \$
FORD	F250 2WD BED DELETE DIESEL	MDV4	6.7	SA6	*		
FORD	F250 4WD BED DELETE DIESEL	MDV4	6.7	SA6	*	1	\$
FORD	F250 PICKUP 2WD DIESEL	MDV4	6.7	SA6 +	*	1	\$
FORD	F250 PICKUP 4WD DIESEL	MDV4	6.7	SA6	*	1	\$
FORD	F350 2WD BED DELETE DIESEL	MDV4	6.7	SA6	*	1	\$
FORD	F350 2WD DIESEL	MDV4	6.7	SA6	*	1	\$
FORD	F350 4WD BED DELETE DIESEL	MDV4	6.7	SA6	*	1	\$
FORD	F350 4WD DIESEL	MDV4	6.7	SA6	*	1	\$