

Executive Order: A-015-0795-1 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GRO	UP IN	IFOR	MATION					
MODE	- I T	EST GROUP		VEHICLE CLASS(ES)				FUEL (FUEL CATEGORY		FUEL TYPE		
2018	JN	SXT05.6N9A		LDT4 DEDICATED SINGLE FUEL VEHICLE					GASOLINE				
USEFUL LIFE (miles) VEHICLE EMISSION						ION C	ATEC	GORY	INTERIM / IN	ITER	MEDIATE IN-USE STD		
EXH	/ORVR	EVAP			FTP		SF	TP	FTP		SFTP		
12	0000	150000)	LEV	2 ULEV	L	EV 2	SFTP DARD	*		*		
SPE	CIAL FE	ATURES & EX	HAU:		ON CONTRO	L		OBD S	TATUS	E	NGINE DISPLACEMENT (L)		
1	1 2TWC(2), 2HO2S, 2WR-HO2S, DFI							FULL	*	II			
*	*						Р	ARTIAL	ALL MODELS	5.6			
*			*	P				TIAL WITH FINES	*				
		E,	/APC	RATIVE &	REFUELING	(EVA	P/OR	VR) FAMIL	Y INFORMATIO	N			
EVA	P / ORV	RFAMILY	EVA	PORATIVE	STD CATE	GORY		EVAP EMISSION STD VEHICLE CLASS SPECIAL FEAT			PECIAL FEATURES		
J	NSXR01	74PBA		L	EV 2		LDT4				*		
č	NSXR02	01PFA	L	EV 3 OPTI	ON2 WITH	FEL		LI)T4		*		
		-		E	EMISSION CI	REDIT	INFO	RMATION					
	EDIT FO	X FLEET AVE. OR EXTENDED RRANTY	- 1		EDIT FOR N ZERO-EVAP	F FOR NON-PZEV NMOG CREDIT FOR			REDIT FOR DO	OPTIONAL EXH. STD FOR WORK TRUCKS			
	и							N		N			
				NMOG	AND FLEET	ΓAVE	RAGE	INFORMA	TION				
NMOG RAF	CH4 RAF	FTP NMOG/NMHO RATIO		HCHO/NMHC RATIO NMOG+NOX FL PC+LDT (0-375 (g/mi)						0			
*	*	1.04		*	0	.079			0.092		*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.



Executive Order: A-015-0795-1

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c)(3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

This Executive Order hereby supersedes Executive Order A-015-0795 dated September 20, 2017.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this 28 day of February 2018.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division



Executive Order: A-015-0795-1

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 3 of 4

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

ENTINOUT EMILOGICA STRATEGICO NATO SERVITA IONITION ELECTRICATA INTERPRETATION I 20 I	EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°	F, 20°F
---	--	---------

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

FUEL TYPE

		NMOG (g/mi)								Ox HO		PM (g/mi)	
		CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD		
FTP@50K	GASOLINE - CA PHASE 2	0.011	0.040	1.1	1.7	0.04	0.05	*	8	*	*		
FTP@UL	GASOLINE - CA PHASE 2	0.014	0.055	1.4	2.1	0.04	0.07	*	11	*	0.01		
50°F @4K	*	*	*	*	*	*	*	*	*				

	FUEL TYPE	NOx	(g/mi)	CO (g/mi)		
	FUEL TYPE	CERT	STD	CERT	STD	
HWFET @ 50K	GASOLINE - CA PHASE 2	0.01	0.07			
HWFET @ UL	GASOLINE - CA PHASE 2	0.01	0.09			
20°F @ 50K	GASOLINE-COLD CO LOW OCTANE			3.2	12.5	

SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

				US06		SC03	3	COM	POSITE	
	FUEL TYPE		NMHC+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	NMHC+NOx (g/mi)	CO (g/mi)	NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi
@ 4K	GASOLINE - CA PHASE 2	CERT	0.04	7.0	- 10	0.01	0.6			
C		STD	0.60	11.8		0.44	4.0			
		CERT	*	*	*	*	*	0.044	*	*
@ III I	GASOLINE - CA PHASE 2	STD	*	*	*	*	*	0.097	*	*
		BIN						0.140		

WHOLE VEHICLE EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

			WHOLE	VEHICLE	EVAPORA	TIVE TESTII	NG			
EVAPORATIVE FAMILY	FUEL TYPE	3DH	S (g/test)	@ UL	2DHS (g/test) @ UL			RL (g/mi) @ UL		
		CERT	STD	FEL	CERT	STD	FEL	CERT	STD	
JNSXR0174PBA	GASOLINE - CA PHASE 2	0.44	0.90	*	0.39	1.15	*	0.000	0.05	
JNSKR0201PFA	GASOLINE- LEV3 E10	0.286	0.500	0.500	0.290	0.500	0.500	0.001	0.05	



Executive Order: A-015-0795-1

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 4 of 4

ORVR / FU	ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS												
					FUEL ONLY EVAP & CANISTER BLEED								
EVAPORATIVE FAMILY	ORVR (g/gallon) @ UL			FUEL TYPE		3DHS RIG TEST (g/test) @ UL		2DHS RIG TEST (g/test) @ UL		BLEED CANISTER TEST (g/test) @ 4			
	FUEL TY	PE CERT	STD			CERT	STD	CERT	STD	CERT	STD		
JNSXR0174PBA	GASOLINE TIER 2 UNLEADE	0.08	0.20	*		*	*	*	*	*	*		
JNSXR0201PFA	GASOLINI TIER3 E	1008	0.20	GASOL LEV3		*	*	*	*	0.012	0.020		
	EFFECTIV	E LEAK D	IAMET	ER STA	NDAR	D AND CE	RTIFICA	TION LEV	/EL (INCH	IES)			
EVAPORATIVE FAMILY LEAK FAMIL			Y CERT					STD					
JNSXR0201PFA JNSXR0201PFA				-22E		*			0.02				

*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3; LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4; LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle

2018 MODEL YEAR: VEHICLE MODELS INFORMATION

					<u>.</u>		
MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
NISSAN	TITAN 2WD	LDT4	5.6	SA7	JNSXR0174PBA	1	P
NISSAN	TITAN 2WD	LDT4	5.6	SA7	JNSXR0201PFA	1	P
NISSAN	TITAN 4WD	LDT4	5.6	SA7	JNSXR0174PBA	1	P
NISSAN	TITAN 4WD	LDT4	5.6	SA7	JNSXR0201PFA	1	P
NISSAN	TITAN 4WD PRO-4X	LDT4	5.6	SA7	JNSXR0174PBA	1	P
NISSAN	TITAN 4WD PRO-4X	LDT4	5.6	SA7	JNSXR0201PFA	1	P