# California Environmental Protection Agency

# **OB** Air Resources Board

DR. ING H.C.F.
PORSCHE
AKTIENGESELLSCHAFT

Executive Order: A-019-0250

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GR	OUP IN	FORMAT	ION					
MODE		EST G	ROUP	VEHIC	LE CLASS(ES)			FUEL CA	TEGORY	FL	FUEL TYPE		
2018	JF	RXV02	.5B82		PC DI				SINGLE FUEL	G	GASOLINE		
ı	USEFUL	LIFE	(miles)	VEH	ICLE EMISS	SION C	ATEGOR	Y	INTERIM / IN	TERMEDIA	TE IN-USE STD		
EXH	ORVR		EVAP		FTP				FTP		SFTP		
15	0000		150000	LEV3	ULEV125 LEV 3 COMPOSI			SITE	1		*		
SPE	CIAL FE	ATUR		AUST EMISSION	ON CONTRO	L		OBD ST	ATUS	ENGINE	DISPLACEMENT (L)		
1 TWC, 2HO2S, HO2S, TC, CAC, DFI								L	*				
*				*			PART	TIAL	2.0, 2.5				
*				*		PARTIA FIN		*					
		7	EV	APORATIVE &	REFUELING	(EVA	P/ORVR)	FAMILY	INFORMATIO	V			
EVA	P / ORV	R FAM	MILY	EVAPORATIVI	STD CATE	GORY		AP EMIS	SION STD CLASS	SPECIA	L FEATURES		
JPRXR0130R82					EV 2			PC			*		
					EMISSION C	REDIT	INFORM	ATION					
	A	LLOW	ANCE FO	R TEST GROU	P		MOG CR			REDIT FOR	OPTIONAL EXH STD FOR WORK		
BASE	LINE P	ZEV	AT	PZEV	TZEV	TZEV NON-PZEV ZERO-			ERO-EVAP DOR		TRUCKS		
	*			*	* N			N N		N	N		
				NMOG	AND FLEE	TAVE	RAGE IN	FORMAT	ION				
MOG RAF	NIMIT WE'N BUILDING			HCHO/NMHC RATIO	P(+1)1 (D-3			LDT (	NMOG+NOX FLEET STO LDT (3751 LVW-8500 GVWR) + MDPV (g/mi)		NMOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi)		
*	*		1.10	0.01		0.079	0.092				*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

**⊘** Air Resources Board

DR. ING H.C.F. PORSCHE AKTIENGESELLSCHAFT Executive Order: A-019-0250

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 4

### BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx and greenhouse gas Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

#### BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

DR. ING H.C.F. PORSCHE AKTIENGESELLSCHAFT

Executive Order: A-019-0250 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 4

# @ Air Resources Board

							A	TTAC	НМ	ENT							
	EXH	_										CERT				S	
FL		1		CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP													
				NMOG+NOx (g/mi)			CO (g/mi)			NOx (g/mi)		HCH(				PM /mi)	
				CERT		STD	CERT	STI	D	CERT	STD	CER	T	STD	CERT	STD	
FTP@50	OK	*		*		*	**	*		*	*	*	*		*	*	
FTP@U		GASOLINE- LEV3 E10		0.065	0	.125	0.4	2.:	1	*	*	0		4	0.00	0.01	
50°F @4	110	V3 E10		0.076	0	.250	0.2	2.:	1	*	1	0		16	Vince I	-	
					FUI	EL TYPE	-			NMOG+NO		x (g/mi)		CC		O (g/mi)	
				, TOLE THE						CERT		STD		CERT		STD	
HWFET	「@ 50K			*								*					
HWFE	T@UL			GASOLINE-LEV3 E				E10		0.007		0.125		1 - 1 - 3			
20°F @ 50K				GASOLINE-LEV3 E10										0.9 10.0			
			SI	TP E	(HAL	IST EMI	SSION	STAND	ARDS	AND C	ERTIFIC	ATION LI	EVELS	S			
14.00				US06						SC03				COMPOSITE			
1 = 1	FUEL 1	FUEL TYPE		NMOG+NOx (g/mi)			CO PM (g/mi) (mg/					CO (g/mi)	1	g/mi)	CO (g/mi	PM (mg/mi	
@ 4K	*		CERT	RT *					N.	,	*	*	- '				
		S			*		*			,	t	*			1751		
		ASOLINE- LEV3 E10		RT *		* *		fr	*		*	0.036		0.4	*		
@ UL					*		*	,	*	,	*	*	0	.097	4.2	*	
							131	100			-	la l	0	.070		4	
		WI	HOLE VE	HICLE	EV							ERTIFIC	ATION	LEVE	LS		
EVAPORATIVE		E ,	FUEL TY	PF	3DHS (g/test) @ UL				EVAP					RL (g/mi) @ UL			
FA	MILY	1022					TD FEL		CERT		STD	FEI	CER		et	STD	
JPRXR0130R82			ASOLIN TIER UNLEAD	LINE - ER 2 0.30 0						40 0.65		*			0	0.05	
C	RVR / F	UEL	ONLY /	CANIS	TER	BLEED	EVAPO	RATIVE	EMIS	SSIONS	TANDA	RDS AND	CER	TIFICA	TION LEV	/ELS	
EVAPORATIVE FAMILY							F			UEL ON	LY EVA	P & CANISTER BLE			ED		
		E	ORVR	g/gallo	g/gallon) @ UL		FUEL TYPE			3DHS RIG TEST (g/test) @ UL		2DHS RIG TES (g/test) @ UL				CANISTER test) @ 4K	
		FI	JEL TYP	TYPE CERT STD		STD			CE	RT STD		CERT	1	STD	CERT	STD	
JPRXR0130R82		2	SOLINE TIER 2	E - 0.02 0.20		*			*	*	*		*	*	*		

DR. ING H.C.F.
PORSCHE
AKTIENGESELLSCHAFT

Executive Order: A-019-0250

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 4 of 4

**⊘** Air Resources Board

not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; PZEV: partial ZEV; AT PZEV: advanced technology PZEV; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia: NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine: HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler, AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix; series; CNG/LNG; compressed/liquefied natural gas; LPG; liquefied petroleum gas; E85; "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission, SA: semiautomatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission

## 2018 MODEL YEAR: VEHICLE MODELS INFORMATION

						1		
MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVÉ FAMILY	EXH ECS	OBD	PZEV TYPE
PORSCHE	BOXSTER	PC	2.0	AMS7,M6	JPRXR0130R82	1	P	*
PORSCHE	BOXSTER S	PC	2.5	AMS7,M6	JPRXR0130R82	1	P	*
PORSCHE	CAYMAN	PC	2.0	AMS7,M6	JPRXR0130R82	1	P	*
PORSCHE	CAYMAN S	PC	2.5	AMS7,M6	JPRXR0130R82	1	P	*

