

Executive Order: A-019-0255

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following vehicles produced by the manufacturer are certified as plug-in hybrid electric vehicles pursuant to Title 13, California Code of Regulations (13 CCR) Sections 1961 or 1961.2, 1962.2, 1976, 1978 and the incorporated test procedures. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GR	OUP INFO	DRMAT	ION					
MODE! YEAR	- I TE	ST GROUP		VEHIC	E CLASS(ES)		FUEL	CATEGORY	1	FUEL TYPE		
2018	JP	RXV02.9PH6			PC				IN HYBRID		GASOLINE		
l	JSEFUL	LIFE (miles)		VEH	ICLE EMIS	SION CAT	TEGOR'	Υ	INTERIM	INTER	MEDIATE IN-USE STD		
EXH	EXH/ORVR EVAP FTP SFTP			SFTP		FT	P	SFTP					
150	0000	150000		LEV3	ULEV70	LEV 3	СОМРО	SITE	NMOG	NOX	NMOG+NOX		
SPECIAL FEATURES & EXHAUST EMISSION CONTROL OBD STATUS ENGINE DISPLACE (L)						NGINE DISPLACEMENT (L)							
1		2TWC, 2HO2S	(2),	DFI, TC	, CAC		FUL	.L	ALL MODE	LS			
*	*						PART	TAL	* 2.9				
*	* PARTIAL WITH * FINES												
	EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION												
EVAI	P / ORV	R FAMILY	EVAP	ORATIVE	STD CATE	EGORY		EVAP EMISSION STD VEHICLE CLASS			SPECIAL FEATURES		
J	PRXR01	70RPH		LEV 3	OPTION2				PC		*		
				E	MISSION	CREDIT IN	FORM	ATION					
ALLOWANCE FOR TEST GROUP AVE. CREDIT EXTENDED WAR			T FOR NON-PZEV Z			NMOG CPEDIT FO			OPTIONAL EXH. STD FOR WORK TRUCKS				
	,			N			N		N		N		
				NMOG	AND FLEE	T AVERA	GE INF	ORMA	ATION				
NMOG RAF	CH4 RAF	FTP NMOG/NMHC RATIO		O/NMHC ATIO	DC-11111 /0-3 /60 1		1			500	NMOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi)		
*	*	1.10	(0.01		0.079			0.092		*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.



Executive Order: A-019-0255

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c)(3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

day of April 2018.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division



Executive Order: A-019-0255 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 4

ATTACHMENT

EAHAUS	EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50 P, 20 P)	
	CHA: methane: NMOG: non-CHA organic das: HC: hydrocarbon: NMHC: non-CHA HC: CG). 02

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

FUEL TYPE

		NMOG+NOx (g/mi)		CO (g/mi)		NOx (g/mi)		HCHO (mg/mi)		PM (g/mi)	
		CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD
FTP@50K	+	*	*	+	*	*	+	1	*	+	*
FTP@UL	GASOLINE- TIER3 E10 PREM	0.040	0.070	0.7	1.7	*		0	4	0.00	0.01
50°F @4K	GASOLINE- TIER3 E10 PREM	0.032	0.140	0.1	1.7	*		0	16		

(2)	FUEL TYPE	. NMOG+I	NOx (g/mi)	CO (g/mi)	
	FUEL TYPE	CERT	STD	CERT	STD
HWFET @ 50K		1	*		
HWFET @ UL	GASOLINE-TIER3 E10 PREM	0.016	0.070		
20°F @ 50K	COLD CO E10 PREMIUM GASOLINE (TIER3)			3.8	10.0

SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

				US06		SC03	}	COMPOSITE		
	FUEL TYPE		NMOG+NOx (g/mi)	CO- (g/mi)	PM (mg/mi)	NMOG+NOx (g/mi)	CO (g/mi)	NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)
@ 4K	*	CERT				*	*			
@		STD		*		*	+		1	
		CERT	.*	**	+	+	+	0.036	1.1	*
	GASOLINE- TIER3 E10 PREM	STD		*	*	*	*	0.097	4.2	*
		BIN						0.080		

WHOLE VEHICLE EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EVAPORATIVE FUEL TYPE			WHOLE \						
	FUEL TYPE	3DH	S (g/test) (g UL	2Di	HS (g/test) @	RL (g/mij @ iJL		
	CERT	STD	FEL	CERT	ษาย	FEL	CERT	STD	
JPRXR0170RPH	GASOLINE- TIER3 E10 PREM	0.204	0.300	*	0.146	0.300	*	0.00	0.05



Executive Order: A-019-0255

New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 4 of 4

				FUEL ONLY EVAP & CANISTER BLEED								
EVAPORATIVE FAMILY	ORVR (g/gallon) @ UL			FUEL TYPE	3DHS RIG TEST (g/test) @ UL		2DHS RIG TEST (g/test) @ UL		BLEED CANISTER TEST (g/test) @ 4H			
	FUEL TYPE	CERT	STD		CERT	STD	CERT	STD	CERT	STD		
JPRXR0170RPH	GASOLINE- TIER3 E10 PREM	0.04	0.20	*		*	*	*	*			
	FFECTIVE I	LEAK D	IAMET	ER STANDAR	D AND CE	RTIFICA	TION LEV	EL (INCH	IES)			
EVAPORATIVE FAMILY		LEAK FAMIL		Y CERT			STD					
JPRXR0170RPH		JPRXR0170RPH-		-001	*					0.02		

*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS; wide range/linear/heated air-fuel ratio sensor; NOXS; NOx sensor; PMS; PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%" gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission, SCV: selectable continuously variable transmission, AM: automated manual transmission, AMS: automated manual-selectable transmission; OT; other transmission; AER; all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle

2018 MODEL YEAR: VEHICLE MODELS INFORMATION

MODEL NUMBER	MAKE	MODEL	VEH	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH	OBD
1	PORSCHE	PANAMERA 4 E- HYBRID	PC	2.9	AMS8	JPRXR0170RPH	1	F
2	PORSCHE	PANAMERA 4 E- HYBRID SPORT TURISMO	PC	2.9	AMS8	JPRXR0170RPH	1	F

ELECTRIC RANGE AND ZEV ALLOWANCE INFORMATION

MODEL	PHEV TYPE	UDDS AER	UDDS EAER	US06 AER	HIGHWA	ZEV	
NUMBER	PHEV ITPE	(MILES)	(MILES)	(MILES)	AER	EAER	ALLOWANCE
1	*	20.2 .	20.2	*	22.0	22.0	0.00
2	*	20.2	20.2	*	22.0	22.0	0.00