

Executive Order: A-019-0257

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following vehicles produced by the manufacturer are certified as plug-in hybrid electric vehicles pursuant to Title 13, California Code of Regulations (13 CCR) Sections 1961 or 1961.2, 1962.2, 1976, 1978 and the incorporated test procedures. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GR	OUP IN	IFOI	RMATION					
MODE YEAR	_	EST GROUP		VEHICLE CLASS(ES)				FUEL	CATEGORY		FUEL TYPE		
2018 JPRXV04.0PH8					PC I				IN HYBRID		GASOLINE		
USEFUL LIFE (miles) VEHICLE EMISSI						SION CATEGORY INTERIM / IN			NTER	ERMEDIATE IN-USE STD			
EXH	/ORVR	EVAP		FTP			S	SFTP FTP			SFTP		
15	0000	150000		LEV3	ULEV125	LEV	3 (COMPOSITE	SITE *		*		
SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS					DL		OBD	OBD STATUS		ENGINE DISPLACEMENT			
1	2TWC, 2H02S(2), DFI, 2TC, 2CAC							FULL	*				
*	*							PARTIAL	ALL MODELS		4.0		
*	*						PA	RTIAL WITH	1 .				
		EV	APOR	ATIVE &	REFUELIN	G (EVA	P/O	RVR) FAMIL	Y INFORMATIO	N			
EVAP / ORVR FAMILY EVAPORATIVE STD CATEGORY VEHICLE OF								SDECIAL EEATI					
J	PRXR01	70RPH	LEV 3 OPTION2				PC		*				
				E	MISSION	REDIT	INF	ORMATION					
ALLOWANCE FOR TEST GROUP TZEV NMOG+NOX FLE AVE. CREDIT FO					IT FOR	T FOR NON-PZEV			NINGGE CREDIT F		OR OPTIONAL EXH. ST		
	1	†		N		N			N		N		
				NMOG	AND FLEE	TAVE	RAC	SE INFORM	ATION				
NMOG RAF	CH4 NMOG/NMHC HCHO/NMHC PC+LDT (0-			(0-3750 LVW)		W) LD1	G+NOX FLEET S (3751 LVW-850 VR) + MDPV (g/r	00	NMOG+NOX FLEET STE MDV (10,001-14,000 GVWR) (g/mi)				
*	*	1.10	0	0.01 0.079					0.092		*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.



Executive Order: A-019-0257

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c)(3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

day of May 2018.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division



Executive Order: A-019-0257

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 3 of 4

ATTACHMENT

								Α Ι	IAC	IIIVII	~14 I							
	E	XHAL	JST	AND	EVA	PORA	TIVE EN	1188	NOI	STAN	IDAR	DS ANI	CERT	IFIC	ATION	LEV	ELS	
		E	XHA	UST	EMISS	ION STA	NDARDS	AN	D CER	TIFICA	TION	LEVELS	(FTP, HW	/FET	, 50°F, 20	°F)		
		FUEL	. TYF	r	nonoxid adjustm DRVR [de; NOx: ent facto g HC/gal	NMOG: no oxides of r; 2DHS/3 lon disper egrees Fa	nitro DHS	gen; H S [g HC]: on-bo	CHO: /test]: pard re	formald 2/3 day fueling	lehyde; F s diurnal vapor re	M: particu +hot-soak covery; g:	ulate ; RL gram	matter; R [g HC/mi] n; mg: mil	AF: ro : runr ligran	eactivi ning lo n; mi:	ty ss:
						OG+NOx (g/mi)			CO /mi)			lOx /mi)		HCH (mg/r			PN (g/m	1
	1				CERT	ST	D CE	RT	ST	D	CERT	STD	CER	Т	STD	CE	RT	STD
FTP@5	0K		*		*	*	,	k	*		*	*	*		*	1	,	*
FTP@L	GASOLINE-			0.033	0.1	25 0	. 3	2.	1	*	*	0		4	0.	00	0.01	
50°F @4	4K	GASO TIER PF			0.136	0.2	50 0	. 3	2.	1	*	*	1		16			
					FUEL TYPE					N	NMOG+NOx (g/mi)			CO (g/mi)				
						POEL TIPE				CE	RT	RT STD		CERT		;	STD	
HWFET	Γ@	50K				*					*	*						
HWFE	HWFET @ UL GAS			GASOL	LINE-TIER3 E10 PREM					0.	012	0.125	5					
20°F	@ 5	50K	CO	LD C	E10	0 PREMIUM GASOLINE (TIER3)									0.4		1	.0.0
				5	SFTP E	XHAUST	EMISSIC	ON S	TAND	ARDS	AND C	ERTIFIC	ATION L	EVEL	.s		1	
	US06										SC03	1		co	MPO	SITE		
	FUEL TYP		EL TYPE					PM		NMOG+NOx		I		MOG+NOx		co	PM	
					1 ((g/mi)	(g/m	i)	(mg	/mi)	(g	/mi)	(g/mi)		(g/mi)	(5	J/mi)	(mg/mi)
@ 4K		*		CERT		*	*	*				*		*				
				STD		*	*					*	*					
		ASOLINE-		CER	* *		*	*		t	*		*		0.026		0.2	*
@ UL				STD	D *		*	*		*		*			0.097		4.2	*
			BI												0.100			
			WH	OLE V	/EHICL	E EVAP	ORATIVE	EMI	ISSION	STAN	DARD	S AND	CERTIFIC	ATIO	N LEVEL	S		
							WHOLE	VE	HICLE	EVAP	ORATI	VE TES	TING					
	OR	ATIVE LY	F	UEL T	YPE		S (g/test)					2DHS (g/test) @ UL			RL (g/mi) @ UL			
						CERT	STD	_	FEL	CE	RT	STD	FE	L	CER	Τ	-	STD
JPRXR	01	70RPH		ASOLI IER3 PRE	E10	0.204	0.300		*	0.1	46	0.300	*	*		0.00		0.05



Executive Order: A-019-0257

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 4 of 4

				FUEL ONLY EVAP & CANISTER BLEED								
EVAPORATIVE FAMILY	ORVR (g/gallon) @ UL			FUEL TYPE		IG TEST) @ UL	2DHS R (g/test		BLEED CANISTER TEST (g/test) @ 4h			
	FUEL TYPE	CERT	STD		CERT	STD	CERT	STD	CERT	STD		
JPRXR0170RPH	GASOLINE- TIER3 E10 PREM	E10 0.04 0.20		*	*	*		*	*	*		
	EFFECTIVE I	LEAK D	IAMET	ER STANDAR	D AND CE	RTIFICA	TION LEV	EL (INCH	IES)			
EVAPORATIVE FAMILY		LEA	K FAMIL	Y	RT		STD					
JPRXR0170	RPH	JPRXR0	170RPH	-001	1		0.02					

*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1; LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%" gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle

2018 MODEL YEAR: VEHICLE MODELS INFORMATION

MODEL NUMBER	MAKE	MODEL	VEH	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	ECS	OBD
1	PORSCHE	PANAMERA TURBO S E-HYBRID	PC	4.0	AMS8	JPRXR0170RPH	1	P
2	PORSCHE	PANAMERA TURBO S E-HYBRID EXECUTIVE	PC	4.0	AMS8	JPRXR0170RPH	1	P
3	PORSCHE	PANAMERA TURBO S E-HYBRID SPORT TURISMO	PC	4.0	AMS8	JPRXR0170RPH	1	P

ELECTRIC RANGE AND ZEV ALLOWANCE INFORMATION

MODEL	PHEV TYPE	UDDS AER	UDDS EAER	US06 AER	HIGHW	ZEV	
NUMBER	PREV TIPE	(MILES)	(MILES)	(MILES)	AER	EAER	ALLOWANCE
3	*	19.1	19.1	*	20.5	20.5	0.00
1	*	19.1	19.1	*	20.5	20.5	0.00
2	*	19.1	19.1	. *	20.5	20.5	0.00