California Environmental Protection Agency

OP Air Resources Board

KIA MOTORS CORPORATION Executive Order: A-314-0270

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GR	OUP INFO	RMATION					
MODE	ODEL TEST GROUP VEHIC			VEHIC	CLE CLASS(ES)			FUEL CATEGORY			JEL TYPE	
2018 JKMKV01.6DA6				PC		ED SIN	IGLE FUEL	GASOLINE				
1	USEFUL LIFE (miles) VEHICLE EMISSION CATEGORY INTERIM / INTERMEDIATE						TE IN-USE STD					
EXH	/ORVR	EV	AP		FTP		SFTP		FTP		SFTP	
15	0000	150	000	LEV3	ULEV125	LEV 3	COMPOSITE		*		*	
SPE	CIAL F		EXHA	UST EMISSIO	ON CONTRO	DL	ОВД	STATI	us	ENGINE	DISPLACEMENT (L)	
1	I	FI, WR-H	D2S, I	HO2S, WU-TW	C, TWC		FULL	1	*			
*				¹*			PARTIAL		*		1.6	
*	*					P	PARTIAL WITH ALL MODELS					
			EVA	PORATIVE &	REFUELING	G (EVAP/	DRVR) FAM	LY INF	ORMATION			
EVA	P / ORV	R FAMILY	E	VAPORATIVE	STD CATE	GORY	EVAP E VEHIC	MISSIC		SPECIA	L FEATURES	
J	KMKR0	204BG	1	LEV 3	OPTION2		PC				*	
J	KMKR01	104AG		LEV 3	OPTION2			PC			*	
J	KMXR0	104BG		LEV 3	OPTION2			PC			*	
				· E	MISSION C	REDIT IN	FORMATIO	N·				
	A	LLOWANC	E FOR	TEST GROU	P		OG CREDIT		NMOG CRE		OPTIONAL EXH STD FOR WORK	
BASE	ELINE P	ZEV	AT P	ZEV	TZEV	NON-	PZEV ZERO	-EVAP	DOF	8	TRUCKS	
	*	. (*		*		N		N		N	
				NMOG	AND FLEE	T AVERA	GE INFORM	ATION	l			
NMOG RAF	PAE NMOG/NMHC PATIO PC+LDT (0-3			750 LVW) LDT (3751 I		51 LVW-8500 MDV		NOX FLEET STD (10,001-14,000 VWR) (g/mi)				
*					0.079				*			

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

California Environmental Protection Agency

⊘ Air Resources Board

KIA MOTORS
CORPORATION

Executive Order: A-314-0270

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles
Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx and greenhouse gas Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

For evaporative families JKMXR01204BG, JKMXR01104AG and JKMXR01104BG, the manufacturer has attested to compliance with the 0.02 inch effective leak diameter standard in 13 CCR Section 1976(b)(1)(G)6 ["Effective Leak Diameter Standard And Procedure"].

BE IT FURTHER RESOLVED:

The listed vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II (OBD) system of the listed vehicle models has been determined to have nine deficiencies. The listed vehicle models are approved subject to the manufacturer paying a fine of \$175 per vehicle for the third through ninth deficiencies for each vehicle in the listed test group that is produced and delivered for sale in California.

On a quarterly basis, the manufacturer shall submit to the Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2018 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$5000 per vehicle pursuant to HSC Section 43154.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this ______ day of June 2017.

L Zou

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

KIA MOTORS CORPORATION Executive Order: A-314-0270

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 3 of 4

OB Air Resources Board

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS	(FTP	, HWFET, 50°F	, 20°F)
---	------	---------------	---------

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

FUEL TYPE

4		NMOG+NOx (g/mi)		CO (g/mi)		NOx (g/mi)		HCHO (mg/mi)		PM (g/mi)			
		CERT	STD .	CERT	STD	CERT	STD	CERT	STD	CERT	STD		
FTP@50K	*	*	*	*	*	*	*	*.	*	*	*		
FTP@UL	GASOLINE- TIER3 E10	0.040	0.125	0.8	2.1	*		*	4	*	0.01		
50°F @4K	GASOLINE- TIER3 E10	0.064	0.250	1.2	2.1	*		* /	16				

7 - 1	FUEL TYPE	NMOG+N	lOx (g/mi)	CO (g/mi)		
	FUEL TYPE	CERT	STD	CERT	STD	
HWFET @ 50K	*	•	*		12 i.,	
HWFET @ UL	GASOLINE-TIER3 E10	0.029	0.125	423	TE THE	
20°F @ 50K	COLD CO E10 REGULAR GASOLINE (TIER3)		115-11	1.6	10.0	

SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

1177		1	US06			SC03	3	COMPOSITE		
	FUEL TYPE		NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	NMOG+NOx (g/mi)	CO (g/mi)	NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)
@ 4K	*	CERT	*			*	*			
		STD		*	The T	*	*		1 7 -	
		CERT	* :	*	*	*	*	0.042	1.8	*
@ UL	GASOLINE- TIER3 E10	STD	*	*	*	*	*	0.097	4.2	*
		BIN		- 4 2-	, A.		1	0.130		

WHOLE VEHICLE EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EVAPORATIVE FAMILY)		WHOLE						
	FUEL TYPE	3DH	S (g/test) (g UL	2D	HS (g/test) @	RL (g/mi) @ UL		
, , , , , , ,		CERT	STD	FEL	CERT	STD	FEL	CERT	STD
JKMXR01104AG	GASOLINE- LEV3 E10	0.250	0.300	*	0.186	0.300	*	0.01	0.05
JKMXR01104BG	GASOLINE- LEV3 E10	0.215	0.300	*	0.197	0.300	*	0.01	0.05
JKMXR01204BG	GASOLINE- LEV3 E10	0.215	0.300	*	0.197	0.300	* .	0.01	0.05

KIA MOTORS CORPORATION Executive Order: A-314-0270

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 4 of 4

OB Air Resources Board

OD/D / E//			51.555	5) / A D O D A T D / E	FAMICALON		200 4110	05551510	710111 51		
ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS									ELS		
		FUEL ONLY EVAP & CANISTER BLEE							ĒD		
EVAPORATIVE FAMILY	ORVR (g/g	gallon) @) UL	FUEL TYPE		3DHS RIG TEST (g/test) @ UL		2DHS RIG TEST (g/test) @ UL		BLEED CANISTER TEST (g/test) @ 4K	
	FUEL TYPE	CERT	STD		CERT	STD	CERT	STD	CERT	STD	
JKMXR01204BG	GASOLINE- TIER3 E10	0.02	0.20	GASOLINE- LEV3 E10	*	*	*	*	0.005	0.020	
JKMXR01104AG	GASOLINE- TIER3 E10	0.02	0.20	GASOLINE- LEV3 E10	*	*	*	* .	0.002	0.020	
JKMXR01104BG	GASOLINE- TIER3 E10	0.02	0.20	GASOLINE- LEV3 E10	*	*	*	*	0.005	0.020	

: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; PZEV: partial ZEV; AT PZEV: advanced technology PZEV; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAG: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semiautomatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT; other transmission

2018 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MAKE MODEL VE		ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD	PZEV TYPE
KIA	RIO	PC	1.6	M6,SA6	JKMXR01104BG	1	\$	*
KIA	RIO	PC	1.6	M6,SA6	JKMXR01204BG	1	\$	*
KIA	SOUL	PC	1.6	M6,SA6	JKMXR01104AG	1	\$	*