## California Environmental Protection Agency

**⊘** Air Resources Board

ASTON MARTIN LAGONDA LIMITED Executive Order: A-098-0056

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

							TEST GRO	UP	IN	FORMAT	ION						
MOD		TEST GROUP			VEHICLE CLASS(ES)					FUEL CATEGORY				FUEL TYPE			
201	8	JASXV05.2AM5			PC				DED:	DEDICATED SINGLE FUEL VEHICLE			GASOLINE				
USEFUL LIFE (miles)						VEHICLE EMISSION CATEGO				ATEGOR	RY INTERIM / INT			ERI	ERMEDIATE IN-USE STD		
EXH/ORVR EVAP					FTP			SFTP			FTP		SFTP				
150000 150000				CEF	ULEV OPTION RTIFYING TO LEV3 ULEV NMOG+NOX	FYING TO LEV 2 SFT 3 ULEV STANDARD				*			*				
SPECIAL FEATURES & EXHAUST EMISSION CONTR							SION CONTRO	L		OBD STATUS			ıs	ENGINE DISPLACEMENT			
1	2WU	2WU-TWC, 2TWC, 2WR-HO2S, 2HO2S, 2TC, 2CAC, SFI, AIRE								FUI	LL		*				
*	*									PART	TIAL	ALL MODELS			5.2		
*	* *										TIAL WITH *						
	EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION																
EVAP / ORVR FAMILY EVAPORATIVE STD CATEGORY VEHICLE CLASS SPECIAL FEATUR										L FEATURES							
	JASXR0160P1Y						LEV 2				PC				*		
					-		EMISSION CI	RED	IT	INFORM	ATION						
		Al	LLOW	VANCE F	OR TE	ST GR	OUP		N	IMOG CR	EDIT FO	DR.	NMOG CR	EDI	T FOR	OPTIONAL EXH. STD FOR WORK	
BAS	SELII	NE PZ	ZEV	A <sup>-</sup>	PZE	/	TZEV		10	N-PZEV	ZERO-E	VAP	DO	DR		TRUCKS	
	* * *								N			N N					
						NN	OG AND FLEET	ΓΑν	ÆΙ	RAGE IN	FORMA	TION					
NMO(	- 1 -					HO/NMI RATIO	PC+LDT (	NMOG+NOX FLE PC+LDT (0-3750 (g/mi)			LDT	OG+NOX FLEET STE DT (3751 LVW-8500 /WR) + MDPV (g/mi)			NMOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi)		
*	* 1.04 * 0					.12	5	5 0.125 *				*					

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

# @ Air Resources Board

ASTON MARTIN LAGONDA LIMITED Executive Order: A-098-0056

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 4

### BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx and greenhouse gas Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

#### BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this \_\_\_\_\_ day of October 2017.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

**ASTON MARTIN** LAGONDA LIMITED

Executive Order: A-098-0056 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 4

# **⊘** Air Resources Board

GASOLINE -

TIER 2 UNLEADED

JASXR0160P1Y

0.39

0.50

						A.	TTAC	HME	ENT		,						
													ATION L		)		
	E	XHAL											, 50°F, 20°				
	FUEL	FUEL TYPE		noxide justmer RVR [g	; NOx: or nt factor; HC/gallo	kides of nit 2DHS/3DH n dispense	rogen; l IS [g Ho d]: on-b	HCHO: 1 C/test]: 2 loard re	ormalde 2/3 days fueling	ehyde; P s diurnal vapor rec	M: particu +hot-soak covery; g:	ılate ; RL gran	non-CH4 H0 matter; RA [g HC/mi]: m; mg: milli pplemental	F: reactive running I gram; mi:	vity oss;		
	-				G+NOx /mi)		CO (g/mi)		NOx (g/mi)		HCH (mg/n			-			
- 1	2			CERT	STD	CERT		rD. (	CERT	STD	CER	-	STD	CERT	STD		
FTP@50	ok ,	r		*	*	*	1		*	*	*		*	PIC; CO: car AF: reactivi : running lo ligram; mi: al FTP  PIM (g/m CERT  *  CO (g/mi) T  B  SMPOSITE CO (g/mi)  *  *  *  LS	*		
FTP@U		INE R 2 ADED	0	.0428	0.12	0.52	2.	.1	*	*	*		11	*	0.01		
50°F @4		INE R 2 ADED	0	.092	0.25	0.76	2	.1	*	*	*		16	- V-			
					FUEL TYPE					NMOG+NOx (g/mi)							
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			, ,						CERT		STD				STD		
HWFET	HWFET @ 50K			*				,	k .	*	* 2001 A		Same to				
HWFET@UL GASOLIN				OLINE	NE - TIER 2 UNLEADED				0.0116		0.125	0.125					
20°F	20°F@50K GASOLI			OLINE	INE - TIER 2 UNLEADED							2.5		3 10.0			
			SF	TP EX	HAUST I	MISSION	STANE	DARDS	AND C	ERTIFIC	ATION L	EVE					
(P-		-	4			US06				SC03	3			//POSITE			
\\	FUEL TY	PE	1		C+NOx /mi)	(g/mi)	1	PM g/mi)	NMHC+NOx (g/mi),		CO (g/mi)				PM (mg/mi)		
@ 4K	GASOLINE TIER 2	2	CERT	0.	099	3.19	-		0.	06	0.48						
		-	STD	0	.14	8.0			0.	20	2.7		1 - 1 - 1	C; CO: carbon C; CO: carbon C; CO: carbon C; reactivitr running los igram; mi: n I FTP  PM (g/m CERT *  *  *  CO (g/mi)  S  MPOSITE CO (g/mi)  *  *  *  *  *  *  *  *  *  *  *  *  *	10,45.		
		ASOLINE - TIER 2 S				*	* *		*		*		0.0656	*	*		
@ UL	TIER 2					*					*		0.097	*	*		
			BIN					= '	1				0:090				
		WHO	LE VE	HICLE	EVAPO	RATIVE E	MISSIO	N STAN	NDARD	SAND	CERTIFIC	ATI	ON LEVEL	S			
						WHOLE V	EHICLI	EEVAP	ORATI	VE TES	TING						
	ORATIVE	FUE		FUEL TYPE			3DHS (g/test) @ UL				2DHS (g/test) @ UL				RL	(g/mi) @	) UL
				. [	CERT	RT STD FEL CI		CE	RT	RT STD		L	CERT		STD		
				_													

0.49

0.65

0.00

0.05

ASTON MARTIN LAGONDA LIMITED Executive Order: A-098-0056

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 4 of 4

# OPVE / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

OKVK / FOLL ONLT / CANISTEK BELED EVAFORATIVE EMILOSION STANDARDS AND SERVIN ISATION ELVELS														
				FUEL ONLY EVAP & CANISTER BLEED										
EVAPORATIVE FAMILY	ORVR (g/gallon) @ UL			FUEL TYPE	3DHS RIG TEST (g/test) @ UL			IG TEST ) @ UL	BLEED CANISTER TEST (g/test) @ 4K					
	FUEL TYPE	CERT	STD		CERT	STD	CERT	STD	CERT	STD				
JASXR0160P1Y	GASOLINE - TIER 2 UNLEADED	0.01	0.20	*	*	*	*	*	*	*				

: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR.5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; PZEV: partial ZEV; AT PZEV: advanced technology PZEV; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst: NAC: NOx adsorption catalyst: SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semiautomatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission: AMS: automated manual-selectable transmission: OT: other transmission

## 2018 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD	PZEV TYPE
ASTON MARTIN	DB11	PC	5.2	SA8	JASXR0160P1Y	1	P	*