

Executive Order: A-003-0666-1 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

	TEST GROUP INFORMATION											
MODE	I TE	ST GROUP		VEHICLE CLASS(ES) FUEL CATEGORY FUEL TYPE					FUEL TYPE			
201	э км	BXJ02.0U2C		Li	DT2, PC		1		SINGLE FUEL HICLE		GASOLINE	
	USEFUL	LIFE (miles)		VEH	ICLE EMISS	ION C	ATE	GORY	INTERIM / IN	TERM	EDIATE IN-USE STD	
EXI	H/ORVR	EVAP			FTP		SF	TP	FTP		SFTP	
1.	50000	150000)	LEV3	ULEV70	LEV	3 CC	MPOSITE	*		PM	
SPI	CIAL FE	ATURES & EX	HAU		ON CONTRO	L		OBD S	TATUS	EN	GINE DISPLACEMENT (L)	
1	TT	NC, WR-HO2S	но	2S, DFI,	TC, CAC			FULL	*			
*			*				Р	ARTIAL	*		2.0	
*			*					TIAL WITH FINES	ALL MODELS	S		
	1.0	E	VAPO	ORATIVE &	REFUELING	(EVA	P/OR	VR) FAMILY	INFORMATION	V		
EV	AP / ORV	R FAMILY	EV	APORATIVE	STD CATE	TEGORY EVAP EMISSION STD VEHICLE CLASS SPECIAL			PECIAL FEATURES			
	KMBXR01	55LNC	L	EV 3 OPTI	ON2 WITH	FEL		F	PC		*	
				E	EMISSION C	REDIT	INFO	RMATION				
	REDIT FO	X FLEET AVE. PR EXTENDED RRANTY			EDIT FOR N ZERO-EVAP	NIMOG C			IOG CREDIT FOR DOR		OPTIONAL EXH. STD FOR WORK TRUCKS	
		N			N				N		N	
				NMOG	AND FLEE	TAVE	RAGI	INFORMA	TION			
NMOG RAF				0-375		V) LDT	+NOX FLEET S (3751 LVW-8500 R) + MDPV (g/m					
*	*	1.10		0.018	C	.072			0.083		*	

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



Executive Order: A-003-0666-1 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The listed vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II (OBD) system of the vehicles has been determined to have six (6) deficiencies. The listed vehicle models are approved subject to the manufacturer paying a fine of one hundred dollars (\$100) per vehicle for the third through sixth deficiencies in the listed test group that is produced and delivered for sale in California.

On a quarterly basis, the manufacturer shall submit to the Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2019 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$37,500 per violation per vehicle pursuant to HSC Section 43154.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations. This Executive Order hereby cancels and supersedes Executive Order A-003-0666 dated August 10, 2018.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this _

Allen Lyons, Chief

Emissions Certification and Compliance Division



Executive Order: A-003-0666-1

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 3 of 4

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

FUEL TYPE

		NMOG (g/i	\$400000 BOX	C (g/i	O mi)	N((g/i	Ox mi)	HC (mg		P (g/s	M mi)
		CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD
FTP@50K	*	*	*	*	*	*	*	*	*	*	*
FTP@UL	GASOLINE- LEV3 E10 PREM	0.031	0.070	0.2	1.7	*	*	. 0.3	4	0.0028	0.003
50°F @4K	GASOLINE- LEV3 E10 PREM	0.071	0.140	0.4	1.7	*	*	0.9	16		

	FUEL TYPE	NMOG+N	Ox (g/mi)	CO (g/mi)		
	FUEL TIPE	CERT	STD	CERT	STD	
HWFET @ 50K	*	*	*			
HWFET @ UL	GASOLINE-LEV3 E10 PREM	0.010	0.070		(1) 10 mm (1)	
20°F @ 50K	GASOLINE-COLD CO HIGH OCTANE			1.3	10.0	

SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

			US06			SC03	3	COMPOSITE		
9 cm 2 m 100	FUEL TYPE		NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	NMOG+NOx (g/mi)	CO (g/mi)	NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)
@ 4K	*	CERT	*	*		*	*			
		STD	*	* *		*	*			
		CERT	*	*	3.2	*	*	0.025	0.2	.*
@ UL	GASOLINE- LEV3 E10 PREM	STD	*	*	6	*	*	0.090	4.2	*
		BIN	70 4		14			0.040		

WHOLE VEHICLE EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

			WHOLE \						
EVAPORATIVE FAMILY	FUEL TYPE	3DH	S (g/test) @	D UL	2DI	HS (g/test) (@ UL	RL (g/n	ni) @ UL
		CERT	STD	FEL	CERT	STD	FEL	CERT	STD
KMBXR0155LNC	GASOLINE- LEV3 E10 PREM	0.262	0.300	0.275	*	0.300	0.275	0.00	0.05



Executive Order: A-003-0666-1

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 4 of 4

OBVP / FUI	EL ONLY / CA	NISTER	BLEED	EVAPORATIVE	EMISSION	STANDA	RDS AND	CERTIFICA	ATION LEV	ELS
OKVK71 O	L ONLI 7 OX				FUEL C	NLY EVAI	P & CANIS	TER BLEE	D	
EVAPORATIVE FAMILY	ORVR (g/gallon) @ UL		FUEL TYPE	3DHS RIG TEST (g/test) @ UL		2DHS RIG TEST (g/test) @ UL		BLEED CANISTER TEST (g/test) @ 4K		
FAMILI	FUEL TYPE	CERT	STD	10221112	CERT	STD	CERT	STD	CERT	STD
KMBXR0155LNC	GASOLINE- TIER3 E10 PREM		0.20	GASOLINE- LEV3 E10 PREM	*	*	*	*	0.014	0.020
		FAKE	LABSET	ER STANDAR	D AND CE	RTIFICA	TION I EV	EL (INCH	IES)	

EFFECTIV	E LEAK DIAMETER STA	NDARD AND CERTIFICATION LI	EVEL (INCHES)
EVAPORATIVE FAMILY	LEAK FAMILY	CERT	STD
KMBXR0155LNC	KMBXR0155LNC-LNC	*	0.02

*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi -automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

2019 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	MODEL VEH CLASS ENGINE (L) TRA		TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
	E 300	PC	2.0	A9	KMBXR0155LNC	EXH ECS 1 1 1 1	\$
MERCEDES BENZ		PC	2.0	A9	KMBXR0155LNC	1	\$
MERCEDES BENZ	E 300 4MATIC	PC	2.0	A9	KMBXR0155LNC	1	\$
MERCEDES BENZ	GLC 300			A9	KMBXR0155LNC	1	\$
MERCEDES BENZ	GLC 300 4MATIC	LDT2	2.0	A3	10.00.00		
MERCEDES BENZ	GLC 300 4MATIC (COUPE)	LDT2	2.0	A9	KMBXR0155LNC	1	\$