

DAIMLER AG

Executive Order: A-003-0660-1

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

TEST GROUP INFORMATION													
MODE	_ T	ST GROUP		VEHICL	IICLE CLASS(ES)			ATEGORY		FUEL TYPE			
2019	КМ	BXT03.0U2B		LD'	T3, LDT4		DEDICATED SINGLE FUEL VEHICLE			GASOLINE			
	USEFUL	LIFE (miles)	100	VEHICLE EMISSION CATEGORY				Y INTERIM / INTERMEDIATE IN-USE STI					
EXH/ORVR EVAP				FTP SF			FTP	FTP		SFTP			
15	50000	150000	86.00	LEV3	ULEV125	LEV 3	COMPOSITE	*		*			
SPE	CIAL FE	ATURES & EXI	HAUS'		ON CONTRO	100 mm	TATUS	ENGINE DISPLACEMENT					
1	1 DFI, 2TC, CAC, 2WR-HO2S, 2HO2S, 2TWC FULL *												
*	* PARTIAL *									3.0			
*	* PARTIAL WITH FINES ALL MODELS												
	EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION												
EVA	P / ORV	RFAMILY	EVAF	ORATIVE	STD CATE	ATEGORY EVAP EMISSION STD VEHICLE CLASS				SPECIAL FEATURES			
1	KMBXR01	70LNF	LE	V 3 OPTI	ON2 WITH	FEL	LI	ЭТ3		*			
				E	EMISSION C	REDIT IN	ORMATION						
	EDIT FO	X FLEET AVE. PR EXTENDED RRANTY			EDIT FOR N ZERO-EVAP	ON-PZEV	NMOG CREDIT FOR DOR			OPTIONAL EXH. STD FOR WORK TRUCKS			
N N							N N						
NMOG AND FLEET AVERAGE INFORMATION													
NMOG RAF	NMOG/NMHC DC+1 DT /0-3				0-3750 L\	(W) LDT (3751 LVW-8500 MDV (10,001-14,			MOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi)				
*	* 1.10 0.018 0.072							0.083 *					

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



DAIMLER AG

Executive Order: A-003-0660-1 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II system of the listed vehicle models has been determined to have five deficiencies for models: AMG GLE 43 4MATIC, and AMG GLE 43 4MATIC coupe; and six deficiencies for models: GLE 400 4MATIC, and GLS 450 4MATIC. The listed vehicle models are approved subject to the manufacturer paying a fine of seventy five dollars (\$75) per vehicle for the aforementioned vehicle models with five deficiencies, a fine of one hundred dollars (\$100) per vehicle for the aforementioned vehicle models with six deficiencies in the listed test group that are produced and delivered for sale in California.

On a quarterly basis, the manufacturer shall submit to the California Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2019 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$37,500 per violation per vehicle pursuant to HSC Section 43154.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations. This Executive Order hereby cancels and supersedes Executive Order A-003-0660 dated August 17, 2018.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this 2011 day of August 2019.

Allen Lyons, Chief

Emissions Certification and Compliance Division



KMBXR0170LNF

FUEL TYPE | CERT |

0.02

GASOLINE-

TIER3 E10

PREM

DAIMLER AG

Executive Order: A-003-0660-1 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 4

CERT

0.017

STD

0.020

ATTACHMENT

								IIAC																	
										Committee of the last of the l	OS AND					LS									
	E	XHA									_EVELS (
	FUEL			CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP																					
	7) L)G+NOx g/mi)		(CO g/mi)			IOx /mi)		HCH(PN (g/m									
				CERT	STE	,	CERT		D	CERT	STD	CER	T	STD	CER	г	STD								
FTP@50	K	*		*	*		*	*		*	*	*		*	*		*								
FTP@U	L TIER	GASOLINE- TIER3 E10 PREM		0.069	0.12	5	0.6	2.:	1	*	*	1.0		4	*		0.01								
50°F @4	K	*		*	*		*	*		*	*	*		*	1 To 1 To 1	· 新人									
- 1/2	397				EUEL 1	VDE	=			N	MOG+NC	x (g/mi)			CO (g/	mi)									
	1.65			FUEL TYPE						CI	CERT STD			CER	T	STD									
HWFET	HWFET @ 50K				*					*		*		mar with good of the											
HWFE.	HWFET @ UL GASOL					SOLINE-TIER3 E10 PREM					0.040 0.125		5												
20°F (@ 50K	СО	LD CO	E10	PREMIUM	GA	SOLIN	E (TIEF	3)	43		grangen albe		0.8		1	.2.5								
	-		S	FTP E	XHAUST	EMI	SSION	STAND	ARDS	AND C	ERTIFIC	ATION LI	EVEL	S											
		FUEL TYPE		ž		U	US06			SC03				COMPOSITE											
	FUEL TY			NMOG+NOx (g/mi)			CO (g/mi)		PM (mg/mi)		NMOG+NOx (g/mi)		NMOG+NOx (g/mi)		(g/r	_	PM (mg/mi)								
@ 4K	*	* CEI		RT *		*				*	*					14 mm									
					* *					*															
		-		RT *		* ,		*	*		*	(0.062	1.	0	*									
@ UL	TIER3 E					3 E10 STD		R3 E10 STD		3 E10 STD		го *			*		*		*		(0.090		2	*
			BIN								**		(0.080											
		WH	OLE V	EHICL							OS AND C		ATIO	N LEVE	_S										
						WH	HOLE V	EHICLE	EVA	PORAT	IVE TEST	ING			l (almi	۱.۵									
FAMILY KMBXR0170LN							g/test) @ UL			2DHS (g/test)		-		RL (g/mi) @											
					CERT	STD		FEL	CE	RT	STD	FEL		CERT			STD								
		GASOLINE- F LEV3 E10 PREM		0.454	0.50		500 0.475		0.500		0.475		0.0	0	0.05										
C	RVR / FU	EL (ONLY /	CANIS	STER BL	EED	EVAP	ORATIV	E EMI	SSION	STANDA	RDS AN	D CE	RTIFICA	TION L	EVE	LS								
											NLY EVA														
	ORATIVE MILY	E ORV		/R (g/gallon) @ UL			FUEL TYPE			3DHS RIG TEST (g/test) @ UL			2DHS RIG TES (g/test) @ UL												

GASOLINE-

LEV3 E10

PREM

STD

0.20

CERT

STD

CERT

STD



DAIMLER AG

Executive Order: A-003-0660-1

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 4 of 4

EFFECTIVE LEAK DIAMETER STANDARD AND CERTIFICATION LEVEL (INCHES)									
EVAPORATIVE FAMILY	LEAK FAMILY	CERT	STD						
KMBXR0170LNF	KMBXR0170LNF-LNF	*	0.02						

not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: .DT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle: HDV; heavy-duty vehicle: ECS; emission control system; CERT; certification; STD; standard; FEL; family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ŽEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi -automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

2019 MODEL YEAR: VEHICLE MODELS INFORMATION

1		and the second s					
MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
MERCEDES BENZ	AMG GLE 43 4MATIC	LDT4	3.0	A9	KMBXR0170LNF	1	\$
MERCEDES BENZ	AMG GLE 43 4MATIC (COUPE)	LDT4	3.0	A9	KMBXR0170LNF	1	\$
MERCEDES BENZ	GLE 400 4MATIC	LDT3	3.0	A9	KMBXR0170LNF	1	\$
MERCEDES-BENZ	GLS 450 4MATIC	LDT4	3.0	A9	KMBXR0170LNF	1	\$