

Executive Order: A-003-0660

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

				TEST GR	OUP IN	FORMAT	ION				
MODE	TEST COOLID		VEHIC	VEHICLE CLASS(ES)				ATEGORY	FUEL TYPE		
2019	KIM	BXT03.0U2B	· ID	· LDT3, LDT4				SINGLE FUEL	GASOLINE		
	USEFUL	LIFE (miles)	VEH	ICLE EMIS	SION CA	TEGOR	Y	INTERIM / INT	ERMEDIATE IN-USE STD		
EXH	/ORVR	EVAP		FTP S			FTP F		SFTP		
15	150000 150000			ULEV125 LEV 3		3 COMPO	SITE		*		
SPE	CIAL FE	EATURES & EXI	HAUST EMISSION	ON CONTRO	DL		OBD ST	TATUS	ENGINE DISPLACEMENT		
1	DFI	, 2TC, CAC,	2WR-H02S, 2H	O2S, 2TWC		FUL	L	*			
*			*			PART	IAL	3.0			
*	* PARTIAL WITH FINES							ALL MODELS			
		EV	APORATIVE &	REFUELING	G (EVAF	ORVR)	FAMILY	INFORMATION			
EVA	P / ORV	R FAMILY	EVAPORATIVE	STD CATE	GORY			SSION STD	SPECIAL FEATURES		
F	MBXR01	70LNF	LEV 3 OPT	ION2 WITH FEL			LD	т3	*		
				EMISSION C	REDIT	INFORM	ATION				
	EDIT FO	X FLEET AVE. OR EXTENDED RRANTY		EDIT FOR I		EV N	MOG CF	REDIT FOR DOR	OPTIONAL EXH. STD FOR WORK TRUCKS		
		N		N		N			N		
			NMOG	AND FLEE	TAVER	AGE IN	ORMAT	ION			
NMOG RAF	CH4 RAF	FTP NMOG/NMHC RATIO	HCHO/NMHC RATIO	NMOG+NOX FLEET S PC+LDT (0-3750 LVV (g/mi)					NMOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi)		
*	*	1.10	0.018		0.072			0.083	*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



Executive Order: A-003-0660

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 4

#### BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c)(3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

### BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

### BE IT FURTHER RESOLVED:

The vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II system of the listed vehicle models has been determined to have three, four, five, and five deficiencies for AMG GLE 43 4MATIC, AMG GLE 43 4MATIC coupe, GLE 400 4MATIC, and GLS 450 4MATIC respectively. The listed vehicle models are approved subject to the manufacturer paying a fine of twenty five dollars (\$25), fifty dollars (\$50), seventy five dollars (\$75), and seventy five dollars (\$75) per vehicle for AMG GLE 43 4MATIC, AMG GLE 43 4MATIC coupe, GLE 400 4MATIC, and GLS 450 4MATIC respectively, in the listed test group that are produced and delivered for sale in California.

On a quarterly basis, the manufacturer shall submit to the Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full-fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2019 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$37,500 per violation per vehicle pursuant to HSC Section 43154.

day of August 2018.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division



Executive Order: A-003-0660

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles
Page 3 of 4

# **ATTACHMENT**

						,	AIIAC	HIVIE	N I								
	EXH	AUS	TANE	EVA	PORA	TIVE EM	ISSION	STAND	ARD	S AND	CERT	IFIC	ATION	LEV	ELS		
		EXH	AUST	EMISS	ION STA	NDARDS	AND CEF	RTIFICATI	ON L	EVELS (	(FTP, HV	VFET	, 50°F, 20	°F)			
	FU	FUEL TYPE		CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP													
				NM			CO (g/mi)		NOx (g/mi)		HCI (mg/				PM (g/mi)		
				CERT	ST	D CEI	RT ST	D CE	RT	STD	CER	T	STD	. CE	RT	STD	
FTP@5	ок	*		*		*	4		*	*	*		*.	*		*	
FTP@L		SOLIN ER3 E PREM	10	0.06	9 0.1	25 0.	6 2.	1	.*	*	1.0		4	*		0.01	
50°F @	4K	*		*	*	*			*	*	*		*				
					CHEL	TYPE			NN	OG+NC	x (g/mi)			CO (	g/mi)		
					FOEL	TIFE			CE	RT	STD		CER	Γ		STD	
HWFE	T @ 50K				4				, *		*						
HWFE	T@UL			GASOL	INE-TIE	R3 E10	PREM		0.0	40	0.12	5					
20°F	@ 50K	C	OLD CO	E10	PREMIU	M GASOLI	NE (TIE	R3)	~		, 7		0.8		1	2.5	
			S	FTP E	XHAUST	EMISSIO	N STAND	ARDS AN	ID CE	RTIFIC	ATION L	EVEL	S				
				US06					SC03				COMPOSITE				
	FUEL	UEL TYPE		NMOG+NOx (g/mi)		CO (g/mi		PM N g/mi)	NMOG+NOx (g/mi)		CO (g/mi)	NMOG+NOx (g/mi)			CO /mi)	PM (mg/mi	
@ 4K	*	* CERT * STD *		*	*		1		*								
					*		-		*		*						
@ UL		GASOLINE- FIER3 E10 PREM						*	*		*		0.062		. 2	*	
@ OL													0.030				
			BIN								- 22.		0.080				
		WH	IOLE V	EHICL	E EVAP	DRATIVE						ATIO	N LEVEL	.S			
	ORATIV	E F	UEL T				HOLE VEHICLE E		2DHS (g/test)				RL (g/n		ni) @ UL		
FA	1411 <b>∟</b> 1				CERT	STD	FEL	CERT	RT STD		FEI		CERT		STD		
KMBXR	.0170LN		GASOLI LEV3 I	LINE- 3 E10 0.454		0.500	0.475	0.357		0.500	0.475		0.00		0.05		



Executive Order: A-003-0660

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 4 of 4

				FUEL ONLY EVAP & CANISTER BLEED								
EVAPORATIVE FAMILY	ORVR (g/g	gallon) @	) UL	FUEL TYPE	3DHS RIG TEST (g/test) @ UL		2DHS RIG TEST (g/test) @ UL		BLEED CANISTER TEST (g/test) @ 4			
	FUEL TYPE	CERT	STD		CERT	STD	CERT	STD	CERT	STD		
KMBXR0170LNF	GASOLINE- TIER3 E10 PREM	0.02	0.20	GASOLINE- LEV3 E10 PREM	*	* *		*	0.017	0.020		
•	EFFECTIVE I	LEAK D	IAMET	ER STANDAR	D AND CE	RTIFICA	TION LEV	EL (INCH	HES)			
EVAPORATIVE FAMILY LEAK		K FAMIL	Υ .	CERT				STD				
KMBXR0170LNF		KMBXR0	170LNF	-LNF	4				0.02			

\*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1; LDT<6000#GWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC; charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle

## 2019 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	ECS	OBD
MERCEDES BENZ	AMG GLE 43 4MATIC	LDT4	3.0	A9	KMBXR0170LNF	1	\$
MERCEDES BENZ	AMG GLE 43 4MATIC (COUPE)	LDT4	3.0	А9	KMBXR0170LNF	1 -	\$
MERCEDES BENZ	GLE 400 4MATIC	LDT3	3.0	A9	KMBXR0170LNF	1.	\$
MERCEDES-BENZ	GLS 450 4MATIC	LDT4	3.0	A9	KMBXR0170LNF	1	\$