

Executive Order: A-006-2133

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

				TEST GR	OUP IN	FORM	ATION					
MODE		EST GROUP	VEHIC	VEHICLE CLASS(ES)				ATEGORY		FUEL TYPE GASOLINE		
2019	KG	MXT02.5200						SINGLE FUEL HICLE	•			
-	JSEFUL	LIFE (miles)	VEH	ICLE EMIS	SION C	ATEGO	DRY	INTERIM / INT	ERM	EDIATE IN-USE STD		
EXH/ORVR EVAP				FTP			•	FTP		SFTP		
150000 150000			LEV3	ULEV70	0 LEV 3 COMPO		POSITE	NMOG+NOX AND		PM PM		
SPE	CIAL FE	ATURES & EXI	HAUST EMISSIC	ON CONTRO	DL		OBD S	TATUS	EN	GINE DISPLACEMENT		
1		DFI, TW	C(2), HO2S(2)		FULL		*				
*			*			PA	PARTIAL ALL MODELS		2.5			
*	*						AL WITH					
		EV	APORATIVE &	REFUELING	G (EVA	P/ORVI	R) FAMILY	INFORMATION				
EVA	P / ORV	R FAMILY	EVAPORATIVE	STD CATE	GORY	E		SSION STD E CLASS	SP	ECIAL FEATURES		
K	GMXR01	.3835A	LEV 3	OPTION2			LD)T2		HCT		
KGMXR012637A LEV 3 OP					OPTION2 LI			LDT2		HCT		
				EMISSION C	REDIT	INFOR	MATION					
	EDIT FO	X FLEET AVE. OR EXTENDED RRANTY		EDIT FOR NON-PZEV ERO-EVAP			NMOG CREDIT FOR DOR			OPTIONAL EXH. STD FOR WORK TRUCKS		
N N							N			N		
			NMOG	AND FLEE	T AVE	RAGE	NFORMA	TION				
NMOG RAF	CH4 RAF	FTP NMOG/NMHC RATIO	HCHO/NMHC RATIO	DCTI DT 10-3760			LDT	IOG+NOX FLEET STD .DT (3751 LVW-8500 VWR) + MDPV (g/mi)		NMOG+NOX FLEET STI MDV (10,001-14,000 GVWR) (g/mi)		
*	*	1.10	*		0.072			0.083		*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.



Executive Order: A-006-2133

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c)(3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this ______

day of January 2018.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division



Executive Order: A-006-2133 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 4

ATTACHMENT

EVHALIST AND EVADORATIVE EMISSION STANDARDS AND CERTIFICATION I EVELS

	LAI				APORAT			_				_				
	F	FUEL TYPE		T EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F) CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP												
					NMOG+NOx (g/mi)		CO (g/mi)		NOx (g/mi)		HCI (mg/				M mi)	
					T ST	D CER	T ST	TD	CERT	STD	CER	Т	STD	CERT	STD	
FTP@5	TP@50K *			*	*	*	1	t .	*	. *			*	*	*	
FTP@L	P@UL GASOLINE			0.0	0.0	70 0.4	1	.7	*	*	*	* 4		0.001	0.003	
50°F @	4K	*		*	*	*		*	* .	*	*		*			
	,				FLIE	NMOG+NOx (g/mi			CO (g/mi)							
				FUEL TYPE					CERT .		STD		CERT		STD	
HWFET @ 50K				*	*				* *							
HWFE	T@U	JL		GZ	ASOLINE-	TIER3 E1	0		0.0	010	0.070					
20°F	@ 50K	(COLD	CO E1	REGULA	R GASOLI	NE (TIE	R3)			****		1.5		12.5	
				SFTP	EXHAUST	EMISSIO	NSTANE	DARDS	AND C	ERTIFIC	ATION L	EVEL	.s			
					US06					SC03		COMPOSITE				
FUE		JEL TYPE		NI	MOG+NOx (g/mi)	CO (g/mi		P M g/mi)	NMOG+NOx (g/mi)		CO (g/mi)	NMOG+NOx (g/mi)		CO (g/mi)	PM (mg/m	
@ 4K	4K *		* CERT		*	*			*		*					
				D	*	*				*	, *					
		ASOLINE- IER3 E10 ST		RT	*	*	4	1.1	* * 0.025		0.025	2.7	*			
@ UL				D	*	*	* 6		*		*	0.097		4.2	*	
BIN													0.080			
		V	VHOLE	VEHIC	LE EVAP	DRATIVE I	EMISSIO	N STA	NDARD	SANDO	ERTIFIC	ATIO	N LEVEL	.s		
EVAPORATIVE FLIE		FUEL	WHOLE VEHICLE EVAI					PORATIVE TESTING 2DHS (g/test) @ UL			RL (g/mi) @ UL					
FA	MILY	Y			CERT	STD	FEL	CE			FEL		CERT		STD	
KGMXR012637A		37A		LINE- 3 E10	0.198				173 0.400		*					

0.340

0.400

0.00

0.05

0.257

0:400

TIER3 E10 GASOLINE-

TIER3 E10

KGMXR013835A



Executive Order: A-006-2133

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles
Page 4 of 4

				FUEL ONLY EVAP & CANISTER BLEED								
EVAPORATIVE FAMILY	ORVR (g/s	gallon) () UL	FUEL TYPE	3DHS R (g/test	IG TEST) @ UL	2DHS R (g/test	IG TEST) @ UL	BLEED CANISTER TEST (g/test) @ 4K			
	FUEL TYPE	CERT	STD		CERT	STD	CERT	STD	CERT	STD		
KGMXR012637A	GASOLINE- TIER3 E10	0.03	0.20	GASOLINE- TIER3 E10	*	*		*	0.006	. 0.020		
KGMXR013835A	GASOLINE- TIER3 E10	0.02	0.20	GASOLINE- TIER3 E10	*	*	*	*	0.006	0.020		
	FFECTIVE	LEAK D	IAMET	ER STANDAR	D AND CE	RTIFICA	TION LEV	EL (INC	HES)			
EVAPORATIVE FAMILY		LEA	K FAMIL	Υ .	CERT				STD			
KGMXR0126	37A	KGMXR0	12637A	-LK1	0.0	006		0.02				
KGMXR0138	35A	KGMXR013835A-LK1			0.0	006		0.02				

not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: .DT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC; turbo/super charger; CAC; charge air cooler; FFH; fuel fired heater; F/P/\$; full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%" gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle

2019 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
BUICK	ENVISION AWD	LDT2	2.5	A6	KGMXR012637A	1	P
BUICK	ENVISION FWD	LDT2	2.5	A6	KGMXR012637A	1	P
CHEVROLET	COLORADO 2WD	LDT2	2.5	A6,M6	KGMXR013835A	1	P
CHEVROLET	COLORADO 4WD	LDT2	2.5	A6	KGMXR013835A	1	P
GMC	CANYON 2WD	LDT2	2.5	A6,M6	KGMXR013835A	1	P
GMC	CANYON 4WD	LDT2	2.5	A6	KGMXR013835A	1	P