

GENERAL MOTORS LLC.

Executive Order: A-006-2144-1 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GRO	UP IN	NFOR	MATION					
MOD YEA	ı ı	TI TEGICONIO I		VEHICLE CLASS(ES)				FUEL CATEGORY			FUEL TYPE		
201	9 KG	KGMXT03.6151 LDT3				·	DEDICATED SINGLE FUEL VEHICLE				GASOLINE		
USEFUL LIFE (miles)				VEH	VEHICLE EMISSION CATEGO			ORY	INTERIM / IN	TERM	RMEDIATE IN-USE STD		
EXH/ORVR EVAP				FTP SI			FTP FTP			SFTP ,			
1	150000 150000			LEV3	ULEV50	LEV	3 CC	MPOSITE	NMOG+NOX		*		
SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS					L	OBD STATUS			EN	ENGINE DISPLACEMENT (L)			
1	DFI, 2TWC(2), 2HO2S(2)							FULL	ALL MODELS				
*	*					\Box	Р	ARTIAL	*	3.6			
*	*							RTIAL WITH *					
	EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION												
EV	EVAP / ORVR FAMILY EVAPORATIVE STD CATEGOR				GORY	′	EVAP EMISSION STD VEHICLE CLASS			SPECIAL FEATURES			
KGMXR014640A LE				EV 3 OPTI	V 3 OPTION2 WITH FEL			LDT3			HCT		
				1	EMISSION CI	REDIT	r INFC	RMATION					
	NMOG+NOX FLEET AVE. CREDIT FOR EXTENDED WARRANTY NMOG CREDIT FOR NON ZERO-EVAP				ON-P	NMOG CREDIT			OR OPTIONAL EXH. STD FOR WORK TRUCKS				
	N N							И			И		
NMOG AND FLEET AVERAGE INFORMATION													
NMO(RAF	OG CH4 NMOG/NMHC HCHO/NMHC BC+LC			PC+LDT (OX FLEET STD (0-3750 LVW) g/mi)		V) LDT	NMOG+NOX FLEET STO LDT (3751 LVW-8500 GVWR) + MDPV (g/mi)		NMOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi)			
*	*	* 1.10 * 0.07			.072	0.083				*			

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



GENERAL MOTORS LLC. Executive Order: A-006-2144-1
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c)(3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

day of October 2018.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

This Executive Order hereby supersedes Executive Order A-006-2144 dated March 27, 2018.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division



FAMILY

KGMXR014640A

FUEL TYPE

GASOLINE-

TIER3 E10

CERT

0.05

STD

0.20

GENERAL MOTORS LLC. Executive Order: A-006-2144-1
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 3 of 4

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F) CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP **FUEL TYPE HCHO** NMOG+NO_X CO PM NOx (g/mi) (g/mi) (g/mi) (mg/mi) (g/mi) CERT CERT CERT STD CERT STD STD STD CERT STD FTP@50K GASOLINE-0.022 0.050 0.4 1.7 4 0.01 FTP@UL TIER3 E10 ± 50°F @4K NMOG+NOx (g/mi) CO (g/mi) **FUEL TYPE** CERT STD CERT STD HWFET @ 50K HWFET @ UL GASOLINE-TIER3 E10 0.007 0.050 20°F @ 50K COLD CO E10 REGULAR GASOLINE (TIER3) 2 7 12 5 SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS **US06** COMPOSITE SC03 **FUEL TYPE** NMOG+NOx CO PM NMOG+NOx CO NMOG+NO_x PM CO (g/mi) (mg/mi) (g/mi) (g/mi) (g/mi) (g/mi) (g/mi) (mg/mi) CERT @ 4K ŧ STD CERT * + * 0.028 0.4 * GASOLINE-* ŧ * @ UL STD 0.090 4.2 TIER3 E10 0.070 BIN WHOLE VEHICLE EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS WHOLE VEHICLE EVAPORATIVE TESTING RL (g/mi) @ UL **EVAPORATIVE FUEL TYPE** 3DHS (g/test) @ UL 2DHS (g/test) @ UL FAMILY CERT STD FEL CERT STD FEL CERT STD GASOLINE-KGMXR014640A 0.334 0.500 0.450 0.343 0.500 0.450 0.00 0.05 TIERS E10 ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS **FUEL ONLY EVAP & CANISTER BLEED** ORVR (g/gallon) @ UL **EVAPORATIVE** 3DHS RIG TEST **2DHS RIG TEST BLEED CANISTER**

(g/test) @ UL

STD

*

CERT

FUEL TYPE

GASOLINE-

TIER3 E10

(g/test) @ UL

STD

+

CERT

*

TEST (g/test) @ 4K

STD

0.020

CERT

0.009



GENERAL MOTORS LLC. Executive Order: A-006-2144-1
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 4 of 4

EFFECTIVE LEAK DIAMETER STANDARD AND CERTIFICATION LEVEL (INCHES)							
EVAPORATIVE FAMILY	LEAK FAMILY	CERT	STD				
KGMKR014640A	KGMKR014640A-LK1	*	0.02				

*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2:</p> LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ŽEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor: NH3S: ammonia sensor: EGR: exhaust gas recirculation: EGRC: EGR cooler: AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle

2019 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	ECS	OBD
BUICK	ENCLAVE	LDT3	3.6	A9	KGMXR014640A	1	F
BUICK	ENCLAVE AWD	LDT3	3.6	A9	KGMXR014640A	1	F
CADILLAC	XT5	LDT3	3.6	SA8	KGMXR014640A	1	F
CADILLAC	XT5 AWD	LDT3	3.6	SA8	KGMXR014640A	1	F
CHEVROLET	BLAZER AWD	LDT3	3.6	A9	KGMXR014640A	1	F
CHEVROLET	BLAZER FWD	LDT3	3.6	A9	KGMXR014640A	1	F
CHEVROLET	TRAVERSE	LDT3	3.6	A9	KGMXR014640A	1	F
CHEVROLET	TRAVERSE AWD	LDT3	3.6	A9	KGMXR014640A	1	F
GMC	ACADIA AWD	LDT3	3.6	A6	KGMXR014640A	1	F
GMC	ACADIA FWD	LDT3	3.6	A6	KGMXR014640A	1	F