

DAIMLER AG

Executive Order: A-003-0663

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

TEST GROUP INFORMATION														
MOD		TEST GROUP			VEHICLE CLASS(ES)				FUEL CATEGORY			FUEL TYPE		
201	9 K	кмвх	CV02.0U2B		PC	PC DED			SINGLE FUEL HICLE		GASOLINE			
	USEFL	UL L	IFE (miles)		VE	VEHICLE EMISSION CATEGOR				INTERIM / IN	TERN	RMEDIATE IN-USE STD		
EXH/ORVR EVAP						FTP S			TP	FTP	SFTP			
1	150000 150000			)	LEV	ULEV70 LEV 3 COM			MPOSITE	NMOG+NOX AN	D PM	РМ РМ		
SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS							L		OBD S	ratus En		NGINE DISPLACEMENT		
1	1 DFI, TC, CAC, WR-HO2S, HO2S, TWC								FULL	*				
*	*								PARTIAL *		2.0			
*	* PARTIAL WITH FINES ALL MODELS													
	EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION													
EV	EVAP / ORVR FAMILY EVAPORATIVE STD CATEGOR							EVAP EMISSION STE VEHICLE CLASS			SPECIAL FEATURES			
KMBXR0095LNA					LEV 3 OPT	EV 3 OPTION2 WITH FEL				PC		*		
						EMISSION C	REDIT	INFO	RMATION					
	REDIT F	FOR	FLEET AVE. EXTENDED ANTY		NMOG C	NMOG CREDIT FOR NON-PZEV ZERO-EVAP				REDIT FOR DO	~	OPTIONAL EXH. STD FOR WORK TRUCKS		
N N						N			N					
NMOG AND FLEET AVERAGE INFORMATION														
NMO( RAF	CH4 RAF	CH4 RAF NMOG/NMHC RATIO HCHO/NMHC PC+LDT (0-375 (g/mi)												
*	*	T	1.10		0.018	0	.072			0.083		*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



DAIMLER AG

Executive Order: A-003-0663

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 4

## BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c)(3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

## BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

## BE IT FURTHER RESOLVED:

The listed vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II (OBD) system of the vehicles has been determined to have four (4) deficiencies. The listed vehicle models are approved subject to the manufacturer paying a fine of fifty dollars (\$50) per vehicle for the third and fourth deficiencies in the listed test group that is produced and delivered for sale in California.

On a quarterly basis, the manufacturer shall submit to the Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2019 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$37.500 per violation per vehicle pursuant to HSC Section 43154.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

100

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division



PREM

DAIMLER AG

Executive Order: A-003-0663

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 3 of 4

# **ATTACHMENT**

## EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

	EXH		-		-	IVE EMI		-	-						.S		
		EXH				NDARDS A											
FUEL TYP			CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP										tivity loss;				
		*				NMOG+NOx (g/mi)		CO (g/mi)		NOx (g/mi)			HCH( (mg/m			PM (g/mi)	
				CERT STD		D CER	CERT STD		CERT STD		CERT		STD	TD CERT			
FTP@5	0K			*	*	*	.*		*	*	*		*	*	*		
FTP@L	GASOLINE- UL TIER3 E10 PREM			0.050	0.0	70 0.4	1.	7	*	*	0		4	0.002	0.003		
50°F @	0°F @4K		* *		*	*.	*		*	*	. *		*		a decreas		
A SEC	in the				FUEL TYPE					NMOG+NOx (g			CO (g/mi)				
					FUEL TYPE					CERT		STD			STD		
HWFET @ 50K				*						* .	*						
HWFET @ UL				GASOLINE-TIER3 E10 PREM					0.	0.036 0.070		)	4/3/12				
20°F	@ 50K	CC	DLD C	CO E10 PREMIUM GASOLINE (TIER3)						5) 24( F)			0.5		10.0		
			-	SFTP E	XHAUST	EMISSION	STAND	ARDS	AND C	ERTIFIC	ATION L	EVEL	.s	-			
4.0					US06					SC03			COM	IPOSIŢ	E		
100	FUEL 1	UEL TYPE		NMOG+NOx (g/mi)			CO PM (g/mi) (mg/r		NMOG+NO (g/mi)		CO (g/mi)			CO (g/m			
@ 4K	*	, <u>c</u>		* CERT		ŘΤ *		*	*			*	*				
W 41.					*	*	2.67			*	*						
		GASOLINE-		CERT *		. *	*	*		*		*	0.050		0.4	*	
@ UL	TIER3			E10 STD *		*	* 6		*		*		0.090	4.2	*		
	٠,					17 S. 18 - 18 18 18 18 18 18 18 18 18 18 18 18 18	Ben the same		The state of the s		0.070		Maria ser a desir.				
		WH	IOLE '	VEHICL	E EVAP	ORATIVE E	MISSION	STAI	NDARD	S AND C	ERTIFIC	ATIO	N LEVELS	3			
						WHOLE	VEHICLE	EVAP	ORATI	VE TEST	ING						
EVAPORATIVE FAMILY				TYPE 3DHS		S (g/test) (	(g/test) @ UL		2DHS (g/test		@ UL		RL (g/mi) @		@ UL		
					CERT	STD	FEL CE		RT	STD	FE	L CERT			STD		
KMBXR0095LN			ASOL TIER3	E10	0.354	0.300	0.375	0.2	249	0.300	0.3	75 0.00			0.05		



DAIMLER AG

Executive Order: A-003-0663

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 4 of 4

ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS													
				FUEL ONLY EVAP & CANISTER BLEED									
EVAPORATIVE FAMILY	ORVR (g	FUEL TYPE		3DHS RIG TEST (g/test) @ UL		2DHS RIG TEST (g/test) @ UL		BLEED CANISTER TEST (g/test) @ 4K					
	FUEL TYPE	CERT	STD			CERT	STD	CERT	STD	CERT	STD		
KMBXR0095LNA	GASOLINE- TIER3 E10 PREM		0.20	GASOLINE- TIER3 E10 PREM		*	*	*	*	0.012	0.020		
	EFFECTIVE LEAK DIAMETER STANDARD AND CERTIFICATION LEVEL (INCHES)												
EVAPORATIVE	FAMILY	LEAK FAMILY				CE	RT		STD				
KMBXR0095	LNA	KMBXR0095LNA-LNA				,			0.02				

not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV; medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

### 2019 MODEL YEAR: VEHICLE MODELS INFORMATION **EVAPORATIVE EXH** OBD **VEH CLASS** TRANS TYPE MODEL ENGINE (L) MAKE **ECS** FAMILY PC 2.0 Δ7 KMBXR0095LNA 1 \$ MERCEDES BENZ A 220 PC 2.0 A7 KMBXR0095LNA 1 \$ A 220 4MATIC MERCEDES BENZ 1 \$ **A**7 KMBXR0095LNA 2.0 A 250 PC MERCEDES BENZ Ŝ **A7** KMBXR0095LNA MERCEDES BENZ A 250 4MATIC PC 2.0