

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

		-		TEST GR		NFORM/	ATION				
MODE		EST GROUP	VEHIC	HICLE CLASS(ES)			FUEL C	ATEGORY	FUEL TYPE		
2019) Kl	BXV02.0U2A	ner spake i ta Trakti nego jagat	PC			1.4. 10. 11.	SINGLE FUEL HICLE	GASOLINE		
	USEFUI	LIFE (miles)	VEH	ICLE EMIS	SION	ATEGO	DRY	ERMEDIATE IN-USE STD			
EXH	I/ORVR	EVAP	FTP SFTP				FTP	SFTP			
15	50000	150000	LEV3	ULEV125	LEV	3 COM	POSITE	*	an e contra f uero e e		
SPE	CIAL FE	EATURES & EXI SYS	HAUST EMISSIO		OL C	006 () 12 ()-25	OBD S	TATUS	ENGINE DISPLACEMENT (L)		
1	D	FI, TC, CAC,	WR-HO2S, HO	2S, TWC	a substantia	F	ULL	*			
*		distilizzione in anno 1999 de caracter	*		1	PARTIAL		nan da a t a bijak	2.0		
*	a da ela Maria		 * 11 20.21 10.5 			PARTIAL WITH FINES		ALL MODELS			
		EV	APORATIVE &	REFUELIN	G (EVA	P/ORVF	R) FAMILY	(INFORMATION	and the second second second second		
EVA	P / ORV	R FAMILY	EVAPORATIVE	E STD CATE	GORY	, E		SSION STD E CLASS	SPECIAL FEATURES		
F	MBXR01	55LNS	anto da b u	EV 2	10.75	asi dua matema PC atom Ms. 1			na o t * i na ochag		
			E	EMISSION	REDIT	INFOR	MATION	aReform(1+2i) + 2ij	이 영화 이 가 있었는 것은 것이 같아. 것이		
	EDIT FO	OX FLEET AVE. OR EXTENDED RRANTY	and a second sec	REDIT FOR I			NMOG CI	REDIT FOR DOR	OPTIONAL EXH. STE FOR WORK TRUCKS		
		N	· della	N	1 and 1	to ugo mil navigen e N titur iso str			N		
			NMOG	AND FLEE	TAVE	RAGE I	NFORMA	TION			
NMOG RAF	CH4 RAF	FTP NMOG/NMHC RATIO	NMHC RATIO PC+LDT (0-375					(3751 LVW-8500	D NMOG+NOX FLEET STI MDV (10,001-14,000 GVWR) (g/mi)		
*	*	1.10	0.018		0.072	and the second	1	0.083	*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)

CALIFORNIA AIR RESOURCES BOARD

DAIMLER AG

素的能

为日期时间的内核时间

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required. 派出的承知时间的"中国"的"自己"

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The listed vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II (OBD) system of the vehicles has been determined to have six (6) deficiencies. The listed vehicle models are approved subject to the manufacturer paying a fine of one hundred dollars (\$100) per vehicle for the third through sixth deficiencies in the listed test group that is produced and delivered for sale in California.

On a quarterly basis, the manufacturer shall submit to the Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2019 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$37,500 per violation per vehicle pursuant to HSC Section 43154.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations. This Executive Order hereby cancels and supersedes Executive Order A-003-0664 dated September 12, 2018.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this27774 day of June 2019.

合法语) 注意行动 ())台南县 被国际总制

eend A amole of Istanco reviewed a Allen Lyons, Chief Emissions Compliance, Automotive Regulations and Science Division

s sit al haddaacans aan Combiner Politin matelli Ayriv am and and 200 Million and 2014. Indiandry sub-system POO ET HE LIGTOP Seat ACTOP Sector PERSON AND VEMENTATION AUTOR SECTION 1950 POOLS IN A DER



FUEL TYPE

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

		FUEL TYPE						ar treta Michaell										
					NMOG+NOx (g/mi)				O mi)	•		Ox /mi)		HCH (mg/r			PM (g/mi)	
			2.	100	CERT	ST	D C	ERT	ST	D	CERT	STD	CER	т	STD	CERT	STD	
FTP@50K		*			* * * ()!	*	1941 A.	*	*	1.127	*	*	*		*	¥~15	*	
GASOL FTP@UL LEV3 PRE			1.5.5 1.6.1	0.060	0.12	25	0.6	2.	1	*	*	0.6	5	4	Ngaring cor⊧a Letting	0.01		
50°F @4	4K	si nay	8 1 1 1 1 1 1	-	s. * 15	a na x	$[0,1] \in \mathbb{R}^{n}$		*		*	****	*		*			
Palies					1963 - 19 1	EUEL 1	TVDE	in the star	3 mj2 2 x x	1.234	N	MOG+N	Dx (g/mi)	125	(CO (g/mi)	$M_{\rm eff} = M_{\rm eff}$	
化学学生学习			FUEL TYPE						1.114	CERT		STD		CERT		STD		
HWFET @ 50K										and a second	- 1999 - 199 8 - 1997		*	*				
HWFET @ UL				G	GASOLINE-LEV3 E10 PREM					0.038 0.12		0.125	5					
20°F @ 50K				GASC	SOLINE-COLD CO HIGH OCTANE					etter a		L. Service			1.9		10.0	
			na sevia Suc	SF	TP EX	HAUST	EMISS	ION S	TAND	ARDS	AND C	ERTIFIC	ATION L	EVEL	S	instantes Netter	ning and the second s	
1998					Same and	US06				 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	SC03		•	COMPOSITE				
	FUE	FUEL TYPE				G+NOx /mi)	C (g/	O mi)	.P (mg		10442309405280.003	6+NOx mi)	CO (g/mi)		OG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	
@ 4K		*		ERT		*	,	*				*	*					
				STD		*	1	*	编版			*	*	「金属の				
		ASOLINE- LEV3 E10 S PREM		ERT		*	1	*	,	ł		k	*		0.049	0.7	*	
@ UL	LEV			EV3 E10 STD			*		* *		ŧ		k	, *		0.090	4.2	*
				BIN		國家議員		關於於		國國國				(0.060			
			WHOL	LE VE	HICLE	EVAPO	RATIV	EEMI	SSION	STA	NDARD	S AND C	ERTIFIC	ATIO	N LEVELS	S		
							WHOL	E VEF	ICLE	EVAF	ORATI	/E TEST	ING				12	
EVAP FA	ORA'		FUE	UEL TYPE		3DH	S (g/tes	st) @ U	IL		2DHS (g/test) @ UL		RL (g/mi) @ UL			UL		
						CERT	STD	D FEL C		CE	RT	STD	FEI	L	CERT		STD	
KMBXR	0155	5LNS	Т	OLINI IER 2 LEADI	2	0.45	0.50)	*	,	,	0.65	*		0.00		0.05	

ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

	ORVR (g/gallon) @ UL			FUEL ONLY EVAP & CANISTER BLEED									
EVAPORATIVE FAMILY				FUEL TYPE		IG TEST) @ UL		IG TEST) @ UL	BLEED CANISTER TEST (g/test) @ 4K				
	FUEL TYPE	CERT	STD		CERT	STD	CERT	STD	CERT	STD			
KMBXR0155LNS	GASOLINE - TIER 2 UNLEADED	0.02	0.20	*	*	*	*	*	*	*			

CALIF AIR RESOU	ORNIA RCES BOARD	DAIMLER AG		Executive Order: A-003-0664-1 New Passenger Cars, Light-Duty Trucks an Medium-Duty Vehicle Page 4 of 4		
EFFECTIVE	LEAK DIAMETER	STANDARD AND CEP	TIFICATION LEV	/EL (INCHES)		
EVAPORATIVE FAMILY	LEAK FAMILY	CER	T.	STD		
and a second	A REAL PROPERTY OF THE PARTY OF					
fines on-board diagnostic; DOR suffix: series; CNG/LNG: compr E10: "10%" ethanol ("90%"gaso continuously variable transmiss automated manual-selectable tr hybrid electric vehicle; NMOG + some/select models	chicle weight rating; LVA r ULEV; ZEV: zero-emi C: HC adsorbing cataly elective catalytic reduc er; DPF: diesel particula 2S or AFS: wide range, r; NH3S: ammonia sens /en)/(electric driven); P/ /SC: turbo/super charge t: direct ozone reducing ressed/liquefied natural line) fuel; A: automatic ion; SCV: selectable co ransmission; OT: other + NOx Fleet Ave. Credit	W: loaded vehicle weight ssion vehicle; TZEV: trar vst; WU: warm-up catalys ition-urea/ammonia; NH3 ite filter (active); GPF: PM /linear/heated air-fuel rati sor; EGR: exhaust gas re AIR: pulsed AIR; SFI/MFI er; CAC: charge air coole r; HCT: hydrocarbon trap; gas; LPG: liquefied petro (with lockup); M: manual ontinuously variable trans transmission; AER: all-el	ALVW: adjusted LV sitional ZEV; TWC/ t; NAC: NOx adsorp OC: ammonia oxida 4 filter for spark-igni o sensor; NOXS: Ni circulation; EGRC: : sequential/multipo r; FFH: fuel fired he BCAN: bleed carbo oleum gas; E85: "85 transmission; SA: s mission; AM: autom ectric range; EAER: N = no credits, Y = 0	VW; LEV: low emission vehicle; OC: 3-way/oxidizing catalyst; ition catalyst; SCR-U or ition catalyst; CTOX/PTOX: ted engine; HO2S/O2S: Ox sensor; PMS: PM sensor; EGR cooler; AIR/AIRE: rt fuel injection; DFI/IFI: ater; F/P/\$: full/partial/partial with on canister; prefix 2: parallel; (2) %" ethanol ("15%"gasoline) fuel; semi-automatic transmission; CV: nated manual transmission; AMS: equivalent AER; PHEV: plug-in credits, S = credits for		

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	FAMILY	ECS	OBD
MERCEDES BENZ	SLC 300	PC	2.0	A9	KMBXR0155LNS	1	\$

	e a de Seren e Seren e	a an sar mar na Winter July				T Serve Press Server and Server			
na sa	1 1 1	25 		-					
- 6 - 5 - 600C)							1972) 1982 - 1982 1982 - 1982 1985 - 1985 1985 - 1985 - 1985 1985 - 1985 - 1985 - 1985 1985 -	
$\label{eq:constraint} \begin{split} & (1,2) \\ & (1,2) \\ & (2,2) \\ $	ALL SAMPLE PARALLE AND PROPERTY	na - ma si na disula ingina	ka ana ang ang ang ang ang ang ang ang an		edge, harde sola de so	stranger of a	n literan Marine concernance	en le de le com	langung segunda seba
13V ² 44	an a	uter austan Uter austan	and a star and a star of the s	and the second second	and the second sec				
14 (Bridge 25)	han an a	ilianig) (MD1	and many man	117 (j) + 1991			177 (M S	(中心)(本元) (二)(前統	
1932	133		9. j. j	24 (*)			and the second		د. مربع میں میں میں م
en di atam		2 A . 0	£	• • •	5. R)		avati primar 1. avatat 1. avatat	- WAL: 116	1. Z Q C 1
$\sum_{i=1}^{n-1} \left\{ \left(\left(\int_{-\infty}^{\infty} \int_{-\infty}^{$	ASID GNA ACCI.	相關人口來自己的	SPACE SAL			PALE AND		8011379	ngo sita cita di se ta 19. . A
the second s	27 ANI 842 10	的性权的命 的							
Constant Constant (Constant) Constant Constant (Constant) (Constant) Constant (Constant) (Constant) (Constant) (Constant) (Constant) (Constant)	n entre entre - Section (* 1	es files très t la sette au	102 9) 30	177 J.T. 64			41 (14910)	SVO AH	
in the training freet af						a hand the state of the		ngth and a sum of the same of	a ning and and
we want the second s	and the assessment.	en de v ernie de la com	9	sali∯ ¹ san san s	医骨髓 的人名英兰卡		a conservation of the		OPPORT OF
	and the second second	a an		and a second	: بدر جنب د شبه				