

GENERAL MOTORS LLC.

Executive Order: A-006-2132

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GRO	UP INFO	RMATION					
MODEL YEAR		ST GROUP		VEHICLE CLASS(ES)			FUEL CATEGORY			FUEL TYPE		
2019	KG	MXV06.2090			PC		DEDICATED SINGLE FUEL VEHICLE			GASOLINE		
USEFUL LIFE (miles) VEHICLE EMISSION							ATEGORY INTERIM / INTERMEDIATE IN-USE					
EXH/	ORVR	EVAP		FTP SI			FTP FTP			SFTP		
150	150000 150000				EV3 LEV160 LEV 3 COMP					*		
SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS						L	OBD S	TATUS	EN	ENGINE DISPLACEMENT (L)		
1		DFI, 2TW	C(2)	, 2HO2S(2)		FULL	*				
2	S	C, CAC, DFI	, 2TW	C(2), 2H	IO2S (2)		PARTIAL ALL MODELS			6.2		
PARTIAL WITH FINES												
EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION												
EVAF	P / ORVI	RFAMILY	EVA	PORATIVE	STD CATE	GORY	EVAP EMISSION STD VEHICLE CLASS			SPECIAL FEATURES		
KGMXR013030B LEV 3 OPTIO						OPTION2 PC			HCT			
K	GMXR01	33810		LEV 2			PC			*		
					EMISSION CI	REDIT INF	ORMATION					
NMOG+NOX FLEET AVE. CREDIT FOR EXTENDED WARRANTY NMOG CREDIT FOR NON- ZERO-EVAP						ON-PZEV	NMOG CREDIT FOR DOR			OPTIONAL EXH. STD FOR WORK TRUCKS		
N N								N		N		
NMOG AND FLEET AVERAGE INFORMATION												
NMOG RAF	CH4 RAF	FTP NMOG/NMHC RATIO		HO/NMHC RATIO	NMOG+NO PC+LDT (
*	*	1.10		*	0	.072		0.083		*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.



GENERAL MOTORS LLC. Executive Order: A-006-2132

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c)(3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

day of January 2018.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division



GASOLINE -

TIER 2 UNLEADED 0.20

0.50

KGMXR0133810

GENERAL MOTORS LLC. Executive Order: A-006-2132

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 3 of 4

0.02

0.05

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP. HWFET, 50°F, 20°F)

	FUE	FUEL TYPE		onoxide djustme RVR [g	; NOx: ont factor HC/gall	MOG: non- oxides of nit ; 2DHS/3DH on dispense grees Fahre	rogen; H HS [g HC ed]: on-be	ICHO: for c/test]: 2/3 oard refue	malde 3 days eling v	hyde; P diurnal apor red	M: particu +hot-soak covery; g:	ilate ; RL grar	matter; RA [g HC/mi]: in; mg: millig	F: reactiv running lo gram; mi:	ity oss;		
							G+NOx /mi)		CO (g/mi)		NOx (g/mi)		HCH (mg/			PM (g/mi)	
				CERT	STE	CERT	ST	D CE	RT	STD	CER	T	STD	CERT	STD		
FTP@50	50K *			*	*	*	*	*	*	*	•		*	+	*		
FTP@U		OLIN R3 E	1 1	0.054	0.16	0.6	4.	2	*	*			4	*	0.01		
50°F @4	0°F @4K			*	*	*	*		*		2	*					
				FUEL TYPE						NMOG+NOx (g/mi)			C				
				FOEL TIPE					CERT		STD		CERT	STD			
HWFET @ 50K				*						1							
HWFET	T@UL			GASOLINE-TIER3 E10					0.009 0.160)						
20°F @ 50K COLD CO E10 REGULAR GASOLINE (TIER3)							R3)				2		10.0				
		-	SF	FTP EX	HAUST	EMISSION	STAND	ARDS A	ND CE	RTIFIC	ATION L	EVE	LS				
			711			US06				SC03			COMPOSITE				
-	FUEL T	YPE			G+NOx /mi)	CO (g/mi)		pM N g/mi)	NMOG+NOx (g/mi)		CO N (g/mi)		OG+NOx (g/mi)	·CO (g/mi)	PM (mg/mi)		
@ 4K	*	* C			*				*		*						
-11									*		*						
(00 1 11		EASOLINE- STERS E10 BIN		1 5111					* *		*		*		0.071	0.7	*
											*		*		0.090	4.2	*
													0.120				
		WH	OLE VE	HICLE	EVAPO	PRATIVE E						ATIC	ON LEVELS	3			
EVAPORATIVE FUEL			UEL TY				/test) @ UL		2DHS (g/test)				RL (g/mi) @ U		UL		
FAMILY					CERT	STD	FEL	CERT	RT STD		FEL		CERT		STD		
KGMXR013030B		3 1	ASOLIN	NE-	0.262	0.300	*	0.214		0.300		0.00		0.05			

0.29

0.65



GENERAL MOTORS LLC. Executive Order: A-006-2132

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 4 of 4

				FUEL ONLY EVAP & CANISTER BLEED								
EVAPORATIVE FAMILY	ORVR (g/g	gallon) (UL	FUEL TYPE	3DHS RIG TEST (g/test) @ UL		2DHS RIG TEST (g/test) @ UL		BLEED CANISTER TEST (g/test) @ 48			
	FUEL TYPE	CERT STD			CERT	STD	CERT	STD	CERT	STD		
KGMXR013030B	GASOLINE- TIER3 E10	0.01	0.20	GASOLINE- TIER3 E10	*	*	* .	*	0.017	0.020		
KGMXR0133810	GASOLINE - TIER 2 UNLEADED	0.01	0.20	*	*	*	*	*	*	*		
	EFFECTIVE I	LEAK D	IAMET	ER STANDAR	D AND CE	RTIFICA	TION LEV	EL (INCH	HES)			
EVAPORATIVE	FAMILY	LEA	K FAMIL	Y CERT				STD				
KGMXR0130	30B	KGMXRO	13030B	-I.K1		0.02						

*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALWW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5; MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW; adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC: HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas, LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%" gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle

2019 MODEL YEAR: VEHICLE MODELS INFORMATION **EVAPORATIVE EXH** VEH CLASS ENGINE (L) TRANS TYPE OBD MAKE MODEL FAMILY **ECS** CHEVROLET CAMARO PC 6.2 M6, M7, SA8 KGMXR013030B 1 P CORVETTE 6.2 M7, SA8 KGMXR0133810 2 P CHEVROLET PC CHEVROLET CORVETTE PC 6.2 M7, SA8 KGMXR0133810 1 P