

GENERAL MOTORS LLC. Executive Order: A-006-2165

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles
Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

				TEST GR	ROUP INF	ORMATION	N				
MODE		EST GROUP	VEHIC	LE CLASS(FU	EL CA	TEGORY	FUEL TYPE			
2019	KG	MXV01.5002		PC DE				SINGLE FUEL	GASOLINE		
	USEFUL	LIFE (miles)	VEH	ICLE EMIS	SION CA	TEGORY		INTERIM / INTE	ERMEDIATE IN-USE STD		
EXH	I/ORVR	EVAP		FTP SI				FTP	SFTP		
15	0000	150000	LEV3	ULEV50 LEV 3 COMPOS		COMPOSI	OSITE NMOG+NOX				
SPE	CIAL FE		HAUST EMISSISTEMS	ON CONTR	OL	OE	BD ST	TUS	ENGINE DISPLACEMENT		
1		DFI, TWC,	HO2S(2), TC,	CAC		FULL					
*			*			PARTIAL	1.4, 1.5				
*			*		P	ARTIAL W	ЛТН				
		ΕV	APORATIVE &	REFUELIN	G (EVAP	ORVR) FA	MILYI	NFORMATION			
EVA	P / ORV	R FAMILY	EVAPORATIVE	STD CATI	EGORY			SION STD CLASS	SPECIAL FEATURES		
K	CMXR01	10875	L	EV 2			PC		*		
K	GMXR01	1030C	L	EV 2			PC		*		
				EMISSION	CREDIT II	NFORMATI	ION				
	EDIT FO	X FLEET AVE. OR EXTENDED RRANTY		REDIT FOR ZERO-EVA		NMO	G CRE	EDIT FOR DOR	OPTIONAL EXH. STD FOR WORK TRUCKS		
		N		N				N	N		
			NMOG	AND FLEE	ET AVERA	AGE INFOR	RMATI	ON			
NMOG RAF	CH4 RAF	FTP NMOG/NMHC RATIO	HCHO/NMHC RATIO				DT (3	IOX FLEET STD 751 LVW-8500 + MDPV (g/mi)	NMOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi)		
*	*	1.10	1.10 * 0.072					0.083	*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.



GENERAL MOTORS LLC. Executive Order: A-006-2165

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c)(3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this ___

175944

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division



GASOLINE -

TIER 2

UNLEADED

0.346

0.50

KGMKR0110875

GENERAL MOTORS LLC. Executive Order: A-006-2165

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 3 of 4

ATTACHMENT

	EX											VFET, 50°F,		VELS		
		FUEL '		CH4: me monoxid adjustme ORVR [g	e; NOx: o ent factor HC/gall	IMOG: non- oxides of nit r; 2DHS/3DI on dispense	CH4 org trogen; h HS [g H0 ed]: on-b	ganic ga HCHO: C/test]:: board re	s; HC: h formalde 2/3 days fueling v	nydrocar ehyde; P diurnal vapor rec	bon; NMh M: partic +hot-soal covery; g:	HC: non-CH- ulate matter; c; RL [g HC/i gram; mg: i c: suppleme	4 HC; (RAF: mi]: run milligra	reactiv ining k m; mi:	rity oss;	
				NMOG+					NOx (g/mi)			HCHO (mg/mi)		Pi (g/i		
				CERT	STE	CERT	SI	TD (CERT	STD	CER	STD	CE	ERT	STD	
FTP@5	0K	*		*		*	,	ł .	*	*		*		*	*	
FTP@L	11 1	L GASOLINE- TIER3 E10		0.023	0.05	50 1.1	1.	.7	*	*	+ 4			*	0.01	
			SOLINE- ER3 E10 0.0		0.10	0.9	1.	. 7	*	*		16				
					FUEL TYPE					NMOG+NOx (g/mi)			CO (g/m			
									CERT			STD CERT		STD		
HWFET @ 50K																
HWFET @ UL			GASOLINE-TIER3 E10					0.0	80	0.050	0	-0.918		0.77		
20°F	@ 501	K	COLD C	O E10 I	REGULAR	GASOLIN	E (TIE	R3)		1,30,9	57/8.0	1	. 7		10.0	
				SFTP EX	HAUST	EMISSION	STAND	ARDS	AND CE	RTIFIC	ATION L	EVELS				
1.33				198		US06			SC03				OMPC			
	FUE	L TYP	TYPE NMOG+NOX CO PM (g/mi) (mg/mi)			NMOG (g/r		CO (g/mi)	NMOG+No (g/mi)		CO g/mi)	· PM (mg/m				
@ 4K	4K *		* CERT		*				*		*		9 SPI.	Cyc.	2	
		S			*	*	E + 1	17/08	*		*	9730.02				
	G3.0	ASOLINE- CI		Т	*	*		*	*		*	0.022		1.4	*	
@ UL		R3 E1		D		* *		*		0.090		4.2	*			
		BI								4.50	65	0.070		學時间	200	
		٧	VHOLE 1	/EHICLE	EVAPO							ATION LEV	ELS			
						WHOLE V	EHICLE	EVAP	ORATIV	E TEST	ING		m			
FAMILY FUEL		FUEL T	YPE	6 (g/test) @	st) @ UL		2DHS (g/test)		@ UL		RL (g/mi) @ UL			
					CERT	STD.	FEL	CEF	RT	STD	FEI	_ CE	RT		STD	
KGMXR011030C		30C	GASOLINE - TIER 2 0.3		0.364	0.50	*	0.1	89	0.65	*	0.	0.00		0.05	
		-						-								

0.366

0.65

0.02

0.05



GENERAL MOTORS LLC. Executive Order: A-006-2165

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 4 of 4

				FUEL ONLY EVAP & CANISTER BLEED								
EVAPORATIVE FAMILY	ORVR (g/g	jallon) @	UL	FUEL TYPE		IG TEST) @ UL	2DHS RIG TEST (g/test) @ UL		BLEED CANISTER TEST (g/test) @ 4			
	FUEL TYPE CE		STD		CERT	STD	CERT	STD	CERT	STD		
KGMXR0110875	GASOLINE - TIER 2 UNLEADED	0.02	0.20	*	*	* *	*	. *	*	*		
KGMXR011030C	GASOLINE - TIER 2 UNLEADED	0.02	0.20	*	*	*	*		*	*		
,	EFFECTIVE I	EAK D	IAMET	ER STANDAR	D AND CE	RTIFICA	TION LEV	EL (INC	(ES)			
EVAPORATIVE FAMILY		LEA	K FAMIL	Υ .	CERT			STD				
*			*			1		*				

: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR.3751-5750#LVW: LDT3: LDT 6001-8500#GVWR.3751-5750#ALVW: LDT4: LDT 6001-8500#GVWR.5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5; MDV 10001-14000#GVWR; MDPV; mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight, ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC; turbo/super charger; CAC; charge air cooler; FFH; fuel fired heater; F/P/\$; full/partia fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%" gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission: CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT; other transmission; AER; all-electric range; EAER; equivalent AER; PHEV; plug-in hybrid electric vehicle

2019 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH	OBD
CHĘVROLET	CRUZE	PC	1.4	CV,SA6	KGMXR0110875	1	P
CHEVROLET	CRUZE HATCHBACK	PC	1.4	SA6	KGMXR0110875	1	P
CHEVROLET	CRUZE PREMIER HATCHBACK	PC	1.4	SA6	KGMXR0110875	1	P
CHEVROLET	MALIBU	PC	1.5	CV	KGMXR011030C	1	P