A CALIFORN	IA
TAIR RESOURCES BO	ARD

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

						TEST GRO	UP II	FOR	MATION					
MOD YEA		TE	ST GROUP	GROUP VEHICLE CLASS(ES)					FUEL CATEGORY			FUEL TYPE		
2019 KCRXV06.25P0						PC DEDI				SINGLE FUEL HICLE		GASOLINE		
	USEF	UL	LIFE (miles)		VEH	ICLE EMISS	ION C	ATE	GORY	INTERIM / IN	TER	MEDIATE IN-USE STD		
EXH/ORVR EVAP						FTP		SF	ТР	FTP		SFTP		
120000 150000				LEV	72 LEV	I	EV 2. STAN	SFTP DARD	*		*			
SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS						L		OBD S	TATUS	E	ENGINE DISPLACEMENT			
1 CAC, 2HO2S, SC, SFI, 2TWC, 2WR-HO2S									FULL	SOME MODELS		· · · · · · · · · · · · · · · · · · ·		
* *								P	ARTIAL	SOME MODELS		6.2		
* *									TIAL WITH	*				
A			E	VAP	ORATIVE &	REFUELING	(EVA	P/OR	VR) FAMIL	INFORMATIO	N			
EV	AP / O	RVR		EV	APORATIVE	STD CATE	GORY	,	EVAP EMISSION STD VEHICLE CLASS			SPECIAL FEATURES		
KCRXR0141PK0					L	LEV 2			PC			*		
.=					E	EMISSION CI	REDIT							
NMOG+NOX FLEET AVE. CREDIT FOR EXTENDED WARRANTY NMOG CREDIT FOR NON- ZERO-EVAP							ON-P	VZEV NMOG CREDIT FOR DOR			R	OPTIONAL EXH. STD FOR WORK TRUCKS		
N N								N N						
					NMOG	AND FLEET	AVE	RAG	E INFORMA	TION				
				CHO/NMHC RATIO	NMOG+NOX FLEET STD PC+LDT (0-3750 LVW) (g/mi)						NMOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi)			
*	*		1.10		*	0	. 072		0.083			*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)

$\alpha$	CALIFORNIA AIR RESOURCES BOARD
TT	AIR RESOURCES BOARD
1 th	AIR RESOURCES BOARD

## BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c)(3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

## BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this <u></u>day of August 2018.

Annette Hebert, Chief Emissions Compliance, Automotive Regulations and Science Division

CALIFORNIA AIR RESOURCES BOARD

FUEL TYPE

FCA US LLC.

Executive Order: A-009-1415 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 4

## ATTACHMENT

## EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

	-		-					00	1		0		LICU	0	T				
				NMOG (g/mi)			(	CO (g/mi)			Ox mi).	-	HCHO (mg/mi)			PM (g/mi)			
				CER	T	STD	CERT	r STI	D	CERT	STD	CER	Т	STD	CI	ERT	STD		
FTP@5	GASOLINE-			0.05	93 0	.075	0.61	. 3.4	4 0	0.022	0.05	*		15		*	*		
FTP@L		DLIN	1 (	0.05	93 0	.090	0.61	4.:	2 0	0.022	0.07	*	18		*		0.01		
50°F @	4K	*		*		*	*	*		*	*	• *	*						
							_		-	NOx (g/mi)				CO (g/mi)					
FUEL TYP					E			CE	STD		CEF	RT STD		STD					
HWFE	T @ 50K			G	ASOLIN	IE-LEV	3 E10			0.0	011	0.07							
HWFE	T@UL			G	ASOLIN	E-LEV	3 E10			0.011 0.09		,							
20°F	@ 50K		GAS	SOLI	NE-COI	D CO	LOW OC	TANE						2.7	79	:	10.0		
			S	FTP	EXHAL	STEM	SSION	STAND	ARDS	AND CI	ERTIFIC	ATION L	EVEL	S					
			=			L	JS06				SC03	1		COMPOSITE					
	FUEL T	YPE	PE NMHC+NOx (g/mi)			CO (g/mi)	P (mg	M /mi)		:+NOx mi)	CO (g/mi)	1	NMOG+NOx (g/mi)		CO g/mi)	PM (mg/mi			
				GASOLINE- CERT			0.117		1.17	7		0.040		0.70					
@ 4K			STD	1	0.14		8.0	-		0.	20	2.7			-				
		CERT		·	*		*	-	*	,	*	*	0.0766			0.80	*		
@ UL	GASOLI LEV3 I		I SID I		*		* *		*		*	0.090			*	*			
12.1		BIN			1									0.130					
		WH	IOLE V	EHIC	LE EV	APORA	TIVE E	MISSION	STAN	DARD	S AND	CERTIFIC	ATIC	N LEVE	LS				
						W	IOLE V	EHICLE	EVAP	ORATI	VE TEST	TING							
EVAPORATIVE FAMILY		F	UEL T	YPE	3	DHS (g	/test) @	UL		2DHS	DHS (g/test) @ UL		RL (g/mi) @ UL		UL				
					CER	TS	TD	FEL	CEI	RT	STD	FE	L	CE	RT		STD		
KCRXR0141PK0			ASOLIN TIER UNLEAI	2	0.4	54 0	. 50	*	0.3	83	0.65	*		0.000			0.05		
(	DRVR / FU	JEL	ONLY /	CAN	ISTER	BLEED	EVAP	ORATIVE	EMIS	SION S	TANDA	RDS AN	DCE	RTIFICA	TION	LEVE	LS		
									FL	JEL ON	LY EVA	P& CAN	ISTE	R BLEE	D				
	ORATIVE	E ORVR (g/gallor			allon) @	i) @ UL FUEL TY					HS RIG TEST g/test) @ UL						NISTER st) @ 4K		
		FL	JEL TY	PE	CERT	STD	1			RT	STD	CERT	-	STD		RT	STD		
KCRX	R0141PK0		SOLINE TIER 2 NLEADE	2	0.090	0.20		*		•	*	*		*	*		*		

CALI AIR RESO	FORNIA DURCES BOARD		FCA US LLC.	New Pa	Executive Order: A-009-1415 ssenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 4 of 4					
EFFECTIV	E LEAK DIAMETER	STA	NDARD AND CER	TIFICATION L	EVEL (INCHES)					
EVAPORATIVE FAMILY LEAK FAMILY CERT STD										
*	* *		*		*					
duty passenger vehicle; HDV emission limit; GVWR: gross ULEV: ultra LEV; SULEV: sup ADSTWC: adsorbing TWC; H SCRC/SCR-N or SCRC-NH3 continuous/periodic trap oxidi heated/oxygen sensor; WR-H RDQS: reductant quality sens secondary air injection (belt d direct/indirect fuel injection; T fines on-board diagnostic; DC suffix: series; CNG/LNG: com E10: "10%" ethanol ("90%"ga continuously variable transmi	: heavy-duty vehicle; EC vehicle weight rating; LV per ULEV; ZEV: zero-em IAC: HC adsorbing cataly selective catalytic reduc zer; DPF: diesel particula IO2S or AFS: wide range sor; NH3S: ammonia sen riven)/(electric driven); P C/SC: turbo/super charg DR: direct ozone reducing pressed/liquefied natura soline) fuel; A: automatic ssion; SCV: selectable c	S: em W: loa nission yst; W ction-u ate filt e/linea nsor; E PAIR:   ger; C/ g; HC g; HC al gas; c (with continu	aded vehicle weight; vehicle; TZEV: trans /U: warm-up catalyst urea/ammonia; NH30 ter (active); GPF: PM ar/heated air-fuel ratio EGR: exhaust gas rea pulsed AIR; SFI/MFI: AC: charge air cooler T: hydrocarbon trap; LPG: liquefied petro o lockup); M: manual uously variable transi	n; CERT: certific ALVW: adjusted sitional ZEV; TW ; NAC: NOX ads DC: ammonia ox I filter for spark-i o sensor; NOXS circulation; EGR : sequential/mult r; FFH: fuel fired BCAN: bleed ca leum gas; E85: transmission; S/ mission; AM: aut	kidation catalyst; CTOX/PTOX: gnited engine; HO2S/O2S: : NOx sensor; PMS: PM sensor; C: EGR cooler; AIR/AIRE:					

	2019 MODEL \	EAR: VE		ODELS INF	ORMATION		
MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
DODGE	CHALLENGER SRT	PC	6.2	A8	KCRXR0141PK0	1	P
DODGE	CHALLENGER SRT	PC	6.2	M6	KCRXR0141PK0	1	P
DODGE	CHARGER SRT	PC	6.2	A8	KCRXR0141PK0	1	F