

FCA US LLC.

Executive Order: A-009-1431

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

				TEST GROUP	INFORM	MATION	•				
MODE		EST GROUP	VEHIC		FUEL C	ATEGORY	FUEL TYPE				
2019	KO	CRXV05.75P3		PC	I		SINGLE FUEL	GASOLINE			
	USEFUI	LIFE (miles)	VEH	ICLE EMISSION	CATEG	ORY	INTERIM / INTERMEDIATE IN-USE STD				
EXH/ORVR EVAP				FTP			FTP	. SFTP			
120000 150000			BIN110	A TIER3 SITIONAL COUNTED LEV2 ULEV	TIONAL LEV 2 SFTP COUNTED STANDARD		*				
SPE	CIAL F		HAUST EMISSION	ON CONTROL		OBD S	TATUS	ENGINE DISPLACEMENT			
1		2HO2S (2), SFI, 2TW		*						
*			*		P	PARTIAL ALL MOD		5.7			
*			*			PARTIAL WITH *					
		EV	APORATIVE &	REFUELING (EV	AP/OR	/R) FAMIL	INFORMATION				
EVA	P / ORV	R FAMILY	EVAPORATIVE	STD CATEGOR	RY	EVAP EMISSION STD VEHICLE CLASS		SPECIAL FEATURES			
1	KCRXR01	141PK0	L		P	c	*				
			E	MISSION CREE	IT INFO	RMATION					
	EDIT FO	OX FLEET AVE. OR EXTENDED RRANTY		EDIT FOR NON-PZEV			REDIT FOR DOR	OPTIONAL EXH. STD FOR WORK TRUCKS			
		N		N	N N			N			
			NMOG	AND FLEET AV	ERAGE	INFORMA	TION				
NMOG RAF	CH4 RAF	FTP NMOG/NMHC RATIO	HCHO/NMHC RATIO	NMOG+NOX F PC+LDT (0-37 (g/mi	50 LVW) LDT	+NOX FLEET ST (3751 LVW-8500 R) + MDPV (g/mi)	NMOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi)			
*	*	1.10	. *	0.07	2		0.083	*			

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



FCA US LLC.

Executive Order: A-009-1431

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c)(3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The listed vehicle models are federally certified, and are certified under the provisions of 13 CCR Section 1961.2(a)(12) and the incorporated test procedures.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division



GASOLINE -

TIER 2

UNLEADED

0.090

0.20

KCRXR0141PK0

FCA US LLC.

Executive Order: A-009-1431

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 3 of 4

ATTACHMENT

	EXHA	UST	AND	EVA	POR	ATIVE		SIONS			S AND	CERT	FICAT	TION I	EVELS	3	
												FTP, HW					
	FUEL TYPE			H4: m nonoxi djustn	nethandide; NO nent fa [g HC/	e; NMO 0x: oxid ctor; 2D gallon o	G: non-C es of nitro HS/3DH: dispensed	H4 orga ogen; H S [g HC I]: on-bo	anic ga CHO: /test]: oard re	is; HC: I formalde 2/3 days fueling	nydrocart ehyde; P s diurnal- vapor red	oon; NMH M: particu hot-soak covery; g: ure; SFTF	IC: non- late ma ; RL [g l gram; n	CH4 Hitter; RAHC/mi]:	C; CO: ca AF: reactive running I gram; mi:	vity oss;	
					NMOG+NOx (g/mi)			CO (g/mi)		NOx (g/mi)			HCHO mg/mi)		-	M mi)	
				CER	Т	STD	CERT	STE	0.	CERT	STD	CER	TS	TD	CERT	STD	
FTP@5	ok	*		*		*	*	*		* *		*	* *		*	*	
FTP@l	11 1	GASOLINE- LEV3 E10		0.072	21 0	.110	0.74	2.1	1	*	*			4		0.010	
50°F @	4K	*		* *		*				* *		*		*		4	
					FUI	EL TYP	F			NMOG+NOx (g/mi		x (g/mi)			CO (g/mi)		
				TOLL THE						CE	CERT STD		CERT			STD	
HWFE	Г@ 50K			*						,		*				1-	
HWFE	T@UL			GASOLINE-LEV3 E10						0.0	020	0.110					
20°F	@ 50K		GA	SOLINE-COLD CO LOW OCTANE						1				1.67 10.		10.0	
		-	S	FTP E	XHAL	IST EM	ISSION S	STANDA	ARDS	AND CI	ERTIFIC	ATION LI	EVELS				
				FTP EXHAUST EMISSION STANDARDS US06					SC03				COMPOSITE				
FUEL T		TYPE			NMHC+NOx (g/mi)		CO PM (g/mi) (mg/m			NMHC+NOx (g/mi)		CO (g/mi)	NMOG+NO (g/mi)		CO (g/mi)	PM (mg/mi)	
@ 4K	GASOLI LEV3 E	SOLINE- C			0.119		1.29			0.0	056	0.67					
W 41	TEA2 EIG		STD		0.14		8.0			0.	20	2.7				1	
			CERT		*		*			+		*	0.0	0.080		*	
@ UL		GASOLINE- LEV3 E10			*		*	,		,		. * .	0.0	090	*	*	
													0.0	090			
		WH	OLE V	EHIC	LE EV	APORA	TIVE EM	ISSION	STAN	DARD	S AND C	ERTIFIC	ATION	LEVEL	S		
						WI	HOLE VE	HICLE	EVAP	ORATI	/E TEST	ING					
EVAPORATIVE FAMILY		FUEL TY		. TYPE 3DHS (g		/test) @ UL			2DHS (g/test)		@ UL		RL (g/mi) @		UL		
					CERT S		TD FEL		CE	RT	STD	FEI	-	CERT		STD	
KCRXR0141PK0			GASOLINE - TIER 2 0.454 0 UNLEADED		.50	*	0.3	83	0.65	+	0.		0.05				
(ORVR / FU	JEL (ONLY	CAN	STER	BLEED	EVAPO	RATIVE	EMIS	SIONS	TANDA	RDS AND	CERT	IFICAT	ION LEV	ELS	
				,					. FI	JEL ON	LY EVA	P & CAN	STER	BLEED			
EVAPORATIVE FAMILY		ORVR (g/ga			/gallon) @ UL		FUEL TYPE			HS RIG g/test) (2DHS RIG TEST (g/test) @ UL		BLEED CANISTE TEST (g/test) @ 4		
		FUEL TYP		PE C	CERT STD		(CE	RT	STD	CERT	ST	D	CERT	STD	



DODGE

CHARGER AWD

FCA US LLC.

Executive Order: A-009-1431

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 4 of 4

EFFECTIVE LEAK DIAMETER STANDARD AND CERTIFICATION LEVEL (INCHES)									
EVAPORATIVE FAMILY	LEAK FAMILY	CERT	STD						
*	*	*	*						

: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR; gross vehicle weight rating; LVW; loaded vehicle weight; ALVW; adjusted LVW; LEV; low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle

2019 MODEL YEAR: VEHICLE MODELS INFORMATION											
MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD				
CHRYSLER	300	PC	5.7	A8	KCRXR0141PK0	1	P				
DODGE	CHALLENGER	PC	5.7	A8	KCRXR0141PK0	1	P				
DODGE	CHARGER	PC	5.7	A8	KCRXR0141PK0	1	P				
DODGE	CHARGER	PC	5.7	A5	KCRXR0141PK0	1	P				

5.7

A5

KCRXR0141PK0

1

P

PC